BESTIR

BESTIR

鹰之印微信公众号

鹰之印微信视频号


IIBESTIR Global

www.iibestir.com
FOSHAN BESTIR TOOLS CO., LTD

佛山市鹰之印五金工具制造有限公司
地 址：广东省佛山市南海区狮山镇新境村瓦岗横一路1号
全国服务热线：**400-830-9292**　商务热线：0757-85953118

BESTIR

READY FOR ACTION



2025 PRODUCT CATALOGUE



IIBESTIR FOSHAN NEW BRAND OPERATION CENTER



IIBESTIR PRODUCTION & MANUFACTURING BASE IN SINO-GERMAN METAL ECO-CITY, JIEYANG, GUANGDONG

IIBESTIR FORGING A CENTURY-OLD TOOL BRAN

IIBESTIR is one of the most famous tools manufacturers in China. Set up in 2001, IIBESTIR focuses on high quality tools and provides 21 categories of products, which contain more than 5000 skus to fulfill different industrial usage scenarios. Due to the persistence on quality control, IIBESTIR enjoys its high reputation up to now.

Focusing on good quality, excellent performance and reasonable price, IIBESTIR shared more and more brand awareness and expanded distribution out of China to international market such as Southeast Asia, Middle East, Russia, Africa, Europe and America.





Hu Chunhua, Member of the Political Bureau of the CPC Central Committee and Secretary of Guangdong Provincial Party Committee, Inspects BESTIR Production Base



Heinz Fischer, Former President of Austria, Visits and Inspects BESTIR Production Base in Jieyang, Guangdong



Advisor Michael Kozma and Chairman Lin Zhongwei discuss products during the seminar.

PRODUCTIVITY-DRIVEN DEVELOPMENT

IIBESTIR's products are widely used across various industrial and mining sectors, particularly in transportation, high-speed rail maintenance, automotive services, mining operations, copper and iron industries, power generation, electronics and telecommunications, and military applications–thanks to their professional-grade and industrial-grade quality advantages.

To further enhance R&D and manufacturing of professional tools, IIBESTIR has established a state-of-the-art production base in Jieyang Sino-German Metal Eco-City, covering 86 acres, with the first phase already completed at 35,000 square meters. Equipped with modern automated production lines, this facility is set to revolutionize the hardware tools industry.







Socket manufacturing workshop







Driver bit manufacturing workshop

IIBESTIR

STOCKAVAILABLE

FOR RAPID DELIVERY

Over 30000㎡ storage area
our excellent stock management improves logistic efficiency
and ensures prompt and correct supply





AFFORDABLE PRICES

RELIABLE QUALITY

AVAILABLE STOCK

RAPID DELIVERY

W/O RESTRICTIVE MOQ

IIBESTIR TOOL TESTING LABORATORY

Quality Assurance, Customer First



OTHER SPECIALIZED INSPECTION EQUIPMENT



Taiwan-made fully functional torque life tester



German-original top-tier metal materialdirect-reading spectrometer (for metal element analysis)



Original imported 11,000V insulation high-voltage tester



Rockwell hardness tester



1,500x metallurgical microscope



Torque wrench calibrator



Torque wrench verification instrument



Power testing / withstand voltage testing



Salt spray tester



Taiwan-original pneumatic wrench torque testing bench



Pliers lifespan tester



Grip force tester

IIBESTIR upholds the philosophy that "quality is the lifeblood of the enterprise", and is committed to establishing a Quality Inspection & Testing Center to safeguard product excellence. Equipped with advanced detection and analytical equipment, all products undergo rigorous quality testing before shipment, ensuring consistent performance. We deliver high-quality one-stop tool solutions to meet our customers' needs with reliability.

PROFESSIONALISM BUILDS BRANDS

IIBESTIR has been deeply engaged in the hardware tools industry for over 20 years, with professionalism as the core of its brand identity. Since being appointed as a sub-technical committee unit of the National Hardware Tools Standardization Center in 2010, it has served as a drafting unit for national standards for tools such as socket wrenches, screwdrivers, pipe wrenches, and cutting tools. Renowned for its outstanding products and services, IIBESTIR has been honored with multiple industry accolades, including the "Tiangong Award" for the Top 10 Most Influential Hand Tools Brands and recognition as one of China's Top 20 Hardware Tools enterprises, both domestically and internationally. Additionally, it holds numerous national patents.



Sub-Technical Committee Unit of National Hardware Tools Standardization Center
(National Standard Drafting & Revision Unit for Hardware Tools)
(2010–2024)



Participated in drafting more than 20 national standards for tools, including manual socket wrenches, screwdrivers, pipe wrenches, adjustable wrenches, cutting tools (knives & scissors), ratchet wrenches, spirit levels, carpenter saws, and hand saws.

IIBESTIR has been awarded the title of Top 10 Most Influential Brands in China and recognized as one of the Top 20 Hardware Tools Enterprises both domestically and internationally by nationally authoritative institutions.



China Five-Metal & Chemical Commercial Association



National Hardware Tools Standardization Center
Certifications & Memberships



ISO 9001:2000 International Quality Management System certified



Vice Chairman Unit of All-China Federation of Industry & Commerce (ACFIC) Hardware & Machinery Chamber



Awarded by ACFIC Hardware & Machinery Chamber



CHINA NATIONAL HARDWARE EXPO SHOWCASE

MANUFACTURER COMMUNITY
Setting the Benchmark for a Century-Old Tools Brand

Manufacturing is the backbone of the national economy, the foundation of a nation's prosperity, and the cornerstone of its strength. In the new era, Chinese manufacturing has entered a crucial phase of transitioning from scale to strength. Hardware tools are essential for industries ranging from mining and transportation to construction, power, telecommunications, defense, military, agriculture, and other sectors. Underpinned by the rise of China as a manufacturing powerhouse, IIBESTIR Tools has integrated with over 2,000 service network distributors nationwide, contributing to economic development and showcasing the power of Chinese brands to the world.

IIBESTIR NATIONAL OUTSTANDING DEALER ANNUAL EVENT



2016 National Outstanding Dealer Shantou Tour



2019 National Outstanding Dealer Japan Tour (Mt. Fuji)



2018 National Outstanding Dealer Maldives Romantic Journey

CONTENTS 产品目录

01 HAND TOOLS

1 PLIERS ---------- 钳子系列 P001-P011
2 WRENCHES ---------- 扳手系列 P012-P024
3 HEX KEY ---------- 内六角系列 P025-P031
4 SCREWDRIVERS ---------- 螺丝刀系列 P032-P045
5 MEASURING ---------- 测量装潢类 P046-P062
6 KNIFE CUTTING TOOLS ---------- 刀剪系列 P063-P088
7 MASTER TOOL SET ---------- 综合组套 P089-P100
8 TRAY SET CUSTOMIZE ---------- 工具车组套 P101-P108
9 VDE INSULATED TOOLS ---------- VDE 绝缘工具 P109-P122
11 TOOL STORAGE & TOOL BAG ---------- 工具车箱包 P123-P130
12 SOCKET & ACCESSORIES ---------- 套筒及附件 P131-P151
13 AIR TOOLS ACCESSORIES ---------- 气动工具附件 P152-P158
14 MAINTENANCE ---------- 汽修汽保工具 P159-P169
15 ELECTRONIC TOOLS ---------- 电工电子类 P170-P187
16 STRIKING TOOLS ---------- 敲击工具类 P188-P192
17 HYDRAULIC AND WELDING ---------- 液压及焊割 P189-P200
18 GARDEN TOOLS ---------- 园林园艺 P201-P205
19 OTHER TOOLS ---------- 其它类工具 P206-P208

02 POWER TOOLS

20 ELECTRIC TOOLS ---------- 交流电动工具 P209-P217

03 CORDLESS TOOLS


21 ELECTRIC TOOLS ---------- 锂电工具 P218-P224

04 AIR TOOLS

22 AIR TOOLS ---------- 气动工具 P225-P231

05 POWER TOOLS ACCESSORY

23 CONSUMABLES ---------- 刃具耗材类 P232-P248



PLIERS SERIES

Linesman Pliers
省力钢丝钳

BESTIR

LABOR SAVING 35%



- Eccentric Shaft Mechanism reduces required effort.
- Cuts steel wire: 1-3mm diameter (hardness below HRC46).
- Cuts steel cable: 3-5mm diameter (GB standard).

Item No.	Size	QTY
货号	规格	装箱数
BE-110311	6"/150mm	6/72
BE-110313	8"/200mm	6/60
BE-110314	9"/220mm	6/60

Long Nose Pliers (Multi-Function)
多功能尖咀钳

BESTIR

LABOR SAVING 35%



- Eccentric Shaft Mechanism reduces required effort.
- Cuts steel wire: 1-3mm diameter (hardness below HRC46).
- Cuts steel cable: 3-5mm diameter (GB standard).
- Wire Stripping Range: 1.5-8mm² .

Item No.	Size	QTY
货号	规格	装箱数
BE-110115	9"/225mm	6/60

Linesman Pliers (Multi-Function)
多功能钢丝钳

BESTIR

LABOR SAVING 35%



- Eccentric Shaft Mechanism reduces required effort.
- Cuts steel wire: 1-3mm diameter (hardness below HRC46).
- Cuts steel cable: 3-5mm diameter (GB standard).
- Wire Stripping Range: 1.5-8mm² .

Item No.	Size	QTY
货号	规格	装箱数
BE-110315	9"/210mm	6/60

Long Nose Pliers
省力尖咀钳

BESTIR

LABOR SAVING 35%



- Eccentric Shaft Mechanism reduces required effort.
- Cuts steel wire: 1-3mm diameter (hardness below HRC46).
- Cuts steel cable: 3-5mm diameter (GB standard).

Item No.	Size	QTY
货号	规格	装箱数
BE-110111	6"/150mm	6/72

Diagonal Pliers
省力斜咀钳





- Eccentric Shaft Mechanism reduces required effort.
- Cuts steel wire: 1-3mm diameter (hardness below HRC46).
- Cuts steel cable: 3-5mm diameter (GB standard).

Item No.	Size	QTY
货号	规格	装箱数
BE-110211	6"/150mm	6/72

Linesman Pliers
省力钢丝钳





- The eccentric shaft design ensures more labor-saving use.
- Steel wires with a diameter of 1-3mm (hardness below HRC46).
- Steel cables with a diameter of 3-5mm (national standard).

Item No.	Size	QTY
货号	规格	装箱数
10364	7"/175mm	6/72
10365	8"/200mm	6/60
10366	9"/225mm	6/60

European Type Linesman Pliers
欧式钢丝钳

Cr-V



- Forged from chrome-vanadium steel, it features high strength and excellent toughness.
- It meets the American ANSI standard and German DIN standard.

Item No.	Size	QTY
货号	规格	装箱数
10371	6"/150mm	6/72
10372	7"/175mm	6/72
10373	8"/200mm	6/72

Linesman Pliers
美式斑马柄钢丝钳



- Forged from high-quality tool steel, ensuring robustness and durability;
- The plier head is finely polished, and the cutting edge is treated with high-frequency quenching, enabling sharp cutting performance.

Item No.	Size	QTY
货号	规格	装箱数
10311	6"/150mm	6/72
10312	7"/175mm	6/72
10313	8"/200mm	6/72

Diagonal Pliers
斜咀钳





- Cuts steel wire: 1.6mm diameter (hardness below HRC46).

Item No.	Size	QTY
货号	规格	装箱数
BE-110201	6"/150mm	6/72

Long Nose Pliers
省力尖咀钳





- Eccentric Shaft Mechanism reduces required effort.
- Cuts steel wire: 1-3mm diameter (hardness below HRC46).
- Cuts steel cable: 3-5mm diameter (GB standard).

Item No.	Size	QTY
货号	规格	装箱数
10162	6"/150mm	6/72
10163	8"/200mm	6/60

European Type Long Nose Pliers
欧式尖咀钳

Cr-V



- Forged from chrome-vanadium steel, it features high strength and excellent toughness.
- It meets the American ANSI standard and German DIN standard.

Item No.	Size	QTY
货号	规格	装箱数
10171	6"/150mm	6/72
10172	8"/200mm	6/72

Long Nose Pliers
美式斑马柄尖咀钳



- Forged from high-quality tool steel, ensuring robustness and durability;
- The plier head is finely polished, and the cutting edge is treated with high-frequency quenching, enabling sharp cutting performance.

Item No.	Size	QTY
货号	规格	装箱数
10111	6"/150mm	6/72
10112	8"/200mm	6/72

Linesman Pliers
钢丝钳





- Cuts steel wire: 1.6mm diameter (hardness below HRC46).

Item No.	Size	QTY
货号	规格	装箱数
BE-110303	8"/200mm	6/60

Diagonal Pliers
省力斜咀钳





- Eccentric Shaft Mechanism reduces required effort.
- Cuts steel wire: 1-3mm diameter (hardness below HRC46).
- Cuts steel cable: 3-5mm diameter (GB standard).

Item No.	Size	QTY
货号	规格	装箱数
10282	6"/150mm	6/72

European Type Diagonal Pliers
欧式斜咀钳

Cr-V



- Forged from chrome-vanadium steel, it features high strength and excellent toughness.
- It meets the American ANSI standard and German DIN standard.

Item No.	Size	QTY
货号	规格	装箱数
10271	6"/150mm	6/72

Diagonal Pliers
美式斑马柄斜咀钳



- Forged from high-quality tool steel, ensuring robustness and durability;
- The plier head is finely polished, and the cutting edge is treated with high-frequency quenching, enabling sharp cutting performance.

Item No.	Size	QTY
货号	规格	装箱数
10211	6"/150mm	6/72
10213	8"/200mm	6/72

Linesman Pliers
波纹柄钢丝钳



- Forged from high-quality tool steel, ensuring robustness and durability;
- The plier head is finely polished, and the cutting edge is treated with high-frequency quenching, enabling sharp cutting performance.

Item No.	Size	QTY
货号	规格	装箱数
10383	8"/200mm	6/72

Long Nose Pliers
美式尖咀钳



- High-quality tool steel, ensuring sturdiness and durability;
- High-frequency heat treatment, delivering high hardness;
- Fine polishing finish, boasting an elegant and sleek appearance.

Item No.	Size	QTY
货号	规格	装箱数
10631	5"/125mm	24/192

Pointe-nose Pliers
美式扁咀钳



- High-quality tool steel, ensuring sturdiness and durability;
- High-frequency heat treatment, delivering high hardness;
- Fine polishing finish, boasting an elegant and sleek appearance.

Item No.	Size	QTY
货号	规格	装箱数
10635	5"/125mm	15/120



Long Nose Pliers
波纹柄尖咀钳



- Forged from high-quality tool steel, ensuring robustness and durability;
- The plier head is finely polished, and the cutting edge is treated with high-frequency quenching, enabling sharp cutting performance.

Item No.	Size	QTY
货号	规格	装箱数
10181	6"/150mm	6/72

Diagonal Pliers
美式斜咀钳



- High-quality tool steel, ensuring sturdiness and durability;
- High-frequency heat treatment, delivering high hardness;
- Fine polishing finish, boasting an elegant and sleek appearance.

Item No.	Size	QTY
货号	规格	装箱数
10632	4.5"/115mm	24/192

Needle Nose Pliers
美式针咀钳



- High-quality tool steel, ensuring sturdiness and durability;
- High-frequency heat treatment, delivering high hardness;
- Fine polishing finish, boasting an elegant and sleek appearance.

Item No.	Size	QTY
货号	规格	装箱数
10636	6"/150mm	6/72

Plastic Cutting Pliers
日式水口钳

Cr-V



- Forged from chrome-vanadium steel, ensuring sturdiness and durability;
- The cutting edge undergoes high-frequency quenching, with a hardness of HRC 58-65;
- For use only on plastic sprues or flexible wires; do not cut hard steel materials such as iron wires or steel wires.

Item No.	Size	QTY
货号	规格	装箱数
13202	5"/125mm	12/144
13203	6"/150mm	12/144
13203A	6"/150mm	12/144
13204	7"/175mm	6/60

Diagonal Pliers
波纹柄斜咀钳



- Forged from high-quality tool steel, ensuring robustness and durability;
- The plier head is finely polished, and the cutting edge is treated with high-frequency quenching, enabling sharp cutting performance.

Item No.	Size	QTY
货号	规格	装箱数
10231	6"/150mm	6/72

Bent Nose Pliers
美式弯咀钳



- High-quality tool steel, ensuring sturdiness and durability;
- High-frequency heat treatment, delivering high hardness;
- Fine polishing finish, boasting an elegant and sleek appearance.

Item No.	Size	QTY
货号	规格	装箱数
10633	5"/125mm	15/120

End Cutting Pliers
美式顶切钳



- High-quality tool steel, ensuring sturdiness and durability;
- High-frequency heat treatment, delivering high hardness;
- Fine polishing finish, boasting an elegant and sleek appearance.

Item No.	Size	QTY
货号	规格	装箱数
10638	4.5"/115mm	15/120

Plastic Cutting Pliers
双色柄水口钳

Cr-V



- Forged from chrome-vanadium steel, ensuring sturdiness and durability;
- The cutting edge undergoes high-frequency quenching, with a hardness of HRC 58-65;
- For use only on plastic sprues or flexible wires; do not cut hard steel materials such as iron wires or steel wires.

Item No.	Size	QTY
货号	规格	装箱数
13212	5"/125mm	12/144
13213	6"/150mm	12/144
13214	7"/175mm	6/60

Plastic Cutting Pliers
日式电子钳

BESTIR

Cr-V



- Forged from chrome-vanadium steel, delivering higher hardness;
- The cutting edge undergoes high-frequency quenching treatment, with a hardness of HRC 58-65;
- Suitable for cutting wires, trimming plastic parts, cutting small metal wires, as well as repairs in the electronics industry, jewelry processing, and more.

Item No. 货号	Size 规格	QTY 装箱数
13205	5"/125mm	12/144

Electrician's Pliers
电工钳

BESTIR

Cr-V



- Forged from chrome-vanadium steel, ensuring sturdiness and durability;
- Double-sided sharpened blade with high-frequency quenching treatment;
- Capable of cutting steel wires with a diameter of ≤1.6mm, and copper/aluminum wires with a diameter of ≤4mm;
- Solves the problem that plastic-cutting pliers cannot cut iron wires.

Item No. 货号	Size 规格	QTY 装箱数
03619	6"/150mm	6/72

Slip Joint Pliers
鲤鱼钳

BESTIR



- Forged from high-quality tool steel, ensuring sturdiness and durability;
- The head features an adjustable clamping range for convenient use;
- Toothed jaw design, featuring strong clamping force and anti-slip performance.

Item No. 货号	Size 规格	QTY 装箱数
10501	6"/150mm	6/72
10502	8"/200mm	6/60
10503	10"/255mm	12/48



Wate Pump Pliers
快速调节水泵钳

BESTIR

EASY TO USE

PUSH BUTTON DESIGN



- Manufactured from high-quality high-carbon steel and subjected to integral heat treatment, ensuring high hardness.
- Features abutton-type one-click adjustment for quick switching of jaw size.
- Equipped with plastic-coated non-slip handles, which are both aesthetically pleasing and easy to use.
- Maximum jaw opening: 70mm.

Item No. 货号	Size 规格	QTY 装箱数
BE-110402	10"/250mm	6/60

Wate Pump Pliers
水泵钳

BESTIR



- Forged from high-quality tool steel, ensuring sturdiness and durability;
- The head features an adjustable clamping range for convenient use.

Item No. 货号	Size 规格	QTY 装箱数
10401	8"/200mm	6/60
10402	10"/255mm	12/48
10403	12"/300mm	6/36

Carpenter Pliers
双色柄胡桃钳

BESTIR

Cr-V



- Forged from chrome-vanadium steel, ensuring sturdiness and durability;
- The jaw undergoes high-frequency quenching, with the cutting edge hardness reaching up to HRC 55-60.

Item No. 货号	Size 规格	QTY 装箱数
03651	6"/150mm	6/72
03652	7"/175mm	6/60
03653	8"/200mm	6/60

End Cuttiong Pliers
双色柄顶切钳

BESTIR

Cr-V



- Forged from chrome-vanadium steel, ensuring sturdiness and durability;
- The jaw undergoes high-frequency quenching, with the cutting edge hardness reaching up to HRC 55-60.

Item No. 货号	Size 规格	QTY 装箱数
03661	6"/150mm	6/60
03662	7"/175mm	5/50
03663	8"/200mm	5/50

Rabbet Pliers
双色柄扎线钳

BESTIR

Cr-V




- Forged from chrome-vanadium steel, ensuring sturdiness and durability;
- The jaw undergoes high-frequency quenching, with the cutting edge hardness reaching up to HRC 55-60.

Item No. 货号	Size 规格	QTY 装箱数
03620	8"/200mm	6/60
03621	9"/225mm	12
03622	10"/255mm	12
03623	11"/280mm	15

HS Retainer Pliers
孔直卡簧钳

BESTIR



穴用

- Forged from high-quality tool steel, ensuring sturdiness and durability;
- The plier body undergoes fine polishing, and the plier jaws are treated with anti-rust black oxide finish;
- Suitable for installing and removing snap rings in bicycles, agricultural machinery, motors, electrical appliances, and more.

Item No. 货号	Size 规格	QTY 装箱数
12101	5"/125mm	12/144
12102	6"/150mm	12/144
12103	7"/175mm	6/96
12104	8"/200mm	6/96
12105	9"/225mm	12/72
12106	13"/330mm	6/36

SS Retainer Pliers
轴直卡簧钳

BESTIR



轴用

- Forged from high-quality tool steel, ensuring sturdiness and durability;
- The plier body undergoes fine polishing, and the plier jaws are treated with anti-rust black oxide finish;
- Suitable for installing and removing snap rings in bicycles, agricultural machinery, motors, electrical appliances, and more.

Item No. 货号	Size 规格	QTY 装箱数
12111	5"/125mm	12/144
12112	6"/150mm	12/144
12113	7"/175mm	6/96
12114	8"/200mm	6/96
12115	9"/225mm	12/72
12116	13"/330mm	6/36

HB Retainer Pliers
孔弯卡簧钳



- Forged from high-quality tool steel, ensuring sturdiness and durability;
- The plier body undergoes fine polishing, and the plier jaws are treated with anti-rust black oxide finish;
- Suitable for installing and removing snap rings in bicycles, agricultural machinery, motors, electrical appliances, and more.

Item No.	Size	QTY
货号	规格	装箱数
12121	5"/125mm	12/144
12122	6"/150mm	12/144
12123	7"/175mm	6/96
12124	8"/200mm	6/96
12125	9"/225mm	12/72
12126	13"/330mm	6/36

SB Retainer Pliers
轴弯卡簧钳



- Forged from high-quality tool steel, ensuring sturdiness and durability;
- The plier body undergoes fine polishing, and the plier jaws are treated with anti-rust black oxide finish;
- Suitable for installing and removing snap rings in bicycles, agricultural machinery, motors, electrical appliances, and more.

Item No.	Size	QTY
货号	规格	装箱数
12131	5"/125mm	12/144
12132	6"/150mm	12/144
12133	7"/175mm	6/96
12134	8"/200mm	6/96
12135	9"/225mm	12/72
12136	13"/330mm	6/36

The Ball Iron Aggravates "C" Clamps
球铁加重 "C" 字夹



- Forged from high-quality ductile iron, with overall heat treatment;
- Weighted design of the clamp body, ensuring the clamped object is not easily deformed;
- Trapezoidal threaded lead screw, featuring large torque to guarantee a strong clamping effect.

Item No.	Size	QTY
货号	规格	装箱数
10922	2"/50mm	12/120
10923	3"/75mm	10/60
10924	4"/100mm	10/40
10925	5"/125mm	5/30
10926	6"/150mm	5/20
10927	8"/200mm	5/15
10928	10"/255mm	6/12
10929	12"/300mm	5/10

F Clamps
塑料手柄 F夹



- Forged from high-quality tool steel, it offers excellent sturdiness.
- Mainly dedicated to woodworking splints, it has functions such as fixing and clamping.

Item No.	Size	QTY
货号	规格	装箱数
10701	160X80MM	24
10702	200X80MM	24
10703	250X80MM	24
10704	300X80MM	24
10705	450X80MM	24
10706	600X80MM	16
10707	800X80MM	16
10708	900X80MM	16
10709	1000X80MM	2/16

O-Clamp Locking Pliers
链条式大力钳



- The clamp body is formed by stamping with special tool steel, featuring excellent toughness;
- The handle-type design ensures the clamped object is not easily deformed, and adjustment is convenient.

Item No.	Size	QTY
货号	规格	装箱数
11801	450mm	6/36

Curved Jaw Lock-Grip Pliers
圆口大力钳（正打）



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.

Item No.	Size	QTY
货号	规格	装箱数
11113	10"/255mm	12/48

Curved Jaw Lock-Grip Pliers
圆口大力钳（反打）



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.

Item No.	Size	QTY
货号	规格	装箱数
11114	10"/255mm	12/48

Japan Type Lock-Grip Pliers
日式大力钳

Cr-Mo



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.
- Jaws with cutting function.

Item No.	Size	QTY
货号	规格	装箱数
11103	10"/255mm	6/48

U.S.A Type Lock-Grip Pliers
美式大力钳

Cr-V



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.
- Jaws with cutting function.

Item No.	Size	QTY
货号	规格	装箱数
11201	5"/125mm	10/120
11202	7"/175mm	6/60
11203	10"/255mm	6/48

Long Nose Lock-Grip Pliers
尖咀大力钳

Cr-V



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.
- Jaws with cutting function.

Item No.	Size	QTY
货号	规格	装箱数
11301	6.5"/165mm	6/72
11302	9"/225mm	6/48

Welding Clamps
焊接钳

Cr-V



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.

Item No.	Size	QTY
货号	规格	装箱数
11402	10"/255mm	24

Locking Sheet Metal Tool
平板金属夹钳

Cr-V



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.
- Jaws with cutting function.

Item No.	Size	QTY
货号	规格	装箱数
11501	8"/200mm	24
11502	10"/255mm	16

Locking Clamps With Swivel Pads
美式C型大力钳

Cr-V



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- The adjusting rod undergoes heat treatment, allowing for convenient force adjustment.
- Jaws with cutting function.

Item No.	Size	QTY
货号	规格	装箱数
11701	11"/280mm	12
11702	14"/355mm	12
11703	18"/455mm	12

Pipe Wrench
管子钳






- The plier head is forged from 55# steel and undergoes overall heat treatment.
- The jaw is treated with high-frequency heat, featuring high hardness, firm clamping, and no slipping.
- The handle is of precision casting type, with a plastic-dipped finish, ensuring an attractive appearance and anti-slip performance.
- Suitable for plumbing installation and maintenance of small mechanical equipment.

Item No.	Size	Maximum opening	QTY
货号	规格	最大开口	装箱数
BE-120803	12"/300mm	42mm	6/24
BE-120804	14"/350mm	48mm	6/12
BE-120805	18"/450mm	60mm	4/16
BE-120806	24"/600mm	73mm	2/8

Heavy Duty Bench Vice
重型台虎钳



Jaw Width 钳口宽度	Maximum opening 最大张开口	Jaw height 钳口高度	Plane rotation 平面旋转	Clamping force 夹紧力	Net weight 净重	Overall dimensions 外形尺寸
4"/100mm	120mm	58mm	360°	20KN	8.5kg	340x170x180mm
5"/125mm	170mm	56mm	360°	25KN	13.5kg	405x195x190mm
6"/150mm	190mm	76mm	360°	30KN	18kg	480x215x225mm
8"/200mm	215mm	88mm	360°	40KN	32.5kg	560x260x250mm
10"/250mm	220mm	98mm	360°	45KN	43kg	600x275x290mm
12"/300mm	280mm	140mm	360°	50KN	73.5kg	735x330x365mm

- Precisely cast clamp body, thick and impact-resistant, ensuring stable clamping;
- High-quality carbon steel jaws with anti-slip stripe design, preventing edge chipping;
- 45# chrome-plated lead screw, wear-resistant and anti-thread stripping;
- 360° rotating plate for free adjustment, allowing arbitrary angle fixing.

Item No.	Size	QTY
货号	规格	装箱数
10961	4"/100mm	1Pcs
10962	5"/125mm	1Pcs
10963	6"/150mm	1Pcs
10964	8"/200mm	1Pcs
10965	10"/250mm	1Pcs
10966	12"/300mm	1Pcs

Combination Wrench Set
镜面两用扳手组套

BESTIR



- Forged from high-quality 45# steel and subjected to overall heat treatment, it boasts high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance;
- The storage bag is made of 1680D Oxford polyester fabric, featuring excellent water resistance; it can be laid flat for easy access and rolled up for convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
97231	8PCS	4/24
Configuration：(8、10、12、13、14、15、17、19) mm		
97232	10PCS	3/18
Configuration：(8、10、12、13、14、15、16、17、18、19) mm		
97233	12PCS	2/8
Configuration：(8、10、12、13、14、15、16、17、18、19、22、24) mm		
97234	14PCS	2/8
Configuration：(8、9、10、11、12、13、14、15、16、17、18、19、22、24) mm		
97235	23PCS	1/6
Configuration：(6、7、8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、23、24、25、27、30、32) mm		

Offset Wrench Set
镜面双梅花扳手组套

BESTIR



- Forged from high-quality 45# steel and subjected to overall heat treatment, it boasts high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance;
- The storage bag is made of 1680D Oxford polyester fabric, featuring excellent water resistance; it can be laid flat for easy access and rolled up for convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
97131	8PCS	4/24
Configuration：(5.5x7、8x10、10x12、12x14、14x17、17x19、19x22、22x24) mm		
97132	10PCS	3/18
Configuration：(5.5x7、8x10、9x11、10x12、12x14、14x17、17x19、19x22、24x27、30x32) mm		
97133	12PCS	2/8
Configuration：(5.5x7、8x10、9x11、12x14、13x15、14x17、16x18、17x19、19x22、21x23、24x27、30x32) mm		

Opent Wrench Set
镜面双开口扳手组套

BESTIR




- Forged from high-quality 45# steel and subjected to overall heat treatment, it boasts high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance;
- The storage bag is made of 1680D Oxford polyester fabric, featuring excellent water resistance; it can be laid flat for easy access and rolled up for convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
97331	8PCS	4/24
Configuration：(5.5x7、8x10、10x12、12x14、14x17、17x19、19x22、22x24) mm		
97332	10PCS	3/18
Configuration：(5.5x7、8x10、9x11、10x12、12x14、14x17、17x19、19x22、24x27、30x32) mm		
97333	12PCS	2/8
Configuration：(5.5x7、8x10、9x11、12x14、13x15、14x17、16x18、17x19、19x22、22x24、24x27、30x32) mm		

Combination Wrench Set
雾面两用扳手组套

BESTIR

Cr-V




- Forged from high-quality chrome-vanadium steel, it features high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance;
- The storage bag is made of 1680D Oxford polyester fabric, featuring excellent water resistance; it can be laid flat for easy access and rolled up for convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
97206	6PCS	6
Configuration：(8、10、12、13、14、17) mm		
97208	8PCS	4/24
Configuration：(10、11、12、13、14、15、17、19) mm		
97211	11PCS	3/12
Configuration：(8、9、10、11、12、13、14、15、17、19、22) mm		
97214	15PCS(A)	2/8
Configuration：(8、9、10、11、12、13、14、15、16、17、18、19、21、22、24) mm		
97215	15PCS(B)	2/8
Configuration：(6、8、9、10、11、12、13、14、17、19、22、24、27、30、32) mm		

Offset Wrench Set
雾面双梅花扳手组套

BESTIR

Cr-V



- Forged from high-quality chrome-vanadium steel, it features high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance;
- The storage bag is made of 1680D Oxford polyester fabric, featuring excellent water resistance; it can be laid flat for easy access and rolled up for convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
97106	6PCS	4/24
Configuration：(6-7、8-9、10-11、12-13、14-17、18-19) mm		
97109	9PCS	2/12
Configuration：(5.5-7、8-10、11-13、12-14、14-17、17-19、21-23、22-24、24-27) mm		
97112	12PCS	1/6
Configuration：(6-7、8-9、10-11、12-13、14-15、16-17、18-19、20-22、21-23、24-27、25-28、30-32) mm		

Opent Wrench Set
雾面双开口扳手组套

BESTIR

Cr-V




- Forged from high-quality chrome-vanadium steel, it features high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance;
- The storage bag is made of 1680D Oxford polyester fabric, featuring excellent water resistance; it can be laid flat for easy access and rolled up for convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
97307	7PCS	4
Configuration：(5.5-7、8-10、10-12、11-13、14-17、17-19、22-24) mm		
97308	8PCS	4/24
Configuration：(6-7、8-9、10-11、12-13、14-15、16-17、18-19、22-24) mm		
97312	12PCS	2/8
Configuration：(6-7、8-9、10-11、12-13、14-15、16-17、18-19、20-22、21-23、24-27、25-28、30-32) mm		

Combination Ratchet Wrench Set
两用棘轮扳手组套

BESTIR

Cr-V





Adopting a 72 tooth ratchet design

- Forged from high-quality chrome-vanadium steel with mirror polishing treatment;
- Adopting a 72-tooth ratchet design, it only needs a 5-degree rotation to turn the nut, making it suitable for use in narrow spaces;
- The storage bag is made of 1680D Oxford polyester fabric, featuring excellent water resistance; it can be laid flat for easy access and rolled up for convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
97512	12PCS	2/8
Configuration：(8、9、10、11、12、13、14、15、16、17、18、19) mm		
97513	15PCS	1/4
Configuration：(8、9、10、11、12、13、14、15、16、17、18、19、21、22、24) mm		
97514	23PCS	4
Configuration：(5.5、6、7、8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、23、24、27、30、32) mm		

12PCS Ultra-short Gear Wrench Set
12件套超短棘轮两用扳手

BESTIR

Cr-V



Item No. 货号	Size 规格	QTY 装箱数
97612	12PCS	1/16
Configuration：(8、9、10、11、12、13、14、15、16、17、18、19) mm		

13PCS Ratchet Wrench Set
13件快速换头棘轮扳手组套

BESTIR

Cr-V





Maintenance and repair




auto repair




machine repair



motorcycle repair



Removal: Position the movable head at a 90° vertical angle to the handle, press the spring locks on both sides of the handle, and easily take out the ratchet head.




Installation: Press the ratchet head to be installed into the handle slot at a 90° vertical angle. Once a "click" sound is heard, rotate the ratchet head back to its original position, and it is ready for use.

- The ratchet head is made of high-quality chrome-vanadium steel and undergoes mirror electroplating treatment;
- With a 72-tooth ratchet design, it only requires a 5-degree rotation to turn the nut;
- The wrench's ratchet head can rotate 180 degrees, enabling flexible operation and making it suitable for use in narrow spaces;

Item No. 货号	Size 规格	QTY 装箱数
97701	13PCS	1/16
Ratchet head configuration：(8、9、10、11、12、13、14、15、16、17、18、19) mm		

Combination Wrench
镜面两用扳手

BESTIR






- Forged from high-quality 45# steel and subjected to overall heat treatment, it boasts high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
50205	5.5mm	127	12/360
50206	6mm	127	12/360
50207	7mm	134	12/360
50208	8mm	141	12/360
50209	9mm	148	12/240
50210	10mm	159	12/240
50211	11mm	166	12/240
50212	12mm	171	12/240
50213	13mm	180	12/180
50214	14mm	191	12/180
50215	15mm	199	12/180
50216	16mm	208	12/144
50217	17mm	224	12/144
50218	18mm	240	12/144
50219	19mm	250	12/72
50220	20mm	266	12/72
50221	21mm	279	12/72
50222	22mm	295	6/48
50223	23mm	312	6/48
50224	24mm	317	6/48
50225	25mm	338	6/48
50227	27mm	361	6/48
50230	30mm	401	6/36
50232	32mm	431	6/36

Offset End Wrench
镜面双梅花扳手

BESTIR






- Forged from high-quality 45# steel and subjected to overall heat treatment, it boasts high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
52201	5.5-7mm	174	12/180
52202	6-7mm	174	12/180
52204	8-9mm	190	12/180
52205	8-10mm	190	12/180
52206	9-11mm	203	12/144
52207	10-11mm	203	12/144
52208	10-12mm	205	12/144
52209	11-13mm	227	12/144
52210	12-13mm	227	12/144
52211	12-14mm	227	12/144
52212	13-15mm	235	12/144
52213	13-16mm	242	12/144
52214	14-15mm	235	12/144
52215	14-17mm	243	12/144
52216	16-17mm	248	12/144
52217	16-18mm	248	12/144
52218	17-19mm	259	12/96
52219	18-19mm	260	12/96
52220	18-21mm	280	12/96
52221	19-21mm	285	12/96
52222	19-22mm	282	12/96
52223	20-22mm	280	12/96
52224	21-23mm	330	6/48
52225	22-24mm	330	6/48
52227	24-27mm	374	6/48
52228	25-28mm	402	6/36
52229	27-30mm	400	6/36
52230	30-32mm	420	6/36

Open End Wrench
镜面双开口扳手

BESTIR






- Forged from high-quality 45# steel and subjected to overall heat treatment, it boasts high strength;
- Designed as an extended type in line with American standards, it saves labor and improves efficiency;
- The surface undergoes full mirror polishing, providing rust resistance and an attractive appearance.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
51201	5.5-7mm	125	12/360
51202	6-7mm	125	12/360
51205	8-9mm	135	12/360
51206	8-10mm	134	12/360
51207	9-11mm	146	12/240
51208	10-11mm	146	12/240
51209	10-12mm	146	12/240
51210	11-13mm	170	12/240
51211	12-13mm	170	12/240
51212	12-14mm	170	12/240
51213	13-15mm	175	12/240
51214	13-16mm	183	12/180
51215	14-15mm	177	12/180
51216	14-17mm	183	12/180
51217	16-17mm	197	12/180
51218	16-18mm	197	12/180
51219	17-19mm	205	12/96
51220	18-19mm	205	12/96
51221	18-21mm	229	12/96
51223	19-22mm	235	12/96
51224	20-22mm	234	6/48
51225	21-23mm	255	6/48
51226	22-24mm	254	12/48
51229	24-27mm	283	6/48
51230	25-28mm	297	6/48
51231	27-30mm	310	6/48
51232	30-32mm	337	6/48

Combination Wrench
公制雾面两用扳手

BESTIR

Cr-V



- Made of high-quality chrome-vanadium steel with integral forging, featuring high strength and good toughness.
- Thin plate body with super strong torque, more suitable for professional use.
- German-style concave rib design, with sand-blasted chrome plating on the surface, ensuring an attractive appearance and rust resistance.


Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
50105	5.5mm	127	12/240
50106	6mm	127	12/240
50107	7mm	134	12/240
50108	8mm	141	12/360
50109	9mm	148	12/240
50110	10mm	159	12/240
50111	11mm	166	12/240
50112	12mm	171	12/180
50113	13mm	180	12/180
50114	14mm	191	12/180
50115	15mm	199	12/240
50116	16mm	208	12/240
50117	17mm	224	12/144
50118	18mm	240	12/144
50119	19mm	250	12/72
50120	20mm	266	12/96
50121	21mm	279	12/72
50122	22mm	295	12/36
50123	23mm	312	12/72
50124	24mm	317	6/36
50125	25mm	338	9/72
50126	26mm	338	6/48
50127	27mm	361	6/48
50130	30mm	401	6/36
50132	32mm	431	6/36



Offset End Wrench
公制雾面双梅花扳手

BESTIR

Cr-V




- Made of high-quality chrome-vanadium steel with integral forging, featuring high strength and good toughness.
- Thin plate body with super strong torque, more suitable for professional use.
- German-style concave rib design, with sand-blasted chrome plating on the surface, ensuring an attractive appearance and rust resistance.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
52101	5.5-7mm	174	24/480
52102	6-7mm	174	24/480
52104	8-9mm	190	24/240
52105	8-10mm	190	24/240
52106	10-11mm	203	24/240
52107	10-12mm	205	24/240
52108	11-13mm	227	24/240
52109	12-13mm	227	24/240
52110	12-14mm	227	24/240
52111	14-15mm	235	24/144
52112	14-17mm	243	6/96
52113	16-17mm	248	24/144
52114	17-19mm	259	24/144
52115	18-19mm	260	24/144
52116	19-21mm	285	12/96
52117	19-22mm	282	12/48
52118	20-22mm	280	12/72
52119	21-23mm	330	12/48
52120	22-24mm	330	12/48
52121	23-26mm	340	12
52122	24-27mm	374	6/36
52123	25-28mm	402	9
52124	27-30mm	400	6/12
52125	30-32mm	420	6/24

Open End Wrench
公制雾面双开口扳手

BESTIR

Cr-V



- Made of high-quality chrome-vanadium steel with integral forging, featuring high strength and good toughness.
- Thin plate body with super strong torque, more suitable for professional use.
- German-style concave rib design, with sand-blasted chrome plating on the surface, ensuring an attractive appearance and rust resistance.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
51101	5.5-7mm	125	12/240
51102	6-7mm	125	12/240
51105	8-9mm	135	12/240
51106	8-10mm	134	12/240
51107	10-11mm	146	24/240
51108	10-12mm	146	24/240
51109	11-13mm	170	12/180
51110	12-13mm	170	12/240
51111	12-14mm	170	12/240
51112	14-15mm	177	12/240
51113	14-17mm	183	12/240
51114	16-17mm	197	12/180
51115	17-19mm	205	12/144
51116	18-19mm	205	12/144
51117	19-21mm	235	12/144
51118	19-22mm	235	12/144
51119	20-22mm	234	12/144
51120	21-23mm	255	12/72
51121	22-24mm	254	12/72
51124	24-27mm	283	6/36
51125	25-28mm	297	6/36
51126	27-30mm	310	6/36
51127	30-32mm	337	6/36



Ultra-short Gear Wrench
超短棘轮两用扳手

BESTIR

Cr-V



- Forged from high-quality chrome-vanadium steel and subjected to integral heat treatment, it offers high strength, good toughness, and long-lasting durability.
- The surface is treated with full mirror polishing, ensuring rust resistance and an elegant appearance.
- Featuring an extra-short handle and a ratchet design, it is more suitable for working in narrow spaces.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
53308	8mm	92	20
53309	9mm	92	10
53310	10mm	95	20
53311	11mm	102	10
53312	12mm	110	20
53313	13mm	108	20
53314	14mm	115	10
53315	15mm	115	10
53316	16mm	125	10
53317	17mm	125	10
53318	18mm	135	10
53319	19mm	135	10

Double-head ratchet Wrench
双梅花棘轮扳手

BESTIR

Cr-V



- Forged from high-quality chrome-vanadium steel with a mirror polishing finish.
- Features a 72-tooth ratchet design, allowing nut rotation with just a 5-degree swing.
- Suitable for various maintenance, machining, and bolt disassembly scenarios that require forward and reverse operation.


Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
52521	8X9mm	134	10/320
52522	8X10mm	137	10/320
52523	10X11mm	152	10/320
52524	10X12mm	158	10/320
52525	12X13mm	175	10/160
52526	12X14mm	178	10/160
52527	14X15mm	194	10/90
52528	14X17mm	203	10/90
52529	16X18mm	214	10/90
52530	17X19mm	233	10/90





Flexible Gear Wrench
活动棘轮两用扳手

BESTIR

Cr-V







Rapid penetration | Small angle operation | Chamfer design | 180° rotation

- Forged from high-quality chrome-vanadium steel with mirror electroplating treatment, featuring strong rust resistance.
- Equipped with a 72-tooth ratchet design, enabling nut rotation with just a 5-degree swing.
- The movable head can rotate 180 degrees, making operation more flexible and convenient, especially suitable for use in narrow spaces.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
53508	8mm	138	10/320
53509	9mm	153	10/320
53510	10mm	155	10/320
53511	11mm	173	10/160
53512	12mm	192	10/160
53513	13mm	192	10/160
53514	14mm	210	10/90
53515	15mm	210	10/90
53516	16mm	210	10/90
53517	17mm	228	10/90
53518	18mm	245	10/60
53519	19mm	245	10/60
53520	20mm	245	10/60
53521	21mm	257	6/48
53522	22mm	257	6/48
53523	23mm	265	6/48
53524	24mm	265	6/48

Combination Ratchet Wrench
公制两用棘轮扳手

BESTIR

Cr-V



- Forged from high-quality chrome-vanadium steel and finished with mirror polishing.
- Adopts a 72-tooth ratchet design, enabling nut rotation with just a 5-degree swing.
- Particularly suitable for working in narrow spaces.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
53105	5.5mm	120	10/500
53106	6mm	120	10/500
53107	7mm	130	10/500
53108	8mm	140	10/320
53109	9mm	152	10/320
53110	10mm	160	10/320
53111	11mm	167	10/160
53112	12mm	170	10/160
53113	13mm	177	10/160
53114	14mm	190	10/90
53115	15mm	200	10/90
53116	16mm	210	10/90
53117	17mm	225	10/90
53118	18mm	235	10/60
53119	19mm	248	10/60
53120	20mm	248	10/60
53121	21mm	290	6/48
53122	22mm	290	6/48
53123	23mm	290	6/48
53124	24mm	330	6/48
53125	25mm	330	6/48
53127	27mm	325	6/36
53130	30mm	360	6/24
53132	32mm	400	6/24



Double Socket Ratchet Wrench
双梅花尖尾棘轮扳手

BESTIR

Cr-V



Upgraded Version





- Made of chrome-vanadium steel, it undergoes quenching heat treatment and features a black phosphatized surface, providing strong rust resistance.
- Equipped with a forward/reverse toggle switch, it enables quick and convenient operation, reducing labor intensity and greatly improving work efficiency.
- It is an ideal fastening tool for scaffolding assembly and high-altitude operations.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
56101	10-12	245	2/40
56102	11-13	245	2/40
56103	12-14	245	2/40
56104	13-17	275	2/40
56105	14-17	280	2/40
56106	16-18	315	2/40
56107	17-19	315	2/40
56108	19-21	315	2/40
56109	19-22	315	2/40
56110	19-24	365	2/32
56111	21-23	365	2/32
56112	21-26	365	2/32
56113	22-24	365	2/32
56114	24-27	365	2/32
56115	24-30	400	2/20
56116	27-30	400	2/20
56117	30-32	400	2/20
56118	21-22	400	2/40
56122	32-36	440	2/12
56123	36-41	440	2/12
56124	41-46	440	2/12

Combination Socket Wrench
加长活动套筒两用扳手

BESTIR

Cr-V




- Forged from high-quality chrome-vanadium steel, it is sturdy and durable;
- With mirror electroplating treatment, it boasts strong rust resistance;
- The movable sleeve can rotate 180 degrees, making operation more flexible and convenient, especially suitable for working in narrow spaces;
- Mainly used in industries such as machinery manufacturing, shipbuilding, aviation, railways, and automotive maintenance.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
59108	8mm	162	12
59109	9mm	165	12
59110	10mm	177	8
59111	11mm	190	8
59112	12mm	202	12
59113	13mm	202	8
59114	14mm	217	8
59115	15mm	217	8
59116	16mm	230	12
59117	17mm	230	8
59119	19mm	245	8
59122	22mm	260	8

L-Type Pliers
带錾L型扳手

BESTIR

Cr-V




- Forged from CR-V chrome-vanadium steel and treated with integral heat treatment, it offers high strength, good toughness, and long-term durability;
- The surface undergoes fine mirror polishing treatment, ensuring an elegant appearance and rust resistance;
- The head is designed with a chisel, making it more convenient to use.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
57417	17mm	325	15/30
57419	19mm	325	15/30
57421	21mm	325	15/30
57422	22mm	325	15/30
57423	23mm	325	15/30
57424	24mm	325	15/30

L-type Wrench With Hole
L型穿心扳手

BESTIR

Cr-V



- Forged from CR-V chrome-vanadium steel and treated with integral heat treatment, it offers high strength, good toughness, and long-term durability;
- The surface is processed with polished chrome plating, ensuring rust resistance and an attractive appearance;
- The head features a hole design for more convenient use.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
57506	6mm	100	12/240
57507	7mm	110	12/192
57508	8mm	115	12/192
57509	9mm	125	12/180
57510	10mm	135	12/180
57511	11mm	140	12/180
57512	12mm	150	12/180
57513	13mm	155	12/144
57514	14mm	170	12/144
57515	15mm	175	12/144
57516	16mm	190	12/72
57517	17mm	195	12/72
57518	18mm	210	6/36
57519	19mm	210	6/36

Cross Rim Wrench
镜面十字架套筒扳手（带铁护盖）

BESTIR

Cr-V





- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- One wrench with 4 specifications, easy and fast to use.

Item No. 货号	Size 规格	QTY 装箱数
57315	17-19-21-23(500mm)	15

Y-Socket Wrench
三叉套筒扳手

BESTIR

Cr-V





- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- Thin sleeve head wall, large steering angle, more effective torque transmission, widely used.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
57201	8-9-10mm	140	10/60
57202	8-10-12mm	140	10/60
57203	12-13-14mm	140	10/60
57204	12-14-17mm	140	10/60
57205	10-12-14mm	140	10/60
57206	14-17-19mm	140	10/60

T-Socket Wrench
T型套筒扳手

BESTIR

Cr-V



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- Extended handle design, suitable for disassembling bolts and nuts in deep and narrow spaces.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
57106	6mm	315	12/60
57107	7mm	315	12/60
57108	8mm	315	12/60
57109	9mm	315	12/60
57110	10mm	315	12/60
57111	11mm	315	12/60
57112	12mm	315	12/60
57113	13mm	315	12/60
57114	14mm	315	12/60
57115	15mm	315	12/60
57116	16mm	315	12/60
57117	17mm	315	12/60
57118	18mm	315	12/60
57119	19mm	315	12/60

Fast Cross Rim Wrench
快速十字架套筒扳手

BESTIR

Cr-V


Leather bag packaging



- The jaw is forged from high-quality tool steel, featuring excellent toughness;
- The clamp body is formed by stamping with alloy steel plates;
- Compatible with various 1/2-inch drive sleeve, allowing flexible use;
- Equipped with a leather bag for easy storage, making it suitable for family car use.

Item No. 货号	Size 规格	QTY 装箱数
57322	17-19-21-23mm	12

Energy Saving Wrench
轮胎拆装省力扳手

BESTIR


Cr-V





- Adopts multi-stage planetary gear transmission as the main drive, with an output torque ratio of 1:69, providing greater torque and more labor-saving operation;
- Precisely manufactured from alloy steel and featuring a polished, spray-coated exterior, it is sturdy and durable;
- Equipped with a tool storage box for easy carrying;
- Widely used for disassembling and assembling tires of various heavy-duty trucks.

Item No. 货号	Ratio 规格	QTY 装箱数
91602	1:69	3



Adjustable Wrench
圆孔镀铬活动扳手



- Forged from high-quality tool steel, with the head finely polished and the surface chrome-plated;
- The jaw of the wrench undergoes precision machining, allowing flexible opening;
- The wrench jaw is marked with scales for convenient operation;
- It is equipped with a spring-loaded worm screw to ensure stable jaw positioning.

Item No. 货号	Size 规格	QTY 装箱数
BE-145101	6"/150mm	6/144
BE-145102	8"/200mm	6/72
BE-145103	10"/250mm	6/48
BE-145104	12"/300mm	6/36

Adjustable Wrench
沾塑活动扳手



- Forged from high-quality tool steel, ensuring sturdiness and durability.
- The head is finely polished and the surface is chrome-plated, providing excellent wear resistance and rust protection.
- The entire handle is wrapped in non-slip plastic, which effectively prevents slipping.
- The wrench jaw is marked with clear laser-engraved scales for easy operation.

Item No. 货号	Size 规格	QTY 装箱数
55501A	6"/150mm	6/96
55502A	8"/200mm	6/72
55503A	10"/250mm	6/48
55504A	12"/300mm	6/36

Adjustable Wrench
方孔镀铬活动扳手



- Forged from high-quality tool steel, with the entire body finely polished and ground.
- Features a matte electroplating treatment on the surface.
- Designed with an enlarged opening size.

Item No. 货号	Size 规格	QTY 装箱数
55421	6"/150mm	6/144
55422	8"/200mm	6/72
55423	10"/255mm	6/48
55424	12"/300mm	6/36
55425	15"/375mm	4/16

Adjustable Wrench
欧式发黑活动扳手



- Forged from high-quality tool steel.
- The head is finely ground and the handle is treated with black oxide finish, offering good rust resistance.
- Equipped with a spring-loaded worm screw, the wrench jaw enables flexible and stable opening.

Item No. 货号	Size 规格	QTY 装箱数
55306	6"/150mm	6/72
55308	8"/200mm	6/72
55310	10"/255mm	6/48
55312	12"/300mm	6/36
55315	15"/375mm	5/20

Slogging Open Wrench
敲击开口扳手



- Performance requirements comply with national standards.
- Forged from high-quality tool steel, subjected to overall quenching and tempering, and featuring a thickened design for the striking end.
- The surface undergoes vibratory finishing and phosphating treatment.
- It is also equipped with a safety hole, which can be connected to equipment during striking to prevent injury caused by excessive force.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
51502	24mm	170	40
51503	27mm	182	40
51504	30mm	191	40
51505	32mm	191	40
51506	34mm	202	40
51507	36mm	214	20
51508	38mm	214	20
51509	41mm	236	20
51510	46mm	256	20
51511	50mm	274	12
51512	55mm	300	12
51513	60mm	320	8
51514	65mm	340	8
51515	70mm	370	6
51516	75mm	370	6
51517	80mm	398	4
51518	85mm	398	4

Slogging Ring Wrench
敲击开口扳手



- Performance requirements comply with national standards.
- Forged from high-quality tool steel, subjected to overall quenching and tempering, and featuring a thickened design for the striking end.
- The surface undergoes vibratory finishing and phosphating treatment.
- It is also equipped with a safety hole, which can be connected to equipment during striking to prevent injury caused by excessive force.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
52602	24mm	166	40
52603	27mm	181	40
52604	30mm	191	40
52605	32mm	191	40
52606	34mm	191	40
52607	36mm	207	20
52608	38mm	207	20
52609	41mm	232	20
52610	46mm	240	20
52611	50mm	257	12
52612	55mm	266	12
52613	60mm	277	8
52614	65mm	296	8
52615	70mm	327	6
52616	75mm	327	6
52617	80mm	350	4
52618	85mm	350	4

Universal Multi Wrench Tools
2件套万能扳手（薄口型）








- Precisely machined from alloy steel and subjected to integral heat treatment, ensuring durability.
- The wrench head features a thin-jaw design, suitable for working in narrow spaces.
- It can disassemble pipes, hexagonal and square screws without slipping, delivering high efficiency.
- Widely used in scenarios such as mechanical maintenance and water/electricity installation.

Item No. 货号	Size 规格	QTY 装箱数
97411	2PCS	10/40



HEX KEY

9PCS LONG ARM HEX KEY SET
9件套公制加长球头内六角扳手

BESTIR

40Cr

BALL POINT





- Manufactured from 40Cr alloy steel, hardened through quenching heat treatment to achieve HRC 50-53 hardness.
- Surface finished with sandblasting and chrome plating.
- Chamfered base for effortless nut insertion.

Item No.	Size	QTY
货号	规格	装箱数
BE-394101	9PCS	12/72
Configuration：(1.5、2、2.5、3、4、5、6、8、10) mm		

9PCS EXTRA-LONG HEX KEY SET
9件套公制特长球头内六角扳手

BESTIR

40Cr

BALL POINT





- Manufactured from 40Cr alloy steel, hardened through quenching heat treatment to achieve HRC 50-53 hardness.
- Surface finished with sandblasting and chrome plating.
- Chamfered base for effortless nut insertion.

Item No.	Size	QTY
货号	规格	装箱数
BE-394102	9PCS	12/60
Configuration：(1.5、2、2.5、3、4、5、6、8、10) mm		

9PCS LONG ARM HEX KEY SET
9件套公制加长球头内六角扳手

BESTIR

S2



- Manufactured from S2 alloy steel.
- It has a hardness of HRC 60±2, with a torque 20% higher than that of chrome-vanadium steel.
- The surface undergoes red oxide treatment, providing excellent wear resistance and rust protection.
- The tail end is chamfered for easy insertion into nuts.

Item No.	Size	QTY
货号	规格	装箱数
94301	9PCS(metric system)	6/48
Configuration：(1.5、2、2.5、3、4、5、6、8、10) mm		
94303	9PCS(imperial system)	6/48
Configuration：1/16"、5/64"、3/32"、1/8"、5/32"、3/16"、7/32"、5/16"、3/8"		

9PCS EXTRA-LONG HEX KEY SET
9件套公制特长球头内六角扳手

BESTIR

S2



- Manufactured from S2 alloy steel.
- It has a hardness of HRC 60±2, with a torque 20% higher than that of chrome-vanadium steel.
- The surface undergoes red oxide treatment, providing excellent wear resistance and rust protection.
- The tail end is chamfered for easy insertion into nuts.

Item No.	Size	QTY
货号	规格	装箱数
94302	9PCS(metric system)	6/48
Configuration：(1.5、2、2.5、3、4、5、6、8、10) mm		
94304	9PCS(imperial system)	6/48
Configuration：1/16"、5/64"、3/32"、1/8"、5/32"、3/16"、7/32"、5/16"、3/8"		

9PCS Long Arm Ball Point Hex Key Set
9件套英制加长球头内六角扳手 BESTIR



- Manufactured from high-quality tool steel and subjected to integral quenching;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- The ball-shaped head allows for use at various angles in narrow spaces.

Item No.	Size	QTY
货号	规格	装箱数
94103	9PCS	12/72
Configuration：1/16"、5/64"、3/32"、1/8"、5/32"、3/16"、7/32"、5/16"、3/8"		

9PCS Extra Long Ball Point Hex Key Set
9件套英制特长球头内六角扳手 BESTIR



- Manufactured from high-quality tool steel and subjected to integral quenching;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- The ball-shaped head allows for use at various angles in narrow spaces.

Item No.	Size	QTY
货号	规格	装箱数
94104	9PCS	12/48
Configuration：1/16"、5/64"、3/32"、1/8"、5/32"、3/16"、7/32"、5/16"、3/8"		

9PCS Long Arm Hex Key Set
9件套公制加长平头内六角扳手 BESTIR

Cr-V



- Manufactured from high-quality tool steel and subjected to integral quenching;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- The tail chamfer design facilitates the insertion of nuts.

Item No.	Size	QTY
货号	规格	装箱数
94107	9PCS	12/72
Configuration：(1.5、2、2.5、3、4、5、6、8、10) mm		

9PCS Extra Long Hex Key Set
9件套公制特长平头内六角扳手 BESTIR



- Manufactured from high-quality tool steel and subjected to integral quenching;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- The tail chamfer design facilitates the insertion of nuts.

Item No.	Size	QTY
货号	规格	装箱数
94108	9PCS	12/48
Configuration：(1.5、2、2.5、3、4、5、6、8、10) mm		

9PCS Long Arm Torx Key Set
9件套加长L型中孔花型扳手 BESTIR



- Manufactured from high-quality tool steel and subjected to integral quenching;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- Designed with a central hole.

Item No.	Size	QTY
货号	规格	装箱数
94105	9PCS	6/48
Configuration：T15、T20、T25、T27、T30、T40、T45、T50、T55		

9PCS Extra Long Torx Key Set
9件套特长L型中孔花型扳手 BESTIR



- Manufactured from high-quality tool steel and subjected to integral quenching;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- Designed with a central hole.

Item No.	Size	QTY
货号	规格	装箱数
94106	9PCS	6/48
Configuration：T15、T20、T25、T27、T30、T40、T45、T50、T55		

9PCS Torx Key Set
9件套小L型中孔花型扳手 BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high strength and good toughness;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- Designed with a central hole.

Item No.	Size	QTY
货号	规格	装箱数
94207	9PCS	24/240
Configuration：T6、T7、T8、T9、T10、T15、T20、T25、T27		

9PCS Torx Key Set
9件套标准L型中孔花型扳手 BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high
- strength and good toughness;
  Features a sand-blasted chrome surface treatment, ensuring excellent wear
- resistance and durability;
  Designed with a central hole.

Item No.	Size	QTY
货号	规格	装箱数
94208	9PCS	12/72
Configuration：T10、T15、T20、T25、T27、T30、T40、T45、T50		



Hex Wrench Folding Set
8件折叠式内六角 BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high strength and good toughness;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- The tail end is chamfered for easy insertion into nuts.

Item No.	Size	QTY
货号	规格	装箱数
94401	8PCS	12/96
Metric System：(1.5、2、2.5、3、4、5、6、8)mm		
94402	8PCS	12/96
Imperial System：1/16"、5/64"、3/32"、1/8"、5/32"、3/16"、7/32"、5/16"		

Folding Star Wrench
8件折叠式中孔花型扳手 BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high strength and good toughness;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- Designed with a central hole.

Item No.	Size	QTY
货号	规格	装箱数
94403	8PCS	12/96
Configuration：T9、T10、T15、T20、T25、T27、T30、T40		

Folding Star Wrench
8件折叠式螺丝批扳手

BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high strength and good toughness;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability.

Item No.	Size	QTY
货号	规格	装箱数
94404	8PCS	12/96

Configuration：PH0、PH1、PH2、PH3、⊖3.0、⊖5.0、⊖6.0、⊖7.0



Folding Star Wrench
8件折叠式中孔花型扳手

BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high strength and good toughness;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- Designed with a central hole.

Item No.	Size	QTY
货号	规格	装箱数
94412	8PCS	15/180

Configuration：T5、T6、T7、T8、T9、T10、T15、T20

Hex Wrench Folding Set
8件公制折叠式内六角

BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high strength and good toughness;
- Features a sand-blasted chrome surface treatment, ensuring excellent wear resistance and durability;
- The tail chamfer design facilitates the insertion of nuts.

Item No.	Size	QTY
货号	规格	装箱数
94411	8PCS	15/180

Configuration：H1.27、H1.5、H2.0、H2.5、H3.0、H4.0、H5.0、H6.0

Folding Screwdriver
8件折叠式螺丝批扳手

BESTIR

Cr-V



- Made of high-quality chrome vanadium steel, with overall quenching, high strength and good toughness.

Item No.	Size	QTY
货号	规格	装箱数
94413	8PCS	15/180

Configuration：(2.5-、2.5+、3.5-、3.5+、4.5-、4.5+、5.5-、5.5+)mm

T Handle Ball Point Hex key
T 型球头内六角扳手

BESTIR

S2



- Manufactured from S2 alloy steel, ensuring sturdiness and durability;
- It has a hardness of HRC 58~60, with a torque 20% higher than that of chrome-vanadium steel;
- The surface undergoes red oxide treatment, providing excellent wear resistance;
- The ball-shaped head allows for use at various angles in narrow spaces;
- Equipped with an eco-friendly oil-resistant handle.

Item No.	Size	QTY
货号	规格	装箱数
23201A	2.0mm	20/300
23202A	2.5mm	20/300
23203A	3mm	20/300
23204A	4mm	20/300
23205A	5mm	20/300
23206A	6mm	16/240
23208A	8mm	12/96
23210A	10mm	12/96

T Handle Hex Key
T 型平头内六角扳手


BESTIR

S2



- Manufactured from S2 alloy steel, ensuring sturdiness and durability;
- It has a hardness of HRC 58~60, with a torque 20% higher than that of chrome-vanadium steel;
- The surface undergoes red oxide treatment, providing excellent wear resistance;
- The tail chamfer design facilitates the insertion of nuts;
- Equipped with an eco-friendly oil-resistant handle.

Item No.	Size	QTY
货号	规格	装箱数
23401A	2.0mm	20/300
23402A	2.5mm	20/300
23403A	3mm	20/300
23404A	4mm	20/300
23405A	5mm	20/300
23406A	6mm	16/240
23408A	8mm	12/96
23410A	10mm	12/96



Hex Key Wrench
公制标准平头内六角扳手

BESTIR

Cr-V




- Manufactured from high-quality chrome-vanadium steel, subjected to integral quenching, with a hardness of HRC 52±2, featuring high strength and good toughness;
- Undergoes sand-blasted chrome surface treatment, ensuring an attractive appearance and excellent wear resistance;
- The tail end is designed with a chamfer for easy insertion into nuts.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
22300	1.5mm	50	14/140
22301	2mm	54	14/140
22302	2.5mm	61	14/140
22303	3mm	63	14/140
22304	4mm	67	10/100
22305	5mm	75	10/100
22306	6mm	85	10/100
22308	8mm	106	8/80
22310	10mm	123	8/40
22312	12mm	136	6/36
22314	14mm	152	6/36

Long Arm Ball Point Hex key
公制加长球头内六角扳手

BESTIR

Cr-V



- Manufactured from high-quality chrome-vanadium steel, subjected to integral quenching, with a hardness of HRC 52±2, featuring high strength and good toughness;
- Undergoes sand-blasted chrome surface treatment, ensuring an attractive appearance and excellent wear resistance;
- The tail end is designed with a chamfer for easy insertion into nuts; The ball-shaped head allows for use at various angles in narrow spaces.


Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
20100	1.5mm	78	10/100
20101	2mm	85	10/100
20102	2.5mm	93	10/100
20103	3mm	103	8/80
20104	4mm	115	8/80
20105	5mm	128	6/60
20106	6mm	142	6/60
20107	7mm	155	4/40
20108	8mm	163	4/40
20110	10mm	182	4/40
20112	12mm	202	4
20114	14mm	242	4



Extra Long Ball Point Hex Key
公制特长球头内六角扳手

BESTIR

Cr-V




- Manufactured from high-quality chrome-vanadium steel, subjected to integral quenching, with a hardness of HRC 52±2, featuring high strength and good toughness;
- Undergoes sand-blasted chrome surface treatment, ensuring an attractive appearance and excellent wear resistance;
- The tail end is designed with a chamfer for easy insertion into nuts; The ball-shaped head allows for use at various angles in narrow spaces.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
21100	1.5mm	92	10/100
21101	2mm	100	10/100
21102	2.5mm	115	10/100
21103	3mm	128	8/96
21104	4mm	145	8/96
21105	5mm	165	6/90
21106	6mm	185	6/90
21108	8mm	208	4/24
21110	10mm	233	4/20
21112	12mm	262	4
21114	14mm	288	4

Long Arm Torx Key
加长L型中孔花型扳手

BESTIR

Cr-V



- Manufactured from high-quality tool steel and subjected to integral quenching;
- Features a sand-blasted chrome surface treatment, ensuring an attractive appearance and good wear resistance;
- Designed with a central hole.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
27215	T15	80	10/100
27220	T20	87	8/80
27225	T25	97	6/60
27227	T27	110	6/60
27230	T30	125	6/60
27240	T40	140	6/72
27245	T45	160	4/40
27250	T50	175	4/40
27255	T55	195	4/104



Anti Slip Screwdriver
超防滑螺丝批【机修专用】


BESTIR

S2



- The handle is made of a composite material consisting of 70% walnut wood powder and 30% TPE, with a texture similar to natural wood.
- It features super anti-slip and oil-resistant properties--even if hands are covered with oil, it won't slip. Its torque can reach over 5N·m, which is 3 times that of ordinary screwdrivers.
- The bit is made of S2 steel, offering high torque and excellent toughness.

Item No. 货号	Size 规格	QTY 装箱数
34431	6x100mm	12/144
34433	6x150mm	12/144
34481	6x100mm	12/144
34483	6x150mm	12/144





- The knife shaft is made of chrome-molybdenum steel, featuring high hardness, good toughness, and strong wear resistance.
- The knife edge has a hardness of HRC 53-57, undergoes black oxide treatment for anti-slip effect, and the knife shaft is magnetic.
- The handle is made of oil-proof TPR material, which is oil-resistant, resistant to organic solvents, durable, and wear-resistant.

Slotted Screwdriver
铬钼钢环保耐油穿心一字螺丝批

BESTIR

Cr-Mo




Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
32431	6.3x100mm	219	12/144
32433	6.3x150mm	259	12/144
32441	8x200mm	319	12/72
32442	8x250mm	369	12/72
32443	8x300mm	419	12/72

Phillips Screwdriver
铬钼钢环保耐油穿心十字螺丝批

BESTIR

Cr-Mo



Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
32481	6.3x100mm	219	12/144
32483	6.3x150mm	259	12/144
32491	8x200mm	319	12/72
32492	8x250mm	369	12/72
32493	8x300mm	419	12/72

Slotted Screwdriver
铬钼钢环保耐油一字螺丝批

BESTIR

Cr-Mo



- The screwdriver shaft is made of high-quality Cr-Mo alloy steel, with a sandblasted surface for corrosion protection, and the entire shaft undergoes magnetizing treatment.
- The screwdriver bit is treated with black chrome, having a hardness of HRC 53-57, which delivers high hardness, good toughness, large torque, and excellent wear resistance.
- The handle is made of high-grade TPR material, featuring oil resistance, organic solvent resistance, and high fracture resistance.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
31531	6x100mm	217	12/144
31532	6x125mm	242	12/144
31533	6x150mm	267	12/144
31534	6x200mm	317	12/144

Phillips Screwdriver
铬钼钢环保耐油十字螺丝批

BESTIR

Cr-Mo



- The screwdriver shaft is made of high-quality Cr-Mo alloy steel, with a sandblasted surface for corrosion protection, and the entire shaft undergoes magnetizing treatment.
- The screwdriver bit is treated with black chrome, having a hardness of HRC 53-57, which delivers high hardness, good toughness, large torque, and excellent wear resistance.
- The handle is made of high-grade TPR material, featuring oil resistance, organic solvent resistance, and high fracture resistance.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
31581	6x100mm	217	12/144
31582	6x125mm	242	12/144
31583	6x150mm	267	12/144
31584	6x200mm	317	12/144





Slotted Screwdriver
铬钼钢环保耐油一字螺丝批

BESTIR

Cr-Mo



- The screwdriver shaft is made of high-quality Cr-Mo alloy steel, featuring high hardness and good toughness.
- It undergoes sandblasting treatment on the surface and magnetizing treatment as a whole.
- The straight-line design of the bit and shaft makes it convenient and practical for removing deep-hole screws.
- The handle is made of high-grade TPR material, which is oil-resistant, resistant to organic solvents, and durable with good wear resistance.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
31601	3x75mm	154	12/240
31602	3x100mm	178	12/240
31603	3x125mm	205	12/240
31604	3x150mm	230	12/240
31605	3x200mm	280	12/240
31606	3x250mm	330	12/240
31607	3x300mm	378	12/240
31611	4x75mm	175	12/240
31612	4x100mm	200	12/240
31613	4x125mm	220	12/240
31614	4x150mm	250	12/240
31615	4x200mm	295	12/240
31616	4x250mm	345	12/240
31617	4x300mm	395	12/240
31621	5x75mm	175	12/240
31622	5x100mm	200	12/240
31623	5x125mm	222	12/240
31624	5x150mm	250	12/240
31625	5x200mm	298	12/240
31631	6x100mm	208	12/144
31632	6x125mm	235	12/144
31633	6x150mm	258	12/144
31634	6x200mm	307	12/144
31635	6x250mm	355	12/144
31636	6x300mm	410	12/144

Phillips Screwdriver
铬钼钢环保耐油十字螺丝批

BESTIR

Cr-Mo



- The screwdriver shaft is made of high-quality Cr-Mo alloy steel, featuring high hardness and good toughness.
- It undergoes sandblasting treatment on the surface and magnetizing treatment as a whole.
- The straight-line design of the bit and shaft makes it convenient and practical for removing deep-hole screws.
- The handle is made of high-grade TPR material, which is oil-resistant, resistant to organic solvents, and durable with good wear resistance.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
31651	3x75mm	154	12/240
31652	3x100mm	178	12/240
31653	3x125mm	205	12/240
31654	3x150mm	230	12/240
31655	3x200mm	280	12/240
31656	3x250mm	330	12/240
31661	4x75mm	175	12/240
31662	4x100mm	200	12/240
31663	4x125mm	220	12/240
31664	4x150mm	250	12/240
31665	4x200mm	295	12/240
31666	4x250mm	345	12/240

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
31667	4x300mm	395	12/240
31671	5x75mm	175	12/240
31672	5x100mm	200	12/240
31673	5x125mm	222	12/240
31674	5x150mm	250	12/240
31675	5x200mm	298	12/240
31681	6x100mm	208	12/144
31682	6x125mm	235	12/144
31683	6x150mm	258	12/144
31684	6x200mm	307	12/144
31685	6x250mm	355	12/144
31686	6x300mm	410	12/144

Slotted Screwdriver
环保柄一字螺丝批

BESTIR

Cr-V




- Made of high-quality chrome-vanadium steel, featuring high hardness, good toughness, and strong wear resistance.
- The blade edge has a hardness of HRC 54-56, undergoes black oxide treatment, and is magnetic.
- The handle is made of eco-friendly material, ensuring anti-slip performance and comfort.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
31101	3x75mm	160	24/480
31102	3x100mm	185	24/480
31111	4x75mm	160	24/480
31112	4x100mm	185	24/480
31113	4x125mm	210	24/480
31114	4x150mm	235	24/480
31115	4x200mm	285	24/480
31116	4x250mm	335	24/480
31121	5x75mm	180	12/240
31122	5x100mm	200	12/240
31123	5x125mm	235	12/240
31124	5x150mm	255	12/240
31125	5x200mm	305	12/240
31130	6x38mm	100	24/360
31131	6x100mm	210	12/144
31132	6x125mm	235	12/144
31133	6x150mm	260	12/144
31134	6x200mm	310	12/144
31135	6x250mm	360	12/144
31141	8x200mm	325	12/96
31142	8x250mm	375	12/96
31143	8x300mm	425	12/96

Phillips Screwdriver
环保柄十字螺丝批

BESTIR

Cr-V



- Made of high-quality chrome-vanadium steel, featuring high hardness, good toughness, and strong wear resistance.
- The blade edge has a hardness of HRC 54-56, undergoes black oxide treatment, and is magnetic.
- The handle is made of eco-friendly material, ensuring anti-slip performance and comfort.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
31151	3x75mm	160	24/480
31152	3x100mm	185	24/480
31161	4x75mm	160	24/480
31162	4x100mm	185	24/480
31163	4x125mm	210	24/480
31164	4x150mm	235	24/480
31165	4x200mm	285	24/480
31166	4x250mm	335	24/480
31171	5x75mm	180	12/240
31172	5x100mm	200	12/240
31173	5x125mm	235	12/240
31174	5x150mm	255	12/240
31175	5x200mm	305	12/240
31180	6x38mm	100	24/360
31181	6x100mm	210	12/144
31182	6x125mm	235	12/144
31183	6x150mm	260	12/144
31184	6x200mm	310	12/144
31185	6x250mm	360	12/144
31191	8x200mm	325	12/96
31192	8x250mm	375	12/96
31193	8x300mm	425	12/96



Premium Srtiped Slotted Screwdriver
精品花纹一字螺丝批

BESTIR

Cr-V




- The screwdriver shaft is made of high-quality chrome-vanadium steel, featuring high hardness and good toughness. Its torque is 60% higher than that of the German DIN standard, and the surface is plated with bright chrome.
- The bit undergoes magnetizing treatment, ensuring strong and long-lasting magnetism.
- The handle is made of pure industrial-grade PP material, with excellent oil resistance. It adopts an anti-slip dot pattern design, making it durable and wear-resistant.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
34301	3x75mm	147	12/720
34302	3x100mm	172	12/720
34304	3x150mm	222	12/480
34305	3x200mm	272	12/480
34311	4x75mm	164	12/360
34312	4x100mm	189	12/360
34313	4x125mm	214	12/360
34314	4x150mm	239	12/360
34315	4x200mm	289	12/240
34316	4x250mm	339	12/240
34317	4x300mm	389	12/240
34321	5x75mm	164	12/360
34322	5x100mm	189	12/360
34323	5x125mm	214	12/360
34324	5x150mm	239	12/360
34325	5x200mm	289	12/240
34326	5x250mm	339	12/240
34330	6x38mm	140	12/360
34331	6x100mm	202	12/240
34332	6x125mm	227	12/240
34333	6x150mm	252	12/240
34334	6x200mm	302	12/180
34335	6x250mm	252	12/144
34336	6x300mm	402	12/144
34341	8x150mm	262	12/120
34342	8x200mm	312	12/120
34344	8x300mm	412	12/120

Premium Srtiped Phillips Screwdriver
精品花纹十字螺丝批

BESTIR

Cr-V



- The screwdriver shaft is made of high-quality chrome-vanadium steel, featuring high hardness and good toughness. Its torque is 60% higher than that of the German DIN standard, and the surface is plated with bright chrome.
- The bit undergoes magnetizing treatment, ensuring strong and long-lasting magnetism.
- The handle is made of pure industrial-grade PP material, with excellent oil resistance. It adopts an anti-slip dot pattern design, making it durable and wear-resistant.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
34351	3x75mm	147	12/720
34352	3x100mm	172	12/720
34354	3x150mm	222	12/480
34355	3x200mm	272	12/480
34361	4x75mm	164	12/360
34362	4x100mm	189	12/360
34363	4x125mm	214	12/360
34364	4x150mm	239	12/360
34365	4x200mm	289	12/240
34366	4x250mm	339	12/240
34367	4x300mm	389	12/240
34371	5x75mm	164	12/360
34372	5x100mm	189	12/360
34373	5x125mm	214	12/360
34374	5x150mm	239	12/360
34375	5x200mm	289	12/240
34376	5x250mm	339	12/240
34380	6x38mm	140	12/360
34381	6x100mm	202	12/240
34382	6x125mm	227	12/240
34383	6x150mm	252	12/240
34384	6x200mm	302	12/180
34385	6x250mm	252	12/144
34386	6x300mm	402	12/144
34391	8x150mm	262	12/120
34392	8x200mm	312	12/120
34394	8x300mm	412	12/120

Dual-purpose Screwdriver
环保柄两用螺丝批

BESTIR

Cr-V




- The bit shaft is made of high-quality chrome-vanadium steel and undergoes integral heat treatment.
- The Phillips head and flat head bits are interchangeable, ensuring convenient use.
- It is equipped with a two-color rubber-plastic handle, which is non-slip and durable.

Item No.	Size	QTY
货号	规格	装箱数
95100	6x38mm	24/360
95101	6x100mm	6/72

6PT Socket Screwdriver
套筒螺丝批

BESTIR

Cr-V



新款


- The bit shaft is made of high-quality chrome-vanadium steel, subjected to integral quenching, featuring high hardness, good toughness, and strong wear resistance.
- It is equipped with a patented handle, designed with ergonomics for a comfortable grip and easy operation.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
36104	5mm	172	12/240
36105	5.5mm	172	12/240
36106	6mm	176	12/240
36107	7mm	176	12/240
36108	8mm	176	12/240
36109	9mm	176	12/240
36110	10mm	180	12/240
36111	11mm	180	12/144
36113	13mm	180	12/144

Dual-purpose Screwdriver
伸缩柄两用螺丝批

BESTIR

Cr-V



- The bit shaft is made of high-quality chrome-vanadium steel and undergoes integral heat treatment.
- The Phillips head and flat head bits are interchangeable, and the length of the bit shaft can be manually adjusted, enabling convenient use.
- It is equipped with a two-color rubber-plastic handle, which is non-slip and durable.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
95117	H6.3mmX(4~6")	210	6/72

6PT Socket Screwdriver
弹簧杆套筒螺丝批

BESTIR

Cr-V




- The bit shaft is made of high-quality chrome-vanadium steel and undergoes heat treatment.
- It is equipped with a high-strength flexible spring rod, allowing convenient multi-angle use.
- The handle features a two-color PP+TPR design, ensuring comfort and durability.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
36202	7mm	250	12/144

Premium Striped Bits Handle
6.3mm系列旋具头旋柄

BESTIR

Cr-V



- The rotating rod is made of high-quality chrome-vanadium steel, featuring high hardness, good toughness, and large torque—its torque is 60% higher than that of the German DIN standard.
- The rotating rod can be inserted into deep holes for easy use, with a bright chrome-plated surface that provides rust resistance and an attractive appearance.
- The head of the rotating rod undergoes magnetizing treatment, ensuring strong and long-lasting magnetism.
- The handle is made of pure industrial-grade PP material, with excellent oil resistance. It adopts an anti-slip dot pattern design, making it durable and wear-resistant.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81953	6.3mm	180mm	12/240

Torx Socket Screwdriver
高透明彩芯电讯批

BESTIR

Cr-V




- The screwdriver shaft is made of high-quality chrome-vanadium steel and undergoes integral heat treatment.
  The screwdriver bit head is blackened and features strong magnetism.
- The screwdriver shaft is designed to extend into the handle (with an overall lengthening structure), making it more sturdy and durable.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
37305	T5	140	24/600
37306	T6	140	24/600
37307	T7	140	24/600
37308	T8	140	24/600
37309	T9	140	24/600
37310	T10	140	24/600
37315	T15	185	12/360
37320	T20	185	12/360
37325	T25	185	12/360
37327	T27	185	12/360
37330	T30	195	12/360
37340	T40	195	12/360

Digital Voltage Tester
带灯数显测电笔

BESTIR



Equipped with lighting fixtures

- The shell is made of ABS engineering plastic through double injection molding, ensuring sturdiness and durability.
- It features a lighting function and a night-vision blue screen function, allowing measurement even in the dark for safer and more convenient use.

Item No.	Size	QTY
货号	规格	装箱数
38401	φ3.5x140mm	12/120

Digital Voltage Tester
数显测电笔(带指示灯)

BESTIR



- The blade shaft of the test pen is made of high-quality tool steel, and the pen head is processed by wire cutting.
- The shell is made of ABS engineering plastic, which has high toughness.
- It is used for direct measurement of AC and DC electricity, detection of the positive and negative poles, open circuits and short circuits of electrical components, as well as detection of the phase wire, neutral wire and phase wire breakpoints of AC electricity.

Item No.	Size	QTY
货号	规格	装箱数
38412	φ3x135mm	12/240

Digital Voltage Tester
数显测电笔

BESTIR



- The blade shaft of the test pen is made of high-quality tool steel, and the pen head is processed by wire cutting.
- The shell is made of ABS engineering plastic, which has high toughness.
- It is suitable for direct detection of 12-220V AC and DC electricity, as well as indirect detection of the neutral wire, phase wire and phase wire breakpoints of AC electricity.

Item No.	Size	QTY
货号	规格	装箱数
38411	φ3x130mm	24/240

Voltage Tester
测电笔

BESTIR

Test range: 100-250V



- The screwdriver shaft of the test pen is made of high-quality tool steel, with a copper pen cap ensuring stable contact performance.
- The pen head adopts embossing technology to prevent slipping during screw twisting.
- The pen body has good light transmittance and high toughness, making it durable.
- The neon lamp has a service life of over 30,000 times.

Item No.	Size	QTY
货号	规格	装箱数
38301	φ3x140mm	30/480
38311	φ3.5x190mm	30/480

Voltage Detector
测电笔 (非接触式)

BESTIR

AC Voltage Range：Approximately 12~1000V/48~1000V
Frequency：50Hz/60Hz
Alarm Mode：Audible and visual alarm
Flashlight：White LED spotlight
Auto Power Off：√
Battery Low Voltage Indication：√
Neutral/Live Wire Judgment：
Judged by signal strength, the one with strong signal is the live wire
NCV Sensitivity：Automatically select 3 sensitivities (High, Medium, Low)
NCV Sensitivity Indication Method：
The tester indicates different sensitivities through alarm sounds of different frequencies and different colored LEDs: High (Red), Medium (Green always on), Low (Green flashing)
Operating Temperature：0~40°C
Storage Temperature：-10~50°C
Altitude：2000m
Safety Rating：CE CAT.III 1000V/CAT.IV 600V
Power Supply：2×1.5V AAA batteries
Product Dimensions：156mm×20mm×20mm



- It adopts a brand-new integrated circuit design and is made of high-precision electronic components, with improved voltage induction sensitivity.
- It features non-contact operation, ensuring higher safety and easier use.
- The pen body is made of ABS impact-resistant material, and the pen head is made of PC engineering plastic, which is resistant to falling and pressure.
- It has functions including non-contact detection, live/neutral wire identification, ground wire leakage testing, breakpoint detection with sound and light alarm, flashlight lighting, sensitivity adjustment, and automatic shutdown.

Item No.	QTY
货号	装箱数
38603	12/48

Voltage Detector
测电笔 (非接触式)

BESTIR

Basic Functions:
- AC Voltage Sensing: 90 - 1000 V
- Sensitivity: 90 - 1000 V
- Voltage Wire Sensing: Can sense when the voltage wire is above 90 V
- Neutral and Live Wire Distinction:
  Can distinguish between neutral and live wires at 250 V
- Frequency Range: 50Hz - 60Hz
- High - frequency Index:
  No requirement for the index when higher than 50Hz - 60Hz

Special Functions:
- Operation Mode: Automatic
- Buzzer Prompt: √ Can be canceled
- Flash Prompt: √
- Automatic Shutdown: Approximately 3 minutes
- Low Voltage Display: ≤ 2.0
- Working Mode: Self - locking
- Executive Standard: CAT IV 1000 V

General Features:
- Power Supply: 1.5V battery (7#) × 2
- Body Color: Yellow + Black
- Body Weight: 50g
- Body Size: 150mm × 20mm
- Standard Accessories: Battery
- Standard Packaging: Blister, Card Insert





- This product is an inductive test pen with a novel appearance, safety and reliability, high sensitivity, and non-contact design, with an AC voltage induction range of 90V-1000V.
- It is used to determine whether a conductor is conductive. It is an essential inspection tool for factories and households, and also a maintenance and repair tool for circuits/ power equipment in industries such as smelting, electronics, and communications.

Item No.	QTY
货号	装箱数
38602	12/96



Ratchet Screwdriver
棘轮螺丝批

BESTIR

Cr-V

Configuration:
Phillips screwdriver bits: PH0, PH1, Ph2
Flathead screwdriver bits: 4mm, 6mm
U-shaped bits: U8



- The bits are made of high-quality chrome-vanadium alloy steel, ensuring sturdiness and durability.
- It supports three-speed adjustment for ratchet (forward rotation, reverse rotation, and locking), making disassembly and assembly easier.
- The two-color rubber-coated handle is non-slip and oil-resistant.
- Phillips, flat, and U-shaped bits are hidden inside the handle; simply rotate the bottom cover to take out or put back the bits.

Item No.	Size	QTY
货号	规格	装箱数
95401	6.3mm	12/120

Ratchet TelescopicScrewdriver
伸缩杆棘轮螺丝批

BESTIR

Cr-V

Configuration:
Phillips screwdriver bits: PH0, PH1, Ph2
Flathead screwdriver bits: 4mm, 6mm
U-shaped bits: U8
Length of telescopic rod:110mm



- The bits are made of high-quality chrome-vanadium alloy steel, ensuring sturdiness and durability.
- It supports three-speed adjustment for ratchet (forward rotation, reverse rotation, and locking), making disassembly and assembly easier.
- Equipped with a retractable magnetic extension rod, it enables more flexible use.
- The two-color rubber-coated handle is non-slip and oil-resistant.
- Phillips, flat, and U-shaped bits are hidden inside the handle; simply rotate the bottom cover to take out or put back the bits.

Item No.	Size	QTY
货号	规格	装箱数
95402	6.3mm	12/120

Cardan Ratchet Screwdriver
万向棘轮螺丝批

BESTIR

Cr-V

Configuration:
Phillips screwdriver bits: PH0, PH1, Ph2
Flathead screwdriver bits: 4mm, 6mm
U-shaped bits: U8



- The bits are made of high-quality chrome-vanadium alloy steel, ensuring sturdiness and durability.
- It supports three-speed adjustment for ratchet (forward rotation, reverse rotation, and locking), making disassembly and assembly easier.
- The handle can be adjusted 180 degrees, allowing for multi-angle use.
- The two-color rubber-coated handle is non-slip and oil-resistant.
- Phillips, flat, and U-shaped bits are hidden inside the handle; simply rotate the bottom cover to take out or put back the bits.

Item No.	Size	QTY
货号	规格	装箱数
95403	6.3mm	6/72

Combination Ratchet Screwdriver
两用棘轮螺丝批（短款）

BESTIR

Cr-V



- The bits are made of high-quality chrome-vanadium alloy steel, ensuring sturdiness and durability.
- It supports three-speed ratchet adjustment (forward rotation, reverse rotation, and locking), making disassembly and assembly easier.
- Phillips and flathead bits are interchangeable, and the length of the bit shaft can be adjusted freely.
- TThe handle is covered with two-color PP+TPR material, which is anti-slip and oil-resistant, compact and flexible, suitable for use in narrow spaces.

Item No.	Size	QTY
货号	规格	装箱数
95404	6.3mmx84mm(短款)	12/192

Combination Ratchet Screwdriver
两用棘轮螺丝批（长款）

BESTIR

Cr-V



- The bits are made of high-quality chrome-vanadium alloy steel, ensuring sturdiness and durability.
- It supports three-speed ratchet adjustment (forward rotation, reverse rotation, and locking), making disassembly and assembly easier.
- Phillips and flathead bits are interchangeable, and the length of the bit shaft can be adjusted freely.
- The handle is covered with two-color PP+TPR material, featuring anti-slip and oil-resistant properties.

Item No.	Size	QTY
货号	规格	装箱数
95405	6.3mmx180mm(长款)	12/120

40PCS Bit Socket Set
40件旋具套筒组套

BESTIR

S2



- The bit is forged from high-quality S2 alloy steel and undergoes high-frequency quenching, with a hardness reaching HRC58-60.

Item No.	Size	QTY
货号	规格	装箱数
93101	40PCS	10

Product Configuration:
2PCS▶Retaining rings 1/2"Dr.x10mm, 3/8"Dr.x10mm
7PCS▶Hex bits (L-30mm)H(4, 5, 6, 7, 8, 10, 12)
7PCS▶Hex bits (L-75mm)H(4, 5, 6, 7, 8, 10, 12)
5PCS▶Torx bits (L-30mm)M(5, 6, 8, 10, 12)
5PCS▶Torx bits (L-75mm)M(5, 6, 8, 10, 12)
7PCS▶ Star bits (L-30mm)T(20, 25, 30, 40, 45, 50, 55)
7PCS▶Star bits (L-75mm)T(20, 25, 30, 40, 45, 50, 55)

40PCS Bit Socket Set
40件旋具套筒组套

BESTIR

Cr-V



- 1. Made of high-quality CR-V chrome vanadium steel, with overall heat treatment and high hardness.

Item No.	Size	QTY
货号	规格	装箱数
93102	40PCS	10

Product Configuration:
2PCS▶Retaining rings 1/2"Dr.x10mm, 3/8"Dr.x10mm
7PCS▶Hex bits (L-30mm)H(4, 5, 6, 7, 8, 10, 12)
7PCS▶Hex bits (L-75mm)H(4, 5, 6, 7, 8, 10, 12)
5PCS▶Torx bits (L-30mm)M(5, 6, 8, 10, 12)
5PCS▶Torx bits (L-75mm)M(5, 6, 8, 10, 12)
7PCS▶ Star bits (L-30mm)T(20, 25, 30, 40, 45, 50, 55)
7PCS▶Star bits (L-75mm)T(20, 25, 30, 40, 45, 50, 55)

61PCS Bit Socket Set
61件旋具套筒组套

BESTIR

S2



- The bit is forged from high-quality S2 alloy steel and undergoes high-frequency quenching, with a hardness reaching HRC58-60.

Item No.	Size	QTY
货号	规格	装箱数
93114	61PCS	10

Product Configuration :
2PCS ▶ Retaining rings 1/2"Dr.x10mm, 3/8"Dr.x10mm
8PCS ▶ Hex bits (L-30mm)H(4, 5, 6, 7, 8, 9, 10, 12)
8PCS ▶ Hex bits (L-75mm)H(4, 5, 6, 7, 8, 9, 10, 12)
5PCS ▶ Torx bits (L-30mm)M(5, 6, 8, 10, 12)
5PCS ▶ Torx bits (L-75mm) M(5, 6, 8, 9, 10)
9PCS ▶ Torx bits (L-30mm)T(20, 25, 27, 30, 40, 45, 50, 55, 60)
7PCS ▶ Torx bits (L-75mm)T(20, 25, 30, 40, 45, 50, 55)
7PCS ▶ Tamper-proof Torx bits (L-30mm)TT(20, 25, 30, 40, 45, 50, 55)
2PCS ▶ Tamper-proof Torx bits (L-75mm) TT(30, 40)
3PCS ▶ Tamper-proof Torx bits (L-75mm) MT:(12, 14, 16)
1PC ▶ PH3X30L 1PC ▶ SL8X30L
2PCS ▶ Pentacle bits (L-30) TS(25, 30) 1PC ▶ Torx bit: T52X100L

Impact Screwdriver Set
冲击批套装

BESTIR

S2





- Equipped with 6 bits made of S2 material, featuring high hardness, high torque, and strong toughness.
- Suitable for automobile repair, motorcycle repair, mechanical repair, etc. It can convert the impact force of a hammer into the torque of a screwdriver, enabling easy removal of hard-to-detach screws.

Item No.	Size	QTY
货号	规格	装箱数
93302	7PCS	20



Measuring Tape
公制钢卷尺

BESTIR

超小 HIGH QUALITY



- Accurate measurement, in line with national standards.
- The shell is made of ABS plastic, with two-color mixing, reinforced by 5 screws, featuring high strength, stability and durability.
- The steel tape is bright, clear and wear-resistant.
- The steel tape hook and clip are made of high-carbon steel, with high hardness, durability and no deformation.
- The spring is specially designed to ensure smooth extension and retraction of the steel tape.

Item No.	Size	QTY
货号	规格	装箱数
01762	3Mx16mm	12/180
01764	5Mx19mm	12/120
01766	5Mx25mm	12/120
01768	7.5Mx25mm	6/72
01769	10Mx25mm	6/60

Measuring Tape
公英制钢卷尺

BESTIR

超小 HIGH QUALITY



- Accurate measurement, in line with national standards.
- The shell is made of ABS plastic, with two-color mixing, reinforced by 5 screws, featuring high strength, stability and durability.
- The steel tape is bright, clear and wear-resistant.
- The steel tape hook and clip are made of high-carbon steel, with high hardness, durability and no deformation.
- The spring is specially designed to ensure smooth extension and retraction of the steel tape.

Item No.	Size	QTY
货号	规格	装箱数
01772	3Mx16mm/10ft	12/180
01774	5Mx19mm/16ft	12/120
01778	7.5Mx25mm/25ft	6/72



Measuring Tape
公制钢卷尺

BESTIR

超小 HIGH QUALITY



- Accurate measurement, in line with national standards.
- The shell is made of ABS plastic through injection molding, featuring high strength and good drop resistance.
- The steel tape is bright, clear and wear-resistant.
- The steel tape hook and clip are made of high-carbon steel, with high hardness, durability and no deformation.
- The spring is specially designed to ensure smooth extension and retraction of the steel tape.

Item No.	Size	QTY
货号	规格	装箱数
01582	3Mx16mm	12/180
01584	5Mx19mm	12/120
01586	5Mx25mm	12/120
01588	7.5Mx25mm	6/72
01589	10Mx25mm	6/60

Measuring Tape
公英制钢卷尺

BESTIR

超小 HIGH QUALITY



- Accurate measurement, in line with national standards.
- The shell is made of ABS plastic through injection molding, featuring high strength and good drop resistance.
- The steel tape is bright, clear and wear-resistant.
- The steel tape hook and clip are made of high-carbon steel, with high hardness, durability and no deformation.
- The spring is specially designed to ensure smooth extension and retraction of the steel tape.

Item No.	Size	QTY
货号	规格	装箱数
01592	3Mx16mm	12/180
01594	5Mx19mm	12/120
01596	5Mx25mm	12/120
01598	7.5Mx25mm	6/72

Measuring Tape
鲁班钢卷尺

BESTIR

超小 HIGH QUALITY





- The shell is made of ABS plastic through injection molding, featuring high strength and good drop resistance.
- The Luban ruler is printed with bright, clear and wear-resistant characters.
- The steel tape hook and clip are made of high-carbon steel, with high hardness, durability and no deformation.

Item No.	Size	QTY
货号	规格	装箱数
01595	5Mx19mm carpenter's square	12/120
01590	5Mx25mm carpenter's square	12/120
01599	7.5Mx25mm carpenter's square	6/72

Measuring Tape
公制钢卷尺

BESTIR

超小 HIGH QUALITY

Thickened tape measure blade



- Accurate measurement, in line with national standards.
- The shell is made of ABS plastic through precision injection molding, reinforced with 5 screws, and features high strength, stability and durability.
- The steel tape is bright, clear and wear-resistant.
- The steel tape hook and clip are made of high-carbon steel, with high hardness, durability and no deformation.
- The spring is specially designed to ensure smooth extension and retraction of the steel tape.

Item No.	Size	QTY
货号	规格	装箱数
01782	3Mx16mm	12/180
01784	5Mx19mm	12/120
01786	5Mx25mm	12/120
01788	7.5Mx25mm	6/72
01789	10Mx25mm	6/60

Measuring Tape
公英制钢卷尺

BESTIR

超小 HIGH QUALITY

Thickened tape measure blade



- Accurate measurement, in line with national standards.
- The shell is made of ABS plastic through precision injection molding, reinforced with 5 screws, and features high strength, stability and durability.
- The steel tape is bright, clear and wear-resistant.
- The steel tape hook and clip are made of high-carbon steel, with high hardness, durability and no deformation.
- The spring is specially designed to ensure smooth extension and retraction of the steel tape.

Item No.	Size	QTY
货号	规格	装箱数
01792	3Mx16mm	12/180
01794	5Mx19mm	12/120
01796	5Mx25mm	12/120
01798	7.5Mx25mm	6/72

Measuring Tape
公制强磁钢卷尺

BESTIR

超小 HIGH QUALITY



- The steel tape blade enables precise measurement, boasts wear resistance, and extends/retracts smoothly without jamming.
- The steel tape hook is equipped with strong magnetism for easy operation.
- It is designed with an automatic locking function to lock the tape blade quickly.

Item No.	Size	QTY
货号	规格	装箱数
01522	3Mx16mm	12/144
01524	5Mx19mm	6/72
01526	5Mx25mm	6/72
01528	7.5Mx25mm	6/36
01529	10Mx25mm	6/36

Measuring Tape
公英制强磁钢卷尺

BESTIR

超小 HIGH QUALITY



- The steel tape blade enables precise measurement, boasts wear resistance, and extends/retracts smoothly without jamming.
- The steel tape hook is equipped with strong magnetism for easy operation.
- It is designed with an automatic locking function to lock the tape blade quickly.

Item No.	Size	QTY
货号	规格	装箱数
01532	3Mx16mm	12/144
01534	5Mx19mm	6/72
01535	5Mx19mm carpenter's square	6/72
01536	5Mx25mm	6/72
01538	7.5Mx25mm	6/36

Posture Steel Tape
公制架式钢卷尺



- The ruler case is made of new reinforced ABS plastic, featuring a special reinforced rib design that prevents cracking and damage.
- The tape blade is grease-coated for wear resistance, with its indication error meeting Class Ⅱ standards.
- The hand crank is made of new reinforced plastic, ensuring durability and wear resistance.

Item No.	Size	QTY
货号	规格	装箱数
01701	30M	20
01702	50M	20
01703	100M	10

Flberglass Tape
架式玻璃纤维卷尺



- Imported nylon glass fiber measuring strip, resistant to stretching and deformation, compliant with international standards, with an elongation of less than 5mm (under 20N) for the 10m length.
- The shell is made of reinforced ABS plastic, featuring a special reinforced rib design that prevents cracking and damage.
- The hand crank is made of reinforced plastic, ensuring durability and wear resistance.
- Note that the measuring strip should be kept away from sharp objects to avoid scratches; clean and maintain it properly after use.

Item No.	Size	QTY
货号	规格	装箱数
01902	30M	20
01903	50M	20
01904	100M	10

Flberglass Tape
玻璃纤维卷尺



- Imported nylon glass fiber measuring strip, resistant to stretching and deformation, compliant with international standards, with an elongation of less than 5mm (under 20N) for the 10m length.
- The reinforced plastic shell is not easy to crack or damage.
- The hand crank is made by steel plate stamping, which is not easy to break, and overall improves the quality and durability.
- Note that the measuring strip should be kept away from sharp objects to avoid scratches; clean and maintain it properly after use.

Warm Reminder: This fiber tape measure complies with the light industry standard QB/T 1519-1992. However, due to the certain extensibility of the fiber tape blade, the national standard allows a relatively large error. Therefore, this tape measure is not recommended for scenarios requiring high accuracy; instead, a steel tape measure or other measuring tools with higher accuracy should be used.

Item No.	Size	QTY
货号	规格	装箱数
01801	10M	100
01803	20M	60
01804	30M	40
01805	50M	30

Measuring Tape
公制盒式长钢卷尺



- The shell is made of ABS reinforced resin, ensuring sturdiness and durability.
- The integrated hidden hand crank enables convenient use, quick retraction, and easy storage and portability.
- The torsion-resistant carbon tool steel ruler strip is coated with white polyester baking paint, featuring clear and durable scale markings.

Item No.	Size	QTY
货号	规格	装箱数
01811	10Mx10mm	6/72
01812	15Mx10mm	6/72
01813	20Mx10mm	6/48
01814	30Mx10mm	6/48
01815	50Mx10mm	6/24

Bubble Level
强磁水平尺



- Made of high-strength aluminum profile.
- Equipped with three measuring bubbles for horizontal, vertical, and 45° angle measurements, with an accuracy of 0.5mm/m.
- The bottom features strong magnetism and a scale ruler for easy use.

Item No.	Size	QTY
货号	规格	装箱数
BE-211301	300mm	50
BE-211302	400mm	50
BE-211303	500mm	50
BE-211304	600mm	50
BE-211305	800mm	50
BE-211306	1000mm	50


Bubble Level
实心水平尺

0.5mm/M MAGNET



- Large bubble design for multi-angle measurement, with an accuracy of 0.5mm/m.
- The ruler body is made of solid thickened material, equipped with shock-absorbing and pressure-reducing end caps, enabling pressure resistance, drop resistance, and stur diness and durability.
- Large-area strong magnetic adsorption for more powerful suction.

Item No.	Size	QTY
货号	规格	装箱数
01351	300mm/12"	10/60
01352	400mm/16"	10/60
01353	500mm/20"	10/40
01354	600mm/24"	10/40
01355	800mm/32"	5/20
01356	1000mm/40"	5/20



Bubble Level
可调强磁水平尺

BESTIR

0.5mm/M MAGNET



- 360° multi-angle large bubble design, with a measurement accuracy of 0.5mm/m.
- Shock-absorbing and pressure-reducing end caps ensure pressure resistance, drop resistance, sturdiness and durability.
- Large-area strong magnetic adsorption provides more powerful suction.
- CNC precision-machined reference surface enables more accurate measurement.

Item No. 货号	Size 规格	QTY 装箱数
01342	400mm/16"	10/60
01344	600mm/24"	10/40
01345	800mm/32"	10/40
01346	1000mm/40"	5/30
01347	1200mm/48"	5/30

MINI Bubble Level
迷你水平尺

BESTIR

UV PROTECTION MAGNET



- Transparent protective large bubble design, ensuring bright clarity and an accuracy of 1.0mm/m.
- The surface is spray-coated for wear resistance and durability.
- Strong magnetism at the bottom enables more stable adsorption during measurement.
- It is exquisite and compact, making it easy to carry.

Item No. 货号	Size 规格	QTY 装箱数
01332	100mm/4"	20/120

Bubble Level
铝合金带磁水平尺

BESTIR

MAGNET



- Made of aluminum alloy material with an epoxy coating on the surface, ensuring durability and easy cleaning.
- 180° high-definition magnified bubble for high measurement accuracy.
- Super-strong magnetic design at the bottom for convenient use.

Item No. 货号	Size 规格	QTY 装箱数
01321	300MM	48
01322	400MM	48
01323	500MM	48
01324	600MM	48
01325	800MM	48
01326	1000MM	48
01327	1200MM	48

Magnetic Fish Torpedo Type Level
带磁鱼雷式水平尺

BESTIR


MAGNET



- ABS plastic shell with a sturdy aluminum alloy frame.
- Lightweight design with anti-slip feature for easy portability.
- Equipped with strong magnetism at the bottom, enabling adsorption on metal surfaces for operation.
- Three bubbles allow measurement of horizontal, vertical, and 45° angles.

Item No. 货号	Size 规格	QTY 装箱数
01331	230mm	10/120





Stainless Steel Ruler
公制不锈钢直尺

BESTIR



- Made of high-quality stainless steel, ensuring rust resistance.
- The material is 30% thicker, preventing deformation and ensuring measurement accuracy.
- Laser-engraved markings feature clear fonts and excellent wear resistance and durability.
- The surface is coated with glossy paint to prevent scale corrosion.

Item No. 货号	Size 规格	QTY 装箱数
01401	150MM	10/400
01402	200MM	10/400
01404	300MM	10/300
01405	500MM	10/200
01406	600MM	10/120
01407	1000MM	10/80
01408	1500MM	10/30
01409	2000MM	10/30

Stainless Steel Ruler
公英制不锈钢直尺

BESTIR



- Made of high-quality stainless steel, ensuring rust resistance.
- The material is 30% thicker, preventing deformation and ensuring measurement accuracy.
- Laser-engraved markings feature clear fonts and excellent wear resistance and durability.
- The surface is coated with glossy paint to prevent scale corrosion.

Item No. 货号	Size 规格	QTY 装箱数
01411	150MM	10/400
01412	200MM	10/400
01414	300MM	10/300
01415	500MM	10/200
01416	600MM	10/120
01417	1000MM	10/80
01418	1500MM	10/30
01419	2000MM	10/30

Combination Square
铝合金组合角尺

BESTIR



- The ruler body is made of high-quality stainless steel, ensuring rust resistance.
- The material is 30% thicker, preventing deformation and guaranteeing measurement accuracy.
- Laser-engraved markings feature clear fonts, along with excellent wear resistance and durability.
- The ruler base is cast from high-quality aluminum alloy, making it sturdy and durable.
- It is also equipped with a scribe pin for easy line marking.
- This ruler can measure 90° and 45° angles, and is fitted with a horizontal bubble.

Item No. 货号	Size 规格	QTY 装箱数
01463	300MM	10/60

Steel Square
铝合金座角尺

BESTIR



- The ruler body is made of high-quality stainless steel, ensuring rust resistance.
- The material is 30% thicker, which prevents deformation and guarantees measurement accuracy.
- Laser-engraved markings have clear fonts and are wear-resistant and durable.
- The surface is coated with glossy paint to prevent scale corrosion.
- The ruler base is cast from high-quality aluminum alloy, making it sturdy and durable.

Item No. 货号	Size 规格	QTY 装箱数
01451	200MM	6/120
01452	250MM	6/60
01453	300MM	6/60
01454	500MM	6/60

Protractor Stainless Steel
角度尺

BESTIR




- The ruler body is made of high-quality stainless steel, ensuring rust resistance.
- It can draw angle lines within the range of 0-180° for accurate angle measurement.
- Laser-engraved markings feature clear fonts and excellent wear resistance and durability.
- The surface is coated with glossy paint to prevent scale corrosion.

Item No. 货号	Size 规格	QTY 装箱数
01431	6"(90x150mm)	12/120

Stainless Steel Triangle Rule
不锈钢三角尺






- The high-quality stainless steel tape blade is formed in one stamping process and finished with precision polishing.
- The aluminum alloy angle base and the ruler body are CNC-riveted, ensuring sturdiness, durability, and deviation-free fitting.
- Computer-etched numbers offer excellent wear resistance and precise scale markings.

Item No.	Size	QTY
货号	规格	装箱数
01472	200MM	10/100

Feeler Gauge
塞尺




14-piece configuration: 0.05、0.06、0.07、0.08、0.09、0.10、0.15、0.20、0.25、0.30、0.40、0.50、0.75、1.00mm
17-piece configuration 0.02、0.03、0.04、0.05、0.06、0.07、0.08、0.09、0.10、0.15、0.20、0.25、0.30、0.40、0.50、0.75、1.00mm

- The shell is chrome-plated and connected with large nuts.
- The spring steel sheets undergo heat treatment.
- Each spring steel sheet is printed with metric thickness dimension values.
- It has a simple and reasonable structure, enabling convenient and quick measurement.

Item No.	Size	QTY
货号	规格	装箱数
07521	100x14 (0.05-1.00mm)	10/300
07522	100x17 (0.02-1.00mm)	10/300
07523	150x14 (0.05-1.00mm)	10/100
07524	150x17 (0.02-1.00mm)	10/100
07525	200x14 (0.05-1.00mm)	10/100
07526	200x17 (0.02-1.00mm)	10/100

Vernier Caliper [industrial grade]
不锈钢数显卡尺（工业级）



Accuracy:
<100mm:±0.03mm/0.001"
100-200mm:±003mm/0001"
200-300mm±0.04mm/00015"

- Made of high-quality stainless steel with overall heat treatment.
- One-key switching between metric and imperial units.
- Large LED screen display for clear reading.
- Resolution: 0.01mm/0.0005"

Item No.	Size	QTY
货号	规格	装箱数
01644	0~150mm	6/36
01645	0~200mm	6/24
01646	0~300mm	6/24

Vernier Caliper
四用游标卡尺



- Implementation Standard: In accordance with the national standard of GB/T 21398.
- Hardness Treatment: The measuring surface is hardened, with good wear resistance.
- Coating Treatment: The entire caliper is chrome-plated, with good rust resistance.
- Scale Indication: Precision laser engraving for accurate scales and clear lines.
- Measuring Functions: Four functions, including inner diameter, outer diameter, depth, and step measurement.

Item No.	Size	QTY
货号	规格	装箱数
01601	0~150mm	10/50
01602	0~200mm	10/30
01603	0~300mm	10/20

External Micometers [industrial grade]
镀铬千分尺（工业级）



- Implementation Standard: In accordance with the national standard of GB/T 1216.
- Hardness Treatment: The measuring surface is hardened, featuring good wear resistance.
- Coating Treatment: The entire ruler is chrome-plated, providing good rust resistance.
- Scale Indication: Precision laser engraving ensures accurate scales and clear lines.
- Measuring Function: Outer diameter measurement.

Item No.	Size	QTY
货号	规格	装箱数
01651	0~25mm	1/50
01652	25~50mm	1/50

Distance Measuring Wheel
机械式数显测距轮









Technical Specifications:
Maximum measurement range: 99999.9 meters
Measurement accuracy:+/-0.5%
Minimum display value: 0.1m
Suitable operating temperature: -10 °C~45 °C
Wheel diameter: 318mm/12.5 "(large wheel)
Measurement unit: meter

- The wheels are made of new ABS engineering plastic, covered with wear-resistant rubber, which is sturdy, durable and high in strength.
- The counter is driven by mechanical gears, with the count increasing when moving forward and decreasing when moving backward, and it is equipped with a manual reset device.
- The handle adopts a foldable design, conforms to ergonomics, and its surface is metal-plated.
- The rear-mounted spring support feet are stable and reliable.

Item No.	QTY
货号	装箱数
01381	1/6

Distance Measuring Wheel
电子数显测距轮（大轮）











Technical Specifications:
Maximum measurement range: 99999.9 meters/99999.9 feet
Measurement accuracy:+/-0.5%
Minimum display value: 0.1m/0.3ft
Suitable operating temperature: -10 °C~45 °C
Wheel diameter: 318mm/12. 5"
Measurement unit: meter/foot
Battery: Two AAA batteries, size 7

- The wheels are made of new ABS engineering plastic, covered with super wear-resistant rubber, which is sturdy, durable and high in strength.
- It is equipped with a liquid crystal digital display, featuring inch-metric conversion and data memory functions. With a blue light display, it works normally even in the dark, and its buttons are waterproof and dustproof.
- The aluminum alloy pull rod has three-section telescopic design, which can be easily put into a backpack for convenient carrying.

Item No.	QTY
货号	装箱数
01382	1/5

Distance Measuring Wheel
电子数显测距轮（小轮）











Technical Specifications:
Maximum measurement range: 99999.9 meters/99999.9 feet
Measurement accuracy:+/-0.5%
Minimum display value: 0.1m/0.3ft
Suitable operating temperature: -10 °C~45 °C
Wheel diameter: 160mm/6"
Measurement unit: meter/foot
Battery: Two AAA batteries, size 7

- The wheels are made of new ABS engineering plastic, covered with super wear-resistant rubber, which is sturdy, durable and high in strength.
- It is equipped with a liquid crystal digital display, featuring inch-metric conversion and data memory functions. With a blue light display, it works normally even in the dark, and its buttons are waterproof and dustproof.
- The aluminum alloy pull rod has three-section telescopic design, which can be easily put into a backpack for convenient carrying.

Item No.	QTY
货号	装箱数
01383	1/10



Carpenter Ink Marker
15米自动卷线迷你墨斗



- Automatic inked wire retrieval design (retrieves 7.5 meters automatically).
- Structural design to prevent ink volatilization.
- The popped inked wire is uniform and clear.
- Small in size and light in weight, and comes with a dedicated marking pencil.

Item No.	Size	QTY
货号	规格	装箱数
04701	15meters	4/48

Handiness Apeak Test Device
磁性线锤



- Suitable for professional and amateur vertical testing in decoration, construction and other scenarios.

Item No.	Size	QTY
货号	规格	装箱数
04711	3meters	6/36
04712	6meters	6/36

Carpenter Ink Marker
25米手卷迷你墨斗



- Adopts a hand-cranked design, featuring a small size and light weight.
- Adopting a design with an ink-pressing ball and compressed cotton, which effectively prevents ink volatilization.
- The popped inked wire is uniform and clear.

Item No.	Size	QTY
货号	规格	装箱数
04702	25meters	6/72

Speed Handle Chalk Line
30米三倍速手卷式粉斗（配线粉）



- 3x speed wire retrieval, efficient and time-saving.
- Metal hand crank, durable and sturdy.
- ABS engineering shell, sealed to prevent powder leakage.
- Single operation allows marking 3-4 times.

Item No.	Size	QTY
货号	规格	装箱数
04704	30meters	6/48

Carpenter Ink Marker
30米三倍速手卷式墨斗



- 3x speed wire retrieval design, efficient and time-saving.
- Adopting a design with an ink-pressing ball and compressed cotton, which effectively prevents ink volatilization.
- The popped inked wire is uniform and clear.

Item No.	Size	QTY
货号	规格	装箱数
04703	30meters	4/48

Single Hand Riveter
单把拉铆枪



- The body is made of high-quality steel, featuring a streamlined curved design for better palm fit and non-slip grip.
- Alloy claws provide strong pulling force with excellent wear resistance.
- Soft rubberized handle offers shock absorption and reduces fatigue.

Item No.	Size	QTY
货号	规格	装箱数
BE-224109	240mm	6/36

Swivel-head Riveter
可转头拉铆枪



- Precision die-cast aluminum alloy gun body with high strength and impact resistance.
- Rotatable head with riveted connection for versatile use in different scenarios.
- Ergonomic TPR-coated handle for comfortable grip.


Item No.	Size	QTY
货号	规格	装箱数
BE-224101	285mm	6/24

Double-handle Riveter
双把拉铆枪



- Precision die-cast aluminum alloy gun body, high strength and impact-resistant.
- Ergonomic curved handle design extends the lever arm for effortless operation.
- Patterned nozzle design allows tool-free hand-tightening replacement, ensuring convenient operation.


Item No.	Size	QTY
货号	规格	装箱数
BE-224121	295mm	6/24




Easy Apueeze Blind Rivet Gun
双把拉铆枪

BESTIR

RIVET APPLICATIONS








- Made of high-quality steel, with a lever-type labor-saving structure, featuring good riveting quality and high speed.
- Two-hand operation is suitable for occasions requiring large riveting force.
- Capable of riveting and fastening different materials such as metal, fiber, leather and plastic.

Item No.	Size	QTY
货号	规格	装箱数
04201A	430mm	24

Easy Apueeze Blind Rivet Gun
双把拉铆枪（重型）

BESTIR

RIVET APPLICATIONS





- Made of high-quality steel, with a lever-type labor-saving structure, featuring good riveting quality and high speed.
- Two-hand operation is suitable for occasions requiring large riveting force.
- Capable of riveting and fastening different materials such as metal, fiber, leather and plastic.

Item No.	Size	QTY
货号	规格	装箱数
04202A	460mm	18

Semi-auto Heavy Duty Nut Rivet Gun
半自动双把铆螺母枪

BESTIR



Nut Specifications:
M3 M4 M5 M6 M8 M10 M12


- Made of high-quality steel, with an innovative patented structural design that reduces effort by over 40%.
- It adopts a semi-automatic rivet nut ejection design, making operation more convenient and efficient.
  The riveting plate thickness range specified in the instruction manual must be followed, excessive thickness will cause damage to the rivet nut gun.

Item No.	Size	QTY
货号	规格	装箱数
04211	16"/400mm	1/5

Single Hand Riveter
单把拉铆枪

BESTIR

RIVET APPLICATIONS








- The body is made of high-quality steel with an enlarged and thickened design, ensuring sturdiness and durability.
- Alloy jaws provide strong pulling force and are resistant to wear.
- The knurled nozzle allows for hand disassembly and replacement, making it easy to use.
- The soft rubber handle offers shock absorption and anti-slip properties.

Item No.	Size	QTY
货号	规格	装箱数
04110	258mm	6/36

Single Hand Riveter
单把拉铆枪（免换导嘴）

BESTIR

RIVET APPLICATIONS







- The handle body is made of high-quality steel.
- Alloy jaws deliver strong pulling force and are resistant to wear.
- Featuring a nozzle-free replacement design, it can be directly used with rivets of different specifications within the applicable range, ensuring convenient operation.

Item No.	Size	QTY
货号	规格	装箱数
04111	258mm	6/36

Single Rivet Nut Gun
单把铆螺母枪

BESTIR




- The shell is made of aluminum alloy through precision die-casting, ensuring sturdiness and durability.
- Equipped with 4 high-strength chrome-molybdenum alloy steel pull rods (M3, M4, M5, M6).
- Capable of riveting stainless steel and carbon steel nuts (stainless steel cannot be riveted for M6 size).
- Soft rubber handle for shock absorption and anti-slip performance.

Item No.	Size	QTY
货号	规格	装箱数
04232	240mm	6/24

Gecko Gun
壁虎枪

BESTIR







- The gun body is made of high-quality high-carbon steel, ensuring sturdiness and durability.
- With a unique design, it realizes one-step screw pulling, making operation convenient and efficient.
- The handle adopts an ergonomic design, enabling comfortable and labor-saving operation.
- Used for the fastening and installation of hollow expansion screws (M3, M4, M5, M6).
- Widely applicable for installing expansion screws on hollow plates (non-metallic) such as curtain walls and gypsum ceilings.

Item No.	Size	QTY
货号	规格	装箱数
04251	7"/175mm	5/20

Caulking Gun
旋转式齿条压胶枪



- This product is suitable for cartridge adhesives.
- The gun body is made of high-quality carbon steel, ensuring sturdiness and durability.
- It is equipped with a rack-centered moving rod, which provides excellent braking performance.
- Comes with a blade for cutting cartridge adhesive nozzles, offering convenient operation.
- The handle can rotate freely around the gun body, adapting to operations at different angles.

Item No.	Size	QTY
货号	规格	装箱数
14510	9"	6/36

Caulking Gun
重型压胶枪



- The gun body is made of high-quality steel with a heavy-duty design, ensuring greater sturdiness and durability.
- Equipped with a central moving rod, it delivers excellent braking performance.
- Mainly used for bonding materials such as metal, fiber, leather, and plastic.

Item No.	Size	QTY
货号	规格	装箱数
14503	9"	12/24

Heavy Duty Staple Remover
起钉器



- Made of high-quality thickened steel plates, it features a labor-saving and safe structural design with a surface electroplating treatment.
- The handle adopts an ergonomic two-color rubber-coated design.
- Used for removing discarded or misdriven door-type nails, U-type nails, and T-type nails.

Item No.	QTY
货号	装箱数
04245	10/40



Caulking Gun
圆筒防滴胶压胶枪



- Aluminum alloy gun barrel with anodizing treatment, featuring wear resistance and rust prevention.
- Anti-dripping design with built-in stop and rebound function to prevent colloidal overflow due to inertia.
- Thickened pushing plate design for better usability and durability.
- Ergonomic dipped plastic handle, offering anti-slip performance and comfort.
- Dual-purpose design for both cartridge adhesives and bagged adhesives.

Item No.	Size	QTY
货号	规格	装箱数
14511	15"	2/24

Caulking Gun
旋转式压胶枪



- The gun body is made of high-quality steel with a spray coating, ensuring sturdiness and durability.
- The central moving rod undergoes high-temperature quenching treatment, making it resistant to deformation and providing excellent braking performance.
- Equipped with a specially designed push rod release button; pressing it releases excess pressure to prevent silicone leakage.
- The handle is made entirely of plastic and can rotate freely around the gun body, adapting to operations at different angles.

Item No.	Size	QTY
货号	规格	装箱数
14506	9"	12/36

Putty Knife
不锈钢油灰刀

3CR13



- The blade is made of 3CR13 stainless steel through precision processing, with overall quenching.
- It features high hardness, good elasticity, rust resistance, and a long service life.
- The ergonomic TPR rubber-coated handle enables labor-saving and comfortable operation.
- It is used in building and home decoration for removing floor adhesives and stubborn stains.

Item No.	Size	QTY
货号	规格	装箱数
04532	2"(50mm)	12/180
04534	3"(75mm)	12/180
04535	4"(100mm)	12/180

Cleaning Knife
清洁铲刀



- The aluminum alloy cutter head is treated with surface baking paint, and the blade is sharp.
- It is equipped with a non-slip plastic handle.
- Used for removing dirt and stubborn stains from the surfaces of glass, floors, walls, etc.

Item No.	Size	QTY
货号	规格	装箱数
04541	210mm	10/120

Caulking Gun
齿条式压胶枪



- The shell features a steel-welded structure with an epoxy paint coating, ensuring sturdiness and durability.
- It is equipped with a toothed central moving rod, which provides excellent braking performance.
- Comes with a blade for cutting cartridge adhesive nozzles, enabling convenient operation.
- Suitable for 310ml cartridge adhesives, with a lever ratio of 25:1.

Item No.	Size	QTY
货号	规格	装箱数
14501	9"	6/36

Caulking Gun
铝合金圆筒压胶枪



- It features an aluminum alloy handle with black paint and a white aluminum alloy gun body, equipped with a replaceable glue nozzle.
- Suitable for packaging adhesives (sausage adhesives), enabling convenient operation.
- Mainly used for bonding materials such as metal, fiber, leather, and plastic.

Item No.	Size	QTY
货号	规格	装箱数
14505	9"	2/24
14507	15"	2/24



Cleaning Knife
清洁铲刀



- The aluminum alloy cutter head is treated with surface baking paint, and the blade is sharp.
- It is equipped with a non-slip plastic handle.
- Used for removing dirt and stubborn stains from the surfaces of glass, floors, walls, etc.

Item No.	Size	QTY
货号	规格	装箱数
04542	260mm	10/60
04543	360mm	10/60

Portable Scraper
便携式铲刀 (包胶款)



Comes with a box of blades (10 pieces)

- It adopts precision mold two-shot injection molding and an integrated buckle design for quick blade replacement.
- Equipped with high-quality carbon steel blades, along with 10 spare blades.
- Used for scraping off surface dirt and stains.

Item No.	Size	QTY
货号	规格	装箱数
04520	145x102	10/120

Cleaning Blade
清洁铲刀刀片

SK7


10 blades per box



- Made of SK7 special steel.
- Double-edged grinding for sharpness and durability.

Item No.	Size	QTY
货号	规格	装箱数
03549	102x18x0.4mm	10/200/2400

Two Claw Glass Suction Plate
铝合金双爪玻璃吸盘

Product Parameters:
Horizontal Suction Force: **100kg**
Vertical Suction Force: **80kg**
Suction Cup Diameter: **118mm**
Suction Cup Material: **Aluminum Alloy**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Silver Gray**



- The high-strength aluminum alloy die-cast disk body is finished with silver-gray metal baking paint, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) via a precise formula, delivering strong suction and long-lasting performance.
- During use, keep the surface clean, free from oil stains, water marks, and unevenness.

Item No.	Size	QTY
货号	规格	装箱数
04422	Two Claw	12

Three Claw Glass Suction Plate
铝合金三爪玻璃吸盘

Product Parameters:
Horizontal Suction Force: **120kg**
Vertical Suction Force: **100kg**
Suction Cup Diameter: **118mm**
Suction Cup Material: **Aluminum Alloy**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Silver Gray**



- The high-strength aluminum alloy die-cast disk body is finished with silver-gray metal baking paint, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) via a precise formula, delivering strong suction and long-lasting performance.
- During use, keep the surface clean, free from oil stains, water marks, and unevenness.

Item No.	Size	QTY
货号	规格	装箱数
04423	Three Claw	8

Cleaning Knife
清洁铲刀（带螺丝刀）







- The cutter head is made of aluminum alloy through precision casting, with a surface spray coating for sturdiness and durability.
- It features an ergonomic rubber handle that provides anti-slip performance and comfort.
- A screwdriver for blade replacement is stored at the end of the handle, enabling convenient blade replacement.

Item No.	Size	QTY
货号	规格	装箱数
04528	260mm	10/60
04529	560mm	10/60

One Claw Glass Suction Plate
单爪玻璃吸盘

Product Parameters:
Horizontal Suction Force: **50kg**
Vertical Suction Force: **35kg**
Suction Cup Diameter: **118mm**
Suction Cup Material: **Plastic**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Yellow**



- The shell is made of ABS plastic, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) through a precise formula, providing strong suction and long-lasting durability.
- During use, keep the surface clean, free of oil stains, water marks, and unevenness.

Item No.	Size	QTY
货号	规格	装箱数
04401	One Claw	24

One Claw Glass Suction Plate
精品单爪玻璃吸盘

Product Parameters:
Horizontal Suction Force: **50kg**
Vertical Suction Force: **35kg**
Suction Cup Diameter: **125mm**
Suction Cup Material: **Die-cast Aluminum**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Golden Yellow**



- The high-strength aluminum alloy die-cast disk body is coated with metal baking paint, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) through a precise formula, providing strong suction and long-lasting performance.
- During use, keep the surface clean, free of oil stains, water marks, and unevenness.

Item No.	Size	QTY
货号	规格	装箱数
04411	One Claw	24

Two Claw Glass Suction Plate
铝合金双爪玻璃吸盘（加大型）

Product Parameters:
Horizontal Suction Force: **130kg**
Vertical Suction Force: **100kg**
Suction Cup Diameter: **125mm**
Suction Cup Material: **Aluminum Alloy**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Black**



- The high-strength aluminum alloy die-cast disk body is coated with black metal baking paint, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) via a precise formula, delivering strong suction and long-lasting performance.
- During use, keep the surface clean, free from oil stains, water marks, and unevenness.

Item No.	Size	QTY
货号	规格	装箱数
04432	Two Claw（INCREASE）	12

Two Claw Glass Suction Plate
活动双爪玻璃吸盘（加大型）

Product Parameters:
Horizontal Suction Force: **120kg**
Vertical Suction Force: **100kg**
Suction Cup Diameter: **150mm**
Suction Cup Material: **Precision-Cast Copper-Iron Alloy**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Yellow**



- The precision-cast copper-iron disk body is coated with yellow metal baking paint, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) through a precise formula, providing strong suction and long-lasting performance.
- The handle and suction cup are movable, allowing adsorption of objects with a certain curvature.

Item No.	Size	QTY
货号	规格	装箱数
04442	Two Claw（INCREASE）	8

Three Claw Glass Suction Plate
铝合金三爪玻璃吸盘（加大型）

Product Parameters:
Horizontal Suction Force: **180kg**
Vertical Suction Force: **160kg**
Suction Cup Diameter: **125mm**
Suction Cup Material: **Aluminum Alloy**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Black**



- The high-strength aluminum alloy die-cast disk body is coated with black metal baking paint, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) via a precise formula, delivering strong suction and long-lasting performance.
- During use, keep the surface clean, free from oil stains, water marks, and unevenness.

Item No.	Size	QTY
货号	规格	装箱数
04433	Three Claw（INCREASE）	8

Three Claw Glass Suction Plate
活动三爪玻璃吸盘（加大型）

Product Parameters:
Horizontal Suction Force: **150kg**
Vertical Suction Force: **135kg**
Suction Cup Diameter: **150mm**
Suction Cup Material:
Precision-Cast Copper-**Iron Alloy**
Rubber Material: **Nitrile Rubber**
Suction Cup Color: **Yellow**



- The precision-cast copper-iron disk body is coated with yellow metal baking paint, ensuring sturdiness and durability.
- The rubber pad is made of natural rubber (nitrile rubber) through a precise formula, providing strong suction and long-lasting performance.
- The handle and suction cup are movable, allowing adsorption of objects with a certain curvature.

Item No.	Size	QTY
货号	规格	装箱数
04443	Three Claw（INCREASE）	6



Aviation Snips
不锈钢板专用剪

BESTIR

Cr-Mo



Shearing Ability:
For Cutting Stainless Steel Below 0.5~0.7mm
For Cutting Carbon Steel Below 1.2mm

- Made of high-quality chromium-molybdenum steel, with overall heat treatment, featuring high hardness and no deformation.
- The blade edge is numerically controlled ground and undergoes secondary heat treatment, ensuring sharpness and durability.
- The blade edge is designed with teeth to prevent slipping during cutting.
- Equipped with an ergonomic two-color rubber-coated handle for comfort and anti-slip performance.

Item No.	Size	QTY
货号	规格	装箱数
BE-253131	10"[250mm] Straight-Jaw Scissors	6/48
BE-253132	10"[250mm] Right-Head Left-Curved Scissors	6/48
BE-253133	10"[250mm] Left-Head Right-Curved Scissors	6/48
BE-253134	11.5"[285mm] Straight-Jaw Scissors	6/48



Tinsmith Snips
铁皮剪

BESTIR

Maximum Steel Plate Cutting Capacity:
8-inch: < 0.8mm thickness
10-inch: < 1mm thickness
12-inch: < 1.2mm thickness
14-inch: < 1.4mm thickness




- Made of high-quality tool steel, ensuring sturdiness and durability.
- The blade edge undergoes high-frequency quenching for sharp cutting performance.
- The surface is blackened and precision-ground, providing rust resistance and long service life.
- The handle is covered with two-color dipped plastic for anti-slip grip and comfort.

Item No.	Size	QTY
货号	规格	装箱数
BE-253201	8"[200mm]	6/48
BE-253202	10"[250mm]	6/48
BE-253203	12"[300mm]	6/36
BE-253204	14"[350mm]	6/24

Aviation Snips
铬钒钢航空剪

BESTIR

Cr-V



- The head is precision-forged from chrome-vanadium steel.
- The cutting edge undergoes special quenching treatment, enabling smoother cutting and long-lasting durability.

Item No.	Size	QTY
货号	规格	装箱数
03111	10" Straight-Jaw Scissors	5/40
03112	10" Right-Head Left-Curved Scissors	5/40
03113	10" Left-Head Right-Curved Scissors	5/40

Tinsmith Snips
重型白铁剪




- The whole body is forged from high-quality tool steel.
- The cutting edge undergoes special quenching treatment, delivering extremely strong cutting force.
- The handle is coated with two-color dipped plastic, ensuring anti-slip grip and comfort.

Item No.	Size	QTY
货号	规格	装箱数
03201	8"[200mm]	6/48
03202	10"[250mm]	6/48
03203	12"[300mm]	6/36
03204	14"[350mm]	6/36

USA Type Tinsmith Snips
美式白铁剪

Cutting Capacity:
7-inch: Cold-rolled steel plate (0.6mm), Stainless steel plate (0.4mm);
10-inch: Cold-rolled steel plate (0.8mm), Stainless steel plate (0.45mm);
12-inch: Cold-rolled steel plate (0.9mm), Stainless steel plate (0.6mm).




- Made of high-quality tool steel with integral forging and special quenching treatment.
- The blade edge undergoes high-frequency treatment, with a hardness of HRC56±2, ensuring sharp cutting performance.
- The handle adopts secondary two-color dipped plastic, providing anti-slip grip and comfort. Suitable for straight-line cutting and curve cutting with small curvature.

Item No.	Size	QTY
货号	规格	装箱数
03221	7"[175mm]	6/36
03222	10"[250mm]	6/36
03223	12"[300mm]	6/36

Keel Scissors
多功能龙骨剪

3CR13

Shearing Ability:
Iron ≤0.5mm
Stainless ≤0.4mm



- The plier head is made of 3Cr13 stainless steel and undergoes overall heat treatment.
- The cutting edge is heat-treated and precision-ground by numerical control, featuring high hardness and sharp cutting performance.
- It is equipped with an ergonomic two-color rubber-coated handle, ensuring anti-slip grip and comfort.

Item No.	Size	QTY
货号	规格	装箱数
BE-253611	9"(220mm) BENT TIP	6/60
BE-253612	9"(228mm) STRAIGHT TIP	6/60

Bi-Color Trunking Cut
双色柄线槽剪



- The cutter head is precision-forged from high-quality stainless steel, with the blade edge undergoing special heat treatment for sharp cutting performance.
- Equipped with a latch and spring design, enabling simple and convenient operation.
- Features a two-color rubber handle design for anti-slip grip and comfort.

Item No.	Size	QTY
货号	规格	装箱数
03613	8"(200mm)	6/60

Zinc Alloy Mulyi-functional Scissors
锌合金柄多用剪刀

3CR13



- The cutter head is precision-made from 3CR13 stainless steel, with a hardness of HRC52±2, ensuring sharpness and durability.
- The handle is made of zinc alloy, featuring anti-slip performance and long service life.

Item No.	Size	QTY
货号	规格	装箱数
03643	8"(200mm)	12/96

Aluminium Alloy Multi-purpose Scissors
铝合金柄多用剪刀

3CR13




- The cutter head is precision-made from 3CR13 stainless steel, with a hardness of HRC52±2, ensuring sharpness and durability.
- The handle is made of aluminum alloy, featuring an electroplated surface and a thickened,
- widened design.
  Suitable for cutting materials such as leather, ropes, fishing nets, and paper products.

Item No.	Size	QTY
货号	规格	装箱数
03644	215mm	10/60

Electronic Scissors
电子剪



- The cutter head is precision-forged from high-quality stainless steel, with the blade edge undergoing special heat treatment for sharp cutting performance.
- The blade edge is equipped with a wire-stripping hole, and the latch and spring design enables simple and convenient operation.
  It features an eco-friendly two-color rubber handle, ensuring anti-slip grip and comfort.

Item No.	Size	QTY
货号	规格	装箱数
03601	7"(175mm)	6/60
03602	8"(200mm)	6/60

Multi-function Electrician Scissors
多功能电工剪

Wire Stripping Diameter:
0.3/0.5/1.0/1.5/2.5/4.0/6.0mm²

Cutting Performance:
PC board thickness ≤ 1.5mm
Copper wire diameter ≤ 1.5mm
Stainless steel plate thickness ≤ 0.3mm





- Made of high-hardness stainless steel through precision forging and secondary heat treatment, with a hardness of up to HRC55.
- Undergoes numerical control precision grinding and polishing, with a chrome-plated surface for long durability and wear resistance.
  Features a wide range of uses, capable of cutting, shaping, wire breaking, and wire stripping.

Item No.	Size	QTY
货号	规格	装箱数
03614	6"(150mm)	10/60

Multi-function Electrician Scissors
多功能电工剪

Crimping Performance:
Bare Terminals with Diameter of 0.5-2.0mm²

Wire Stripping Diameter:
0.6/0.8/1.0/1.3/1.6/2.0/2.6mm²

Cutting Performance:
PC board thickness ≤ 2.0mm
Copper wire diameter ≤ 1.5mm
Stainless steel plate thickness ≤ 0.4mm





- Made of high-hardness stainless steel through precision forging and secondary heat treatment, with a hardness of up to HRC55.
- Undergoes numerical control precision grinding and polishing, with a chrome-plated surface for long durability and wear resistance.
  Features a wide range of uses, capable of cutting, shaping, wire breaking, and wire stripping.

Item No.	Size	QTY
货号	规格	装箱数
03616	8"(200mm)	10/60



Multi-function Cable Cutter
多功能线缆剪

BESTIR



Crimping Performance:
Bare Terminals with Diameter of 0.5-2.0mm²

Wire Stripping Diameter:
1.0/1.5/2.5/4.0mm²

Cutting Performance:
Copper-Aluminum Cables with Fewer Than 4 Cores and Each Core Having a Cross-Sectional Area Not Exceeding 6mm²

- Made of high-hardness stainless steel through precision forging and secondary heat treatment, with a hardness of up to HRC55.
- Undergoes numerical control precision grinding and polishing, with a chrome-plated surface for long durability and wear resistance.
  Features a wide range of uses, capable of cutting, shaping, wire breaking, and wire stripping.

Item No. 货号	Size 规格	QTY 装箱数
03615	7"(175mm)	10/60


Cable Multi-Purpose Cutters
电缆剥线多用剪（削皮款）

BESTIR

Crimping Performance:
Bare Terminals with Diameter of 0.5-2.0mm²

Wire Stripping Diameter:
1.0/1.5/2.5/4.0mm²

Cutting Performance:
Copper-Aluminum Cables with Fewer Than 4 Cores and Each Core Having a Cross-Sectional Area Not Exceeding 6mm²





- The plier head is precision-forged from 65Mn manganese steel and undergoes overall heat treatment, enabling fast and easy wire cutting and stripping.
- It features a two-color anti-slip handle design.
- In addition to wire cutting, wire stripping, and wire crimping, it also adds a peeler function, making it more convenient to use.

Item No. 货号	Size 规格	QTY 装箱数
13104A	7.5"(185mm)	12/96

Cable Cutter
电缆剪

BESTIR

Cr-V



High hardness with sharp cutting performance



Adjustable nut



Anti-slip handle



Suitable for cutting copper-core and aluminum-core cables





- The plier head is precision-forged from high-quality chrome-vanadium steel, ensuring sturdiness and durability.
- The cutter head undergoes overall heat treatment, and the blade edge is specially treated with high-frequency quenching, featuring high hardness and sharp cutting performance.
- Equipped with an adjustable screw for tightness adjustment, enabling convenient use.
- The handle adopts an ergonomic design with a large rubber sleeve, providing anti-slip grip and comfort.
- Mainly used for cutting copper-core and aluminum-core cables.

Item No. 货号	Size 规格	Cutting Range 剪切范围	QTY 装箱数
13114	14"	125mm²	20
13118	18"	150mm²	12
13124	24"	240mm²	10
13132	32"	400mm²	5
13136	36"	450mm²	5
13142	42"	500mm²	4

Ratcheting Cable Cutter
棘轮线缆剪

BESTIR

60Si2Mn













XLT Series Cable Cutter Specs
XLT-40-J40: Cuts copper-aluminum armored cables (≤300mm² or ≤40mm dia.) and 1000-pair communication cables. No rigid steel cables.
XLT-50-J52: Cuts copper-aluminum cables/armored cables (≤500mm² or ≤50mm dia.). No rigid steel cables.
XLT-75-J75: Cuts copper-aluminum cables/armored cables (3×120mm² or ≤75mm dia.).
XLT-95-J95: Cuts copper-aluminum cables/armored cables (3×185mm² or ≤95mm dia.). No rigid steel cables.
XLT-100-J100: Cuts copper-aluminum armored cables (3×300mm² or ≤100mm dia.). No rigid steel cables.
XLT-130-J130: Cuts copper-aluminum armored cables (≤130mm dia.). No rigid steel cables.



Armored Cable



Multi-Strand Copper Cable



Aluminum-Core Cable



Communication Cable

- The plier head is made of 60Si2Mn alloy steel and undergoes overall heat treatment, with a hardness of up to HRC48-51, ensuring durability and wear resistance.
- The handle is made of high-quality medium-carbon steel pipe, with an electroplated surface, featuring strong compression resistance, corrosion resistance, and high load-bearing capacity.
- The handle can be freely retractable for labor-saving and efficient operation, and it is equipped with a satchel for storage, making it more convenient to carry.
- The grip part is made of insulating and anti-slip material, which is anti-slip and non-conductive, ensuring safer and more efficient work.
  This product can cut multi-strand copper-core, aluminum-core cables and armored cables, etc., but it is not suitable for cutting iron wire or steel-core cables.

Item No. 货号	Size 规格	QTY 装箱数
13407	XLT-40-J40	15
13408	XLT-50-J52	10
13409	XLT-75-J75	8
13410	XLT-95-J95	5
13411	XLT-100-J100	4
13412	XLT-130-J130	3

Ratcheting Cable Cutter
棘轮式电缆剪

BESTIR

13403



13404





Blade Retraction Switch

Cutting Range:
13403: Cu-Al cables (≤ ϕ 25mm or ≤240mm²)
13404: Cu-Al cables (≤ ϕ 35mm or ≤400mm²)



Multi-Strand Copper Cable



Aluminum-Core Cable



Communication Cable

- High-quality alloy steel blades with precision grinding, and specially designed ratchet gear advancement for light, effortless cutting.
- One-click blade retraction and locking design for safety and efficiency.
- Compact size for easy portability.

Note:
Not suitable for cutting hard materials such as round steel, steel wire ropes, steel-core cables, steel strands, armored cables, and high-voltage cables.

Item No. 货号	Size 规格	QTY 装箱数
13403	XLT-25A	3/24
13404	XLT-35A	3/24

Cable Cutter
线缆剪





- Made of high-quality tool steel, sturdy and durable.
- Blade edge with high-frequency quenching, sharp for cutting.
- Precision-ground surface, rust and wear resistant.
- Dual-color plastic-coated handle, anti-slip and comfortable.

Item No.	Size	Cutting Range	QTY
货号	规格	剪切范围	装箱数
BE-253501	6"(150mm)	< 9mm	6/72
BE-253502	8"(200mm)	< 11mm	6/60

Wire Rope Cutter
钢丝绳剪

Old Model



New Model

- The cutter head is forged from high-quality spring steel (60Si2Mn) and undergoes overall heat treatment, achieving a hardness of HRC40-45.
- The blade edge is treated with high-frequency quenching, reaching HRC58-62 for sharp cutting.
- The plastic grip is made of non-toxic and eco-friendly materials, featuring anti-slip performance and durability.

Item No.	Size	Cutting Range	QTY
货号	规格	剪切范围	装箱数
13318	18"(450mm)	<10mm	12
13324	24"(600mm)	<12mm	8
13336	36"(900mm)	<14mm	4
13342	42"(1050mm)	<16mm	2

Bolt Cutter
断线钳

65Mn



Cutting Range:
Low-carbon steel wires ≤ 3mm (diameter).

- Manufactured from 65Mn material, with overall heat treatment and high-frequency quenching on the jaw; the cutting edge hardness reaches HRC 55-58.
- The handle surface is treated with black oxide coating for rust resistance and durability; the grip is made of PVC material, featuring anti-slip and anti-collision properties.
- Equipped with an adjusting nut to adjust the blade gap, preventing loosening and edge chipping.

Item No.	Size	QTY
货号	规格	装箱数
BE-253701	8"[200mm]	12/72

Cable Cutter
重型线缆剪

Cr-V



- Precision-forged from high-quality chrome-vanadium steel (CR-V), sturdy and durable.
- Blade edge with special heat treatment, sharp for cutting and ensuring neat cuts.

Item No.	Size	QTY
货号	规格	装箱数
13101	10"	12/48

Cable Cutter
线缆剪

Cr-V



- Precision-forged from high-quality chrome-vanadium steel (CR-V), sturdy and durable.
- The plier body is chrome-plated on the surface, offering excellent rust resistance.
- Blade edge with special heat treatment, sharp for cutting and ensuring neat cuts.

Item No.	Size	Cutting Range	QTY
货号	规格	剪切范围	装箱数
13106	6"[150mm]	25mm²	6/72
13108	8"[200mm]	35mm²	6/60
13110	10"[250mm]	50mm²	12/60
13112	12"[300mm]	60mm²	15/45



Bolt Cutter
断线钳

Cr-V



Cutting Range:
Low-carbon steel wires ≤ 3mm (diameter).

- Made of high-quality chrome-vanadium alloy steel, it undergoes overall heat treatment; the jaw is high-frequency quenched, with the blade edge hardness reaching HRC58-62.
- The adjusting nut allows easy adjustment of the blade gap to prevent loosening and edge chipping.
- The surface is treated with black oxide fogging for rust resistance and durability.
- The handle is made of dual-color PVC material, featuring anti-slip performance and durability.

Item No.	Size	QTY
货号	规格	装箱数
03702	8"(200mm)	12/72

Wire Rope Cutter
双色柄钢丝绳剪

Cr-V



Steel wire rope cutting range:
1~3mm diameter (optimal), with a maximum of ≤5mm diameter

- The whole body is forged from chrome-vanadium alloy steel, with the blade edge treated by high-frequency heat treatment for sharpness and wear resistance.
- The plastic-coated anti-slip handle and automatic rebound design enable easier and more efficient operation.
- Suitable for cutting single-strand or multi-strand copper-aluminum wires, iron wires, steel wires, etc.

Item No.	Size	QTY
货号	规格	装箱数
13301	8"(200mm)	6/60

Bolt Cutter
断线钳

Cr-V



Cutting Range:
Low-carbon steel wires ≤ 3mm (diameter).

- Made of 65Mn steel, it undergoes overall heat treatment; the jaw is high-frequency quenched, with the blade edge hardness reaching HRC55-58.
- The adjusting nut allows easy adjustment of the blade gap to prevent loosening and edge chipping.
- The surface is treated with black oxide fogging for rust resistance and durability.
- The handle is made of dual-color PVC material, featuring anti-slip performance and durability.

Item No.	Size	QTY
货号	规格	装箱数
03703	8"(200mm)	12/72

Wire Rope Cutter
钢丝绳剪

Cr-V



Cutting Range:
Carbon steel wire rope ≤ Φ6mm;
Stainless steel wire rope ≤ Φ4mm

- Precision-forged from chrome-vanadium alloy steel with overall heat treatment and secondary heat treatment on the blade edge for sharp cutting.
- Large opening design allows a wider cutting range.
- Arc-shaped plastic-coated handle offers anti-slip comfort and labor-saving cutting.

Item No.	Size	QTY
货号	规格	装箱数
13303	8"(200mm)	6/60

Bolt Cutter
三连臂断线钳（工业级）

BESTIR

Cr-Mo



- The cutter head is forged from high-quality-quality chromium-molybdenum alloy steel, with overall heat treatment for firmness, durability and strong cutting force.
- The blade edge hardness is strictly controlled at 58-62HRC to prevent chipping and curling, ensuring a long service life.
- Forged three-link arm structure with adjustable blade gap.
  The handle is phosphated and then sprayed with chemical-resistant, wear-resistant plastic powder, providing excellent rust resistance.
  Suitable for cutting thicker carbon structural steel wires (with hardness not exceeding 30HRC), barbed wires, hard copper wires and cables, etc. It is widely used in steel rolling, construction engineering and special industries.

Item No. 货号	Size 规格	Cutting Range 剪切范围	QTY 装箱数
03771	12"(300mm)	<4mm	24
03772	14"(350mm)	<5mm	24
03773	18"(450mm)	<6mm	12
03774	24"(600mm)	<8mm	12
03775	30"(750mm)	<10mm	6
03776	36"(900mm)	<12mm	4
03777	42"(1050mm)	<14mm	2

Bolt Cutter
专业级断线钳(钢筋专用)

BESTIR


Cr-Mo



- This product complies with the standard QB/T2206–1996 Bolt Cutters and is suitable for cutting general carbon structural steel wires, round steel, cables and hard copper wires.
- Before using the bolt cutters, the left and right blades must be aligned, and the connecting arms should also be in contact.
- After use, if there is a large gap between the blades, first loosen the fixing screws, then tighten the adjusting screws until the two blades are aligned, and finally lock the fixing screws.
- Conversely, if the blades are already aligned but the connecting arms are not in contact, first loosen the adjusting screws until the connecting arms touch, then lock the fixing screws.

Item No. 货号	Size 规格	Cutting Range 剪切范围	QTY 装箱数
03763	14"(350mm)	<5mm	30
03764	18"(450mm)	<6mm	20
03765	24"(600mm)	<8mm	10
03766	30"(750mm)	<10mm	5
03767	36"(900mm)	<12mm	5
03768	42"(1050mm)	<14mm	3
03769	48"(1200mm)	<16mm	3





PVC Pipe Cutter
PVC 管子割刀（可调款）

IBESTIR





- **PREMIUM BLADE:** Made of high-carbon alloy steel with a Teflon-coated surface for sharpness and durability.
- **QUICK-CHANGE BLADE DESIGN:** Enhances efficiency and reduces operational costs with easy blade replacement.
- **ERGONOMIC ADJUSTABLE HANDLE:** Features an adjustable opening angle–reducing fatigue when cutting small pipes, and allowing effortless operation for all users, including women.
- **PROFESSIONAL UTILITY:** Ideal for plumbers and electricians, capable of cutting PVC, PPR, and PE pipes.

Item No. 货号	Size 规格	QTY 装箱数
BE-253904	50mm	12/72

PVC Pipe Cutter
PVC 管子割刀（可调款）

IBESTIR





- **PREMIUM BLADE:** Made of high-carbon alloy steel with a Teflon-coated surface for sharpness and durability.
- **QUICK-CHANGE BLADE DESIGN:** Enhances efficiency and reduces operational costs with easy blade replacement.
- **ERGONOMIC ADJUSTABLE HANDLE:** Features an adjustable opening angle–reducing fatigue when cutting small pipes, and allowing effortless operation for all users, including women.
- **PROFESSIONAL UTILITY:** Ideal for plumbers and electricians, capable of cutting PVC, PPR, and PE pipes.

Item No. 货号	Size 规格	QTY 装箱数
BE-253903	33mm	12/72

PVC Pipe Cutter
PVC 管子割刀

IBESTIR





- **Premium Blade:** Forged from high-carbon alloy steel with a Teflon-coated surface for exceptional sharpness and long-lasting durability.
- **Ergonomic Ratchet Mechanism:** Engineered with a ratchet-driven blade advancement system to minimize effort and maximize cutting efficiency.
- **Tool-Free Blade Replacement:** Instant blade change without tools, reducing downtime and operational costs.
- **Professional-Grade Performance:** Designed for plumbers and electricians, capable of cleanly cutting PVC, PPR, and PE pipes.

Item No. 货号	Size 规格	QTY 装箱数
BE-253905	75mm	6/36

PVC Pipe Cutter
PVC管子割刀

PTFE BLADE X 4





- **HIGH-QUALITY BLADE**: Made of premium SK85 alloy steel with a 4-layer PTFE coating for sharpness and durability.
- **ERGONOMIC HANDLE:** Lightweight plastic-steel handle provides a comfortable grip, reduces vibration, and minimizes fatigue.
- **DOUBLE-EDGED BLADE DESIGN:** Ensures quick, effortless cutting with a smooth finish.
- **VERSATILE CUTTING:** Ideal for PVC pipes, PPR pipes, aluminum-plastic pipes, gas pipes, and other plastic/rubber hoses.

Item No.	Size	QTY
货号	规格	装箱数
BE-253901	33mm	12/120

PVC Pipe Cutter
PVC管子割刀

PTFE BLADE X 2





- Premium special steel blades with Teflon coating;
- Precision-cast aluminum alloy handle for superior cutting strength;
- Automatic spring-back blade with self-locking ratchet feed mechanism–safe, no rebound, and easy to operate;
- Dual-edge blade design for effortless cutting and smooth, clean cuts;
- Ideal for cutting PVC pipes, PPR pipes, aluminum-plastic composite pipes, gas pipes, and other plastic/rubber hoses.

Item No.	Size	QTY
货号	规格	装箱数
BE-253902	42mm	6/60

PVC Pipe Cutter
PVC管子割刀（三角刃）

PTFE × 4
Four-Layer
Teflon Coating





- Blades are made of high-quality SK85 alloy steel with four-layer Teflon coating, ensuring sharpness and durability.
- Double-edged design enables fast, labor-saving cutting with smooth cut surfaces.
- Ratchet-type cutting with automatic cyclic blade rebound for effortless and worry-free operation.
- Precision-cast aluminum alloy handles with rubber-plastic coating at the grip area for anti-slip and shock absorption.
- Suitable for cutting plastic and rubber hoses such as PVC pipes, PPR pipes, aluminum-plastic pipes, and gas pipes.

Item No.	Size	QTY
货号	规格	装箱数
03960	42mm	6/60

PVC Pipe Cutter
PVC管子割刀（三角刃）

PTFE × 4
Four-Layer
Teflon Coating



NO.03918
Replaceable Blade Design

- Blades are made of high-quality SK85 alloy steel with four-layer Teflon coating, ensuring sharpness and durability.
- Double-edged design enables fast, labor-saving cutting with smooth cut surfaces.
- Ratchet-type cutting with automatic cyclic blade rebound for effortless and worry-free operation.
- Precision-cast aluminum alloy handles with rubber-plastic coating at the grip area for anti-slip and shock absorption.
- Suitable for cutting plastic and rubber hoses such as PVC pipes, PPR pipes, aluminum-plastic pipes, and gas pipes.

Item No.	Size	QTY
货号	规格	装箱数
03963	63mm	6/36
03918	63mm(Blade)	1

PVC Pipe Cutter
PVC管子割刀（三角刃）

PTFE × 4
Four-Layer
Teflon Coating





NO.03991
Replaceable Blade Design

- Blades are made of high-quality SK85 alloy steel with four-layer Teflon coating, ensuring sharpness and durability.
- Double-edged design enables fast, labor-saving cutting with smooth cut surfaces.
- Precision-cast aluminum alloy handles for sturdiness and durability.
- Suitable for cutting plastic and rubber hoses such as PVC pipes, PPR pipes, aluminum-plastic pipes, and gas pipes.

Item No.	Size	QTY
货号	规格	装箱数
03956	32mm	12/72
03991	32mm(Blade)	1

PVC Pipe Cutter
PVC管子割刀（三角刃）

PTFE × 4
Four-Layer
Teflon Coating





NO.03992
Replaceable Blade Design

- Blades are made of high-quality SK85 alloy steel with four-layer Teflon coating, ensuring sharpness and durability.
- Double-edged design enables fast, labor-saving cutting with smooth cut surfaces.
- Precision-cast aluminum alloy handles for sturdiness and durability.
- Suitable for cutting plastic and rubber hoses such as PVC pipes, PPR pipes, aluminum-plastic pipes, and gas pipes.

Item No.	Size	QTY
货号	规格	装箱数
03957	32mm	12/72
03992	32mm(Blade)	1

PVC Pipe Cutter
PVC管子割刀（三角刃）

PTFE × 4
Four-Layer
Teflon Coating





NO.03916
Replaceable Blade Design

- Blades are made of high-quality SK85 alloy steel with four-layer Teflon coating, ensuring sharpness and durability.
- Double-edged design enables fast, labor-saving cutting with smooth cut surfaces.
- Ratchet-type cutting with automatic cyclic blade rebound for effortless and worry-free operation.
- Precision-cast aluminum alloy handles with rubber-plastic coating at the grip area for anti-slip and shock absorption.
- Suitable for cutting plastic and rubber hoses such as PVC pipes, PPR pipes, aluminum-plastic pipes, and gas pipes.

Item No.	Size	QTY
货号	规格	装箱数
03961	42mm	6/48
03916	42mm(Blade)	1

PVC Pipe Cutter
PVC管子割刀（三角刃）

PTFE × 4
Four-Layer
Teflon Coating





- Blades are made of high-quality SK85 alloy steel with four-layer Teflon coating, ensuring sharpness and durability.
- Double-edged design enables fast, labor-saving cutting with smooth cut surfaces.
- Ratchet-type cutting with automatic cyclic blade rebound for effortless and worry-free operation.
- Precision-cast aluminum alloy handles with rubber-plastic coating at the grip area for anti-slip and shock absorption.
- Suitable for cutting plastic and rubber hoses such as PVC pipes, PPR pipes, aluminum-plastic pipes, and gas pipes.

Item No.	Size	QTY
货号	规格	装箱数
03964	75mm	1/12



PVC Pipe Cutter
轻便型铝塑剪（三角刃）

BESTIR



- Blades are made of high-quality 3Cr13 steel, with high-frequency quenching for high hardness and sharp cutting performance.
- The handle features black powder coating for rust resistance, and is equipped with a safety lock and a rebound spring for effortless cutting.
- Aluminum alloy portable structure design ensures sturdiness and durability.

Item No.	Size	QTY
货号	规格	装箱数
03910	35mm	12/72

Pipe Cutter
日式铝塑剪

BESTIR



- Adopts heavy-duty aluminum alloy structure design, with blades made of high-quality stainless steel.
- Features sharp cutting, ensuring flatter pipe cross-sections. Equipped with a quick retract button for easy operation.
- Maximum cutting diameter up to 42mm, suitable for cutting pipes such as PVC, PP and PE.

Item No.	Size	QTY
货号	规格	装箱数
03910	42mm	6/36

Pipe Cutter
美式铝塑剪（三角刃）

BESTIR



NO.03912
Replaceable Blade Design



- Aluminum alloy blade holder, with blades made of stainless steel and a triangular blade design.
- The cutting blade is driven by a ratchet for progressive advancement, enabling easy and labor-saving cutting.
- Features sharp cutting, ensuring flatter pipe cross-sections.
- Maximum cutting diameter up to 42mm, suitable for cutting pipes such as PVC, PP, PU and PE.

Item No.	Size	QTY
货号	规格	装箱数
03902	42mm	6/48
03912	42mm(Blade)	1

Pipe Cutter
大号铝塑剪（三角刃）

BESTIR



- Blades are made of high-quality 3Cr13 steel, with overall heat treatment and high-frequency quenching on the edge, ensuring high hardness and good toughness.
- The blade body is made of die-cast aluminum alloy, featuring high strength and long service life, with corrosion-resistant powder coating on the surface.
- Lever-ratchet design ensures safe and labor-saving operation, sharp cutting, and flatter pipe cross-sections.
- Maximum cutting diameter up to 63mm, suitable for cutting pipes such as PVC, PP and PE.

Item No.	Size	QTY
货号	规格	装箱数
03909	65mm	6/24

Cutter Knife
推钮式美工刀（包胶款）

BESTIR





- High-quality SK5 high-carbon steel blades, with overall heat treatment for high hardness and sharp cutting performance.
- The blade holder and blades undergo black oxide treatment for rust resistance.
- Ergonomic dual-color rubber-coated handle, anti-slip and durable.
- Applicable blade specification: 0.5 (0.6) x 18 x 100mm.

Item No.	Size	QTY
货号	刀片宽度	装箱数
BE-263501	18mm	12/144

Cutter Knife
铝合金美工刀

BESTIR





- High-quality SK5 high-carbon steel blades, with overall heat treatment for high hardness and sharp cutting performance.
- High-strength electroplated blade holder housing, sturdy and durable.
- Aluminum alloy blade body with surface powder coating and rubber wrapping, ensuring anti-slip grip and comfort.
- Applicable blade specification: 0.5 (0.6) x 18 x 100mm.

Item No.	Size	QTY
货号	刀片宽度	装箱数
BE-263503	18mm	12/144

Cutter Knife
推钮式美工刀

BESTIR





- High-quality SK5 high-carbon steel blades, with overall heat treatment for high hardness and sharp cutting performance.
- The blade holder and blades undergo black oxide treatment for rust resistance.
- Ergonomic handle, sturdy and durable.
- Applicable blade specification: 0.5 (0.6) x 18 x 100mm.

Item No.	Size	QTY
货号	刀片宽度	装箱数
BE-263502	18mm	24/288

Large Cutter Knife
大号美工刀

BESTIR





- High-quality SK5 high-carbon steel blades, with overall heat treatment for high hardness and sharp cutting performance.
- The blade holder and blades undergo black oxide treatment for rust resistance.
- Ergonomic dual-color rubber-coated handle, anti-slip and durable.
- Applicable blade specification: 0.7 x 25 x 127mm.

Item No.	Size	QTY
货号	刀片宽度	装箱数
BE-263504	25mm	12/120



Cutter Knife
旋扭式美工刀



Knob-Type

- One additional blade is included, ensuring sharp cutting performance. Built-in blade lock button for safer and more convenient use.
- Electroplated mirror-finish blade holder housing, sturdy and durable.
- Plastic rubber-coated outer shell with an arc-shaped grip design; the holding part adopts flexible TPR rubber coating for anti-slip and durability.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03501A	18mm	12/144

Cutter Knife
推钮式美工刀



Push-Button-Type

- One additional blade is included, ensuring sharp cutting performance. Built-in blade lock button for safer and more convenient use.
- Electroplated mirror-finish blade holder housing, sturdy and durable.
- Plastic rubber-coated outer shell with an arc-shaped grip design; the holding part adopts flexible TPR rubber coating for anti-slip and durability.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03565	18mm	12/144

Cutter Knife
旋扭式美工刀



Knob-Type

- Built-in 3 blades, sharp and durable. High-strength electroplated blade holder, sturdy and durable.
- Knob-type locking mechanism, safe and reliable.
- Dual-material handle made of soft TPR rubber and engineering plastic ABS, anti-slip and comfortable.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03501	18mm	12/144

Cutter Knife
三连发美工刀



BladeSecuringScrew



- Built-in 3 blades, sharp and durable.
- Rotational locking blade mechanism secures the blade without slipping for more stable use.
- Electroplated mirror-finish blade holder housing, sturdy and durable.
- Plastic rubber-coated outer shell; the grip area uses flexible TPR rubber coating for anti-slip performance and durability.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03502A	18mm	12/144

Cutter Knife
推钮式美工刀



Push-Button-Type

- One additional blade is included, ensuring sharp cutting performance.
- High-strength blade holder, sturdy and durable.
- Push-button self-locking design for easy operation.
- The handle is made of ABS engineering plastic.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03568	18mm	12/144

Cutter Knife
大号旋扭式美工刀（重型）



Knob-Type

- Extra-thick 1.0mm stainless steel blade sheath, unbreakable and sturdy for long-term use.
- New-material ABS rubber-plastic handle with thickened anti-slip design, impact-resistant and pressure-resistant.
- Suitable for cutting thick and tough materials such as leather, wood, and carpets.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03569	25mm	12/120

Cutter Knife
铝合金美工刀



Push-Button-Type

- One additional black blade is included, sharp and durable.
- Aluminum alloy blade body with surface oxidation and rubber coating treatment, ensuring anti-slip grip and comfort.
- High-strength electroplated blade holder housing, sturdy and durable.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03563	18mm	12/144

Cutter Knife
旋钮式大号美工刀



Knob-Type

- One additional blade is included, sharp and durable.
- High-strength electroplated blade holder housing, sturdy and durable.
- The handle is made of a composite material of soft TPR rubber and ABS engineering plastic, ensuring anti-slip grip and comfort.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03564	25mm	12/144

Cutter Knife
推钮式美工刀



Push-Button-Type

- One additional blade is included, sharp and durable.
- High-strength baked-enamel blade holder, sturdy, durable, wear-resistant and rust-proof.
- The outer shell is made of ABS engineering plastic through precision injection molding.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03560A	18mm	24/288




Heavy Utility Knife
重型美工刀


BESTIR

SK5





One-Button Blade Replacement



3 Trapezoidal Blades Hidden Inside

- Thickened heavy-duty blade body for more labor-saving cutting. Zinc alloy rubber-coated blade body with an ergonomic design, anti-slip and sturdy.
- High-quality high-carbon steel blades undergo secondary edge grinding to ensure sharpness.
- 3 hidden blades inside, with a 3-speed telescopic adjustment for the blade head. Dedicated safety cutting opening, suitable for cutting thin objects such as ropes and threads.

Item No.	Size	QTY
货号	刀片规格	装箱数
03570	0.6x19x61mm	10/120


Folding Utility Knife
折叠美工刀

BESTIR





180° Foldable Blade Holder



One-Button Blade Replacement

- High-quality high-carbon steel blades undergo secondary edge grinding to ensure sharpness.
- High-strength plastic blade body with a 180° foldable blade holder.
- Dedicated safety cutting opening, suitable for cutting thin objects such as ropes and threads.


Item No.	Size	QTY
货号	刀片规格	装箱数
03572	0.6x19x61mm	24/240

Folding Utility Knife
多功能折叠美工刀


BESTIR

SK5





Multi-angle Adjustable Cutting Direction



Hidden flathead and Phillips bits, plus two blades

- Thickened heavy-duty zinc alloy blade body for more labor-saving cutting. High-quality high-carbon steel blades undergo secondary edge grinding to ensure sharpness.
- 2 hidden blades and two screwdriver bits inside; the bits can be installed on the tail for use.
- Multi-angle adjustment of the blade head for easy use in different positions. Dedicated safety cutting opening, suitable for cutting thin objects such as ropes and threads.

Item No.	Size	QTY
货号	刀片规格	装箱数
03571	0.6x19x61mm	12/120

Folding Utility Knife
折叠美工刀

BESTIR



Comes with 5 Trapezoidal Blades



180° Foldable Blade Holder



One-Button Blade Replacement

- High-quality high-carbon steel blades undergo secondary edge grinding to ensure sharpness.
- High-strength plastic blade body with a 180° foldable blade holder.
- Dedicated safety cutting opening, suitable for cutting thin objects such as ropes and threads.

Item No.	Size	QTY
货号	刀片规格	装箱数
03573	0.6x19x61mm	12/144

Cutter Knife
双色装小号美工刀

BESTIR



- One additional blade is included, ensuring sharp cutting performance.
- Made of ABS engineering plastic, with an electroplated mirror-finish blade holder, sturdy and durable.
- Yellow-gray two-tone design with simple packaging, compact and elegant.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03566	9mm	24/288

Cutter Blade
美工刀片

BESTIR

SK7



- Made of SK7 special steel.
- Double-edged blade mouth, ensuring sharpness.
- Composed of 14 small blades, offering long-lasting durability.

Item No.	Size	QTY
货号	刀片规格	装箱数
03592	0.5x18x100mm	200/2400

Cutter Knife
铝合金美工刀

BESTIR



- Aluminum alloy blade body with surface oxidation treatment for wear resistance.
- One additional black blade is included, sharp and durable.

Item No.	Size	QTY
货号	刀片宽度	装箱数
03562	9mm	24/288

Cutter Blade
美工刀片

BESTIR

SK5



- Made of SK5 special steel.
- Double-edged blade mouth, ensuring sharpness.
- Composed of 14 small blades, offering long-lasting durability.

Item No.	Size	QTY
货号	刀片规格	装箱数
03512	0.5x18x100mm	200/2400

Cutter Blade
美工刀片

BESTIR

SK7



- Made of SK7 special steel.
- Double-edged blade mouth, ensuring sharpness.
- Composed of 14 small blades, offering long-lasting durability.

Item No.	Size	QTY
货号	刀片规格	装箱数
03511	0.6x18x100mm	200/2400

Cutter Blade
美工刀片

BESTIR

SK2




- Made of high-carbon extra-hard SK2 steel, with a hardness of HRC 60±2.
- The blade is thickened to 0.6mm, featuring a double-edged design for sharp cutting.
- Composed of 14 small blades, ensuring long-lasting and durable use.

Item No.	Size	QTY
货号	刀片规格	装箱数
03513	0.6x18x100mm	200/2400

Cutter Blade
小号美工刀片

SK7



- Made of SK7 special steel.
- Double-edged blade mouth, ensuring sharpness.
- Composed of 12 small blades, offering long-lasting durability.

Item No. 货号	Size 刀片规格	QTY 装箱数
03514	0.4x9x80mm	200/2400

Glass Cutter
铝合金柄滚轮玻璃刀




- Material of the cutting wheel: YD-05
- Surface treatment of the cutter head: Sand-blasting nickel plating
- Material of the cutter bar: Aluminum alloy, with anodized aluminum-colored surface
- Suitable for cutting glass with a thickness of 3-19mm
- Cutting accuracy: ≤±0.15mm
- Cutting efficiency: 3-5 times that of ordinary glass cutters
- Cutting life: Up to 50,000 meters

Item No. 货号	QTY 装箱数
04502	10/120

Cutter Blade
大号美工刀片

SK7

SK5



- The double-edged blade mouth undergoes high-frequency treatment, delivering extremely sharp performance.
- The blade features a thickened design, ensuring high strength and strong load-bearing capacity.
- Composed of 6 small blades, enabling long-lasting and durable use.

Item No. 货号	Material 材质	Size 刀片规格	QTY 装箱数
03515	SK7	0.7x25x127mm	120/1200
03516	SK5	0.7x25x127mm	120/1200

Glass Cutter
镀金柄滚轮玻璃刀



- Material of the cutting wheel: YG-8 tungsten carbide alloy
- Surface treatment of the cutter head: Sand-blasting nickel plating
- Material of the cutter bar: Iron, with high-gloss rack plating surface treatment
- Suitable for cutting glass with a thickness of 3-19mm
- Cutting accuracy: ≤±0.15mm
- Cutting efficiency: 3-5 times that of ordinary glass cutters
- Cutting life: Up to 50,000 meters

Item No. 货号	QTY 装箱数
04501	10/120

Cutter Blade
梯形美工刀片

SK7

SK5



- The double-edged blade mouth undergoes high-frequency treatment, delivering extremely sharp performance.
- The blade features a thickened design, ensuring high strength and strong load-bearing capacity.

Item No. 货号	Material 材质	Size 刀片规格	QTY 装箱数
03517	SK7	0.6x18.8x61mm	120/1200
03518	SK5	0.6x18.8x61mm	120/1200

Tile &Glass Cutter
镀金柄瓷砖玻璃切割刀



- The cutter wheel is made of high-quality cemented carbide, ensuring sharp cutting without fraying or edge chipping.
- The cutter head undergoes electroplating treatment, making it resistant to rust.
- Gold-plated handle, sturdy and durable.
- Widely suitable for cutting fully vitrified tiles, wall tiles, glazed tiles, and glass.
- Not applicable for: full-body tiles, polished tiles, vitrified tiles, marble, and tempered glass.

Item No. 货号	QTY 装箱数
04503	10/120

Mini Tube Cutter
迷你切管器

65Mn



- The main body is made of zinc alloy, with blades made of 65Mn; both the roller and blades undergo heat treatment.
- Used for cutting thin-walled conduits, plastic pipes, and copper pipes with a diameter between 3-16mm.
- No burrs are generated during the cutting process, suitable for use in narrow spaces.

Item No. 货号	Size 规格	QTY 装箱数
03921	3-16mm	20/120

Tube Cutter
切管器

65Mn



- Aluminum alloy main body: lightweight, sturdy and durable.
  65Mn special steel blade: rolls in a fixed circle for accurate, sharp pipe cutting.
- Smooth iron wheel with a groove: stabilizes uneven flared ends for easy cutting.
  Built-in deburring blade: rotating blade removes pipe burrs and sharp edges easily.
- Suitable for cutting copper pipes, aluminum pipes and thin-walled conduits .

Item No. 货号	Size 规格	QTY 装箱数
03922	3-30mm	15/60

Tube Cutter
切管器

65Mn



- Comes with one spare blade.
- Aluminum alloy main body: lightweight, sturdy and durable.
- 65Mn special steel blade: rolls in a fixed circle for accurate, sharp pipe cutting.
- Smooth iron wheel with a groove: stabilizes uneven flared ends for easy cutting.
- Suitable for cutting copper pipes, aluminum pipes and thin-walled conduits .

Item No. 货号	Size 规格	QTY 装箱数
03923	4-30mm	18/72

Tube Cutter
切管器

65Mn



- Aluminum alloy main body: lightweight, sturdy and durable.
- Ball bearing design (flexible, precise use);
- 65Mn special steel blade: cuts pipes accurately and sharply.
- Smooth iron wheel with a groove: stabilizes uneven flared ends for easy cutting.
- Suitable for cutting copper pipes, aluminum pipes, thin-walled conduits (5-32mm diameter) and stainless steel pipes (≤1mm thickness).

Item No. 货号	Size 规格	QTY 装箱数
03925	5-32mm	8/32



Hacksaw Frame
钢锯架



- Double-sided toothed saw blade: 8 teeth for cutting wood, 24 teeth for cutting metal;
- ABS+TPR rubber-coated two-color handle, anti-sweat and anti-slip;
- Easily cuts wood, steel pipes, stainless steel, aluminum alloys, and PVC pipes.

Item No.	Size	QTY
货号	规格	装箱数
BE-263401	12"/300mm	6/36

Hacksaw Frame
钢锯架



- Constructed with aluminum alloy and steel pipes, it's sturdy and durable.
- Equipped with a strong locking device for safer use, and comes with one saw blade.

Item No.	Size	QTY
货号	规格	装箱数
03401	12"/300mm	6/36



Hacksaw Frame
彩色钢锯架



- All-steel construction, sturdy and durable;
- Adjustable saw frame length, compatible with saw blades of different specifications;
- Strong locking device for safer use, comes with one saw blade.

Item No.	Size	QTY
货号	规格	装箱数
03401	8"-12"(Adjustable)	6/36

Hacksaw Frame
铝柄椭圆管锯架



- Comes with 1 saw blade;
- Main body made of steel pipe;
- Strong locking device for safe use;
- Handle with precision plastic coating, high-strength aluminum alloy with precision die-casting;
- Adjustable saw frame length, compatible with saw blades of different specifications.

Item No.	Size	QTY
货号	规格	装箱数
03404	10"-12"(Adjustable)	6/36

Hacksaw Frame
多用钢锯架



Comes with a dual-purpose saw blade (coarse & fine teeth)

- Saw body: High-quality carbon steel, stretch-formed for sturdiness
- Performance: Large cutting space, labor-saving, suitable for thick objects
- Saw blade: Dual-purpose (coarse teeth 8TPI for wood/plastic; fine teeth 24TPI for metal)
- Handle: Rubber-coated plastic, anti-slip and comfortable

Item No.	Size	QTY
货号	规格	装箱数
03406	12"/300mm	6/36

Mini Saw Frame
迷你铝合金锯架



- Saw body: Precision die-cast aluminum alloy, lightweight and compact
- Handle: Rubber-coated plastic, anti-slip and comfortable
- Application: Cuts soft materials like plastic, wood and non-ferrous metals; suitable for home use and DIY projects

Item No.	Size	QTY
货号	规格	装箱数
03412	10"/250mm	12/96

Mini Saw Frame
迷你钢锯架



- Saw Body: Made of high-quality carbon steel, compact and stable
- Handle: Rubber-coated plastic, anti-slip and comfortable
- Application: Cuts soft materials like plastic, wood and non-ferrous metals; suitable for home use and DIY projects

Item No.	Size	QTY
货号	规格	装箱数
03413	6"/150mm	12/96


Hacksaw Blade
手用钢锯条



- Crafted from high-carbon steel with overall heat treatment;
- Saw teeth feature excellent elasticity, high strength and sharpness, ensuring smooth cutting and good toughness.

Item No.	Size	QTY
货号	规格	装箱数
03425	18TPx12"/300mm	50/1500
03426	24TPx12"/300mm	50/1500

Hacksaw Blade
手用钢锯条



- Crafted from high-carbon steel with overall heat treatment;
- Saw teeth feature excellent elasticity, high strength and sharpness, ensuring smooth cutting and good toughness.

Item No.	Size	QTY
货号	规格	装箱数
03428	18TPx12"/300mm	100/1200
03429	24TPx12"/300mm	100/1200


Flexble Bimetal High Speed Steel
双金属锯条



- Saw blade teeth: High-speed steel and alloy spring steel joined by electron beam welding, featuring excellent elasticity, sharp teeth, smooth cutting and good toughness;
- Suitable for cutting hard materials like stainless steel and die steel, with a service life over 30 times that of ordinary saw blades.

Item No.	Size	QTY
货号	规格	装箱数
03431	32TPx12"/300mm	10/1000
03432	24TPx12"/300mm	10/1000
03433	18TPx12"/300mm	10/1000

Hacksaw Blade
小号钢锯条



Prohibition of sawing steel

- Precisely made of high-quality carbon steel
- Cuts soft materials like plastic, wood and non-ferrous metals; suitable for home use and
- DIY projects
  Compatible with 03413 mini hacksaw frame

Item No.	Size	QTY
货号	规格	装箱数
03420	6"/150mm	40



5PCS File Set
5件装锉刀组套

BESTIR



Name	Cross Section	Name	Cross Section
Flat		Triangular	
Semi-Circular		Circular	
Square			

- One-piece forming with high-carbon alloy, treated by high-temperature quenching, sharp and durable for filing
- Surface sandblasted for rust resistance
- Ergonomic dual-color handle, anti-slip and comfortable

Item No.	Size	QTY
货号	规格	装箱数
96201A	6"/150mm	5/20
96202A	8"/200mm	5/20
96203A	10"/250mm	5/20

Half-round File
半圆锉刀

BESTIR

- One-piece forming with high-carbon alloy, treated by high-temperature quenching, sharp and durable for filing
- Surface sandblasted for rust resistance
- Ergonomic dual-color handle, anti-slip and comfortable

Item No.	Size	QTY
货号	规格	装箱数
07301A	6"/150mm	12/96
07302A	8"/200mm	12/96
07303A	10"/250mm	12/72
07304A	12"/300mm	12/48

Flat-head Flat File
扁锉刀

BESTIR



- One-piece forming with high-carbon alloy, treated by high-temperature quenching, sharp and durable for filing
- Surface sandblasted for rust resistance
- Ergonomic dual-color handle, anti-slip and comfortable

Item No.	Size	QTY
货号	规格	装箱数
07311A	6"/150mm	12/96
07312A	8"/200mm	12/96
07313A	10"/250mm	12/72
07314A	12"/300mm	12/48

Triangular File
三角锉刀

BESTIR



- One-piece forming with high-carbon alloy, treated by high-temperature quenching, sharp and durable for filing
- Surface sandblasted for rust resistance
- Ergonomic dual-color handle, anti-slip and comfortable

Item No.	Size	QTY
货号	规格	装箱数
07321A	6"/150mm	12/96
07322A	8"/200mm	12/96
07323A	10"/250mm	12/72
07324A	12"/300mm	12/48

Pointed Square File
方锉刀

BESTIR

- One-piece forming with high-carbon alloy, treated by high-temperature quenching, sharp and durable for filing
- Surface sandblasted for rust resistance
- Ergonomic dual-color handle, anti-slip and comfortable

Item No.	Size	QTY
货号	规格	装箱数
07331A	6"/150mm	12/96
07332A	8"/200mm	12/96
07333A	10"/250mm	10/50
07334A	12"/300mm	10/50

Pointed Round File
圆锉刀

BESTIR



- One-piece forming with high-carbon alloy, treated by high-temperature quenching, sharp and durable for filing
- Surface sandblasted for rust resistance
- Ergonomic dual-color handle, anti-slip and comfortable

Item No.	Size	QTY
货号	规格	装箱数
07341A	6"/150mm	10/100
07342A	8"/200mm	12/96
07343A	10"/250mm	12/72
07344A	12"/300mm	10/50

6PCS File Set
6件套金刚石整形锉刀

BESTIR

120Mesh





Name	Cross Section	Name	Cross Section
Flat		Triangular	
Semi-Circular		Circular	
Square		Pointed Flat	

Uses of Diamond File:
Suitable for filing higher-hardness metals (e.g., cemented carbide, alloy steel cutters, abrasives, tool holders) and processing higher-hardness brittle non-metals (e.g., glass). It can be used for quenched material treatment, mold polishing, deburring, trimming and chamfering, as well as watch repair and jewelry polishing. After filing, the workpiece surface is clean and neat, with higher work efficiency.


Item No.	Size	QTY
货号	规格	装箱数
96213	∅3x140mm	6/120
96214	∅4x160mm	6/120
96215	∅5x180mm	6/96



6PCS File Set
6件套轴承钢整形锉刀

BESTIR





Name	Cross Section	Name	Cross Section
Flat		Triangular	
Semi-Circular		Circular	
Square		Pointed Flat	

Uses of Bearing Steel File:
For filing/trimming holes and grooves on the surface of ordinary metal workpieces, and also for trimming threads or removing burrs. It is an essential tool for mold manufacturing, fixture processing and fitter repair, used for filing small, precise special workpieces and precision parts.

Item No.	Size	QTY
货号	规格	装箱数
96210	∅3x140mm	6/120
96211	∅4x160mm	6/120
96212	∅5x180mm	6/96

Pointed Flat File
轴承钢尖头扁锉

BESTIR



Uses of Bearing Steel File:
For filing/trimming holes and grooves on the surface of ordinary metal workpieces, and also for trimming threads or removing burrs. It is an essential tool for mold manufacturing, fixture processing and fitter repair, used for filing small, precise special workpieces and precision parts.

Item No.	Size	QTY
货号	规格	装箱数
07010	∅3x140mm	72/720
07011	∅4x160mm	72/720
07012	∅5x180mm	72/576

Triangular File
轴承钢三角锉

BESTIR



Uses of Bearing Steel File:
For filing/trimming holes and grooves on the surface of ordinary metal workpieces, and also for trimming threads or removing burrs. It is an essential tool for mold manufacturing, fixture processing and fitter repair, used for filing small, precise special workpieces and precision parts.

Item No.	Size	QTY
货号	规格	装箱数
07020	∅3x140mm	72/720
07021	∅4x160mm	72/720
07022	∅5x180mm	72/576

Flat-head Flat File
轴承钢齐头扁锉

BESTIR



Uses of Bearing Steel File:
For filing/trimming holes and grooves on the surface of ordinary metal workpieces, and also for trimming threads or removing burrs. It is an essential tool for mold manufacturing, fixture processing and fitter repair, used for filing small, precise special workpieces and precision parts.

Item No.	Size	QTY
货号	规格	装箱数
07000	∅3x140mm	72/720
07001	∅4x160mm	72/720
07002	∅5x180mm	72/576

Pointed Square File
轴承钢尖头方锉

BESTIR



Uses of Bearing Steel File:
For filing/trimming holes and grooves on the surface of ordinary metal workpieces, and also for trimming threads or removing burrs. It is an essential tool for mold manufacturing, fixture processing and fitter repair, used for filing small, precise special workpieces and precision parts.

Item No.	Size	QTY
货号	规格	装箱数
07030	∅3x140mm	72/720
07031	∅4x160mm	72/720
07032	∅5x180mm	72/576

Half-round File
轴承钢半圆锉

BESTIR



Uses of Bearing Steel File:
For filing/trimming holes and grooves on the surface of ordinary metal workpieces, and also for trimming threads or removing burrs. It is an essential tool for mold manufacturing, fixture processing and fitter repair, used for filing small, precise special workpieces and precision parts.

Item No.	Size	QTY
货号	规格	装箱数
07040	∅3x140mm	72/720
07041	∅4x160mm	72/720
07042	∅5x180mm	72/576

Pointed Round File
轴承钢尖头圆锉

BESTIR



Uses of Bearing Steel File:
For filing/trimming holes and grooves on the surface of ordinary metal workpieces, and also for trimming threads or removing burrs. It is an essential tool for mold manufacturing, fixture processing and fitter repair, used for filing small, precise special workpieces and precision parts.

Item No.	Size	QTY
货号	规格	装箱数
07050	∅3x140mm	72/720
07051	∅4x160mm	72/720
07052	∅5x180mm	72/576

Precautions for Using Files

(1)Prevent rapid wear: Do not file the hard skin of rough workpieces or quenched surfaces with the file. Use other tools first, or process with the file's front end or edge teeth.
(2)Double-sided use: Use one side of the file first, and switch to the other side only after it becomes blunt (to avoid rust on used teeth).
(3)Make full use of the working surface: Utilize the entire effective area of the file during filing to prevent local wear.
(4)Prohibit improper use: Do not use the file as a tool for assembly/disassembly, striking, or prying, as its brittle material may break.
(5)Force control for small files: Avoid excessive force when using needle files or small files to prevent breakage.
(6)Waterproof and oil-proof: Keep the file away from water and oil—water causes rust, and oil causes slipping during use.
(7)Chip cleaning: Remove chips embedded in the file teeth promptly during filing (to avoid scratching the workpiece). After use, brush off residual chips along the teeth with a file brush/copper sheet (to prevent rust); never blow chips with your mouth (to avoid eye injury).
(8)Proper storage: Avoid collision with hard objects when placing, and do not stack files on top of each other to prevent damage.

8PCS Carving Knife Set
8件精密雕刻刀组套

BESTIR

SK5



- Blades: SK5 material, tough and sharp edges; multi-blade design, freely replaceable;
- Handle: Aluminum alloy with pattern, anti-slip design, lightweight and easy to use;
- Storage: Exquisite transparent plastic case with magnetic adsorption, easy to store and carry;
- Installation: Self-locking chuck, convenient to install, no blade wobble during use;
- Application: Widely used in hand model making, rubber stamp carving, mobile phone beauty, paper craft, handicraft carving and other fields.

Item No.	Size	QTY
货号	规格	装箱数
96241	8PCS	6/48

14PCS Carving Knife Set
14件精密雕刻刀组套

BESTIR

SK5



- Blades: SK5 material, tough and sharp edges; multi-blade design, freely replaceable;
- Handle: Aluminum alloy with pattern, anti-slip design, lightweight and easy to use;
- Storage: Exquisite transparent plastic case with magnetic adsorption, easy to store and carry;
- Installation: Self-locking chuck, convenient to install, no blade wobble during use;
- Application: Widely used in hand model making, rubber stamp carving, mobile phone beauty, paper craft, handicraft carving and other fields.

Item No.	Size	QTY
货号	规格	装箱数
96242	14PCS	6/48



150PCS Master Tool Set
150件综合工具组套

BESTIR

Cr-V
1/4"
3/8"
1/2"



- Tool Body: Precisely made of high-quality chrome-vanadium steel, featuring stronger power performance, reliable quality and stable performance;
- Screwdriver Bits: Manufactured with higher-grade S2 material, offering better hardness and higher torque;
- Component Specifications: Mostly full metric configuration, more suitable for the needs of customers in the Chinese auto maintenance market;
- Application Scenarios: Widely used in maintenance of auto repair, industrial and mining, shipbuilding and other industries;
- Quality Standard: Compliant with American ANSI and German DIN standards.

Item No.	Size	QTY
货号	规格	装箱数
91406	150PCS	2Sets

Configuration List:

10PCS ● 6.3MM Series Metric 6-Point Socket(4, 5, 6, 7, 8, 9, 10, 11, 12, 13) mm
10PCS ● 6.3MM Series Inch 6-Point Socket (5/32", 3/16", 7/32",1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2")
6PCS ● 6.3MM Series Metric 6-Point Deep Socket (4, 5, 6, 7, 8, 9) mm
11PCS ● 10MM Series Metric 6-Point Socket(9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19) mm
9PCS ● 10MM Series Inch 6-Point Socket(3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8")
6PCS ● 10MM Series Metric 6-Point Deep Socket(10, 11, 12, 13, 14, 15) mm
7PCS ● 12.5MM Series Metric Hex Socket (20, 21, 22, 24, 27, 30, 32) mm
4PCS ● 12.5MM Series Inch Hex Socket (15/16", 1", 1-1/16", 1-1/4")
6PCS ● 12.5MM Series Metric Hex Deep Socket (10, 12, 13, 14, 17, 19) mm
4PCS ● 12.5MM Series Hex Impact Short Socket (17, 19, 21, 23) mm
8PCS ● 10MM Series Torx Socket (E8, E10, E11, E12, E14, E16, E18, E20)
3PCS ● 10MM Series Slotted Bit Socket (4, 5.5, 6.5) mm
3PCS ● 10MM Series Phillips Bit Socket (PH1, PH2, PH3)
3PCS ● 10MM Series Pozidriv Bit Socket (PZ1, PZ2, PZ3)
7PCS ● 10MM Series 50MM Torx Bit Socket (T20, T30, T40, T45, T50, T55, T60)
6PCS ● 10MM Series Hex Bit Socket (3, 4, 5, 6, 8, 10) mm
1PC ● 6.3MM Series Knurled Long Extension Bar (4")
1PC ● 10MM Series Knurled Short Extension Bar (3")
1PC ● 10MM Series Knurled Long Extension Bar (6")
2PCS ● 10MM Series Spark Plug Socket (16, 21) mm
1PC ● 12.5MM Series Knurled Short Extension Bar (5")
1PC ● 12.5MM Series Knurled Long Extension Bar (10")
1PC ● 6.3MM Series Universal Joint
1PC ● 10MM Series Universal Joint
1PC ● 12.5MM Series Universal Joint
1PC ● 6.3MM Black Fluted Handle Double-End Square Shank
1PC ● 6.3MM Electric Hammer Spring
7PCS ● 6.3MM Torx Bit
1PC ● 6.3MM Series Heavy-Duty Straight Handle Ratchet Wrench
1PC ● 10MM Series Heavy-Duty Straight Handle Ratchet Wrench
1PC ● 12.5MM Series Heavy-Duty Straight Handle Ratchet Wrench
12PCS ● Mirror Polished Combination Wrench(8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19) mm
3PCS ● Mirror Polished Double Box End Ratchet Wrench (8×10, 12×13, 17×19) mm
10PCS ● Metric Standard Flat Head Hex Key(1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10) mm




Add partitions to prevent tools from falling off



It can be disassembled into upper and lower parts, which is flexible and convenient to use;



After disassembly, it can be placed in a tool cart for use.



Disassembly effect diagram





132PCS Master Tool Set
132件综合工具组套

BESTIR

Cr-V
1/4"
3/8"
1/2"



- Tool Body: Precisely made of high-quality chrome-vanadium steel, featuring stronger power performance, reliable quality and stable performance;
- Screwdriver Bits: Manufactured with higher-grade S2 material, offering better hardness and higher torque;
- Component Specifications: Mostly full metric configuration, more suitable for the needs of customers in the Chinese auto maintenance market;
- Application Scenarios: Widely used in maintenance of auto repair, industrial and mining, shipbuilding and other industries;
- Quality Standard: Compliant with American ANSI and German DIN standards.

Item No.	Size	QTY
货号	规格	装箱数
91407	132PCS	3Sets

Configuration List:

10PCS ● 6.3mm Series Metric Hex Short Socket(4, 5, 6, 7, 8, 9, 10, 11, 12, 13)mm
4PCS ● 6.3mm Series Metric Hex Deep Socket (8, 9, 10, 12)mm
9PCS ● 10mm Series Metric Hex Short Socket(11, 12, 13, 14, 15, 16, 17, 18)mm
4PCS ● 10mm Series Metric Hex Deep Socket (13, 14, 15, 17)mm
8PCS ● 10mm Series Torx Socket(E8, E10, E11, E12, E14, E16, E18, E20)mm
2PCS ● 10mm Series Spark Plug Socket (16, 21)mm
7PCS ● 12.5mm Series Metric Hex Short Socket(20, 21, 22, 24, 27, 30, 32)mm
17PCS ● 10mm Bit Socket
TX:20, 30, 40, 45, 50, 55, 60mm
TEX:3, 4, 5, 6mm
PH:1, 2mm
PZ:1, 2mm
SL:5.5, 6.5mm
3PCS ● Ratchet Wrench (1/4", 3/8", ½")
3PCS ● Universal Joint (1/4", 3/8", ½")
2PCS ● 3/8" Adapter (3/8"F×1/4"M, 3/8"F×1/2"M)
5PCS ● Extension Bar (1/4"×50mm, 3/8"×75mm, 3/8"×150mm,1/2"×125mm, 1/5"×250mm)
1PC ● 6.3mm Retaining Ring
1PC ● 6.3mm Bit Handle
9PCS ● 6.3mm Bit (SL4, SL5, SL6.5, PH1, PH3,H3, H4, H5, H6)
11PCS ● Combination Wrench (8, 9, 10, 11, 12, 13, 14, 16,17, 18, 19)mm
2PCS ● Oil-Resistant Hollow Screwdriver (SL6×100mm, PH2×100mm)
1PC ● Special Bit Socket T52 for Cylinder Head Screw
1PC ● Dual-Purpose Filter Wrench (63 - 102mm)
1PC ● Automotive Test Pencil (6V / 12V / 24V)
1PC ● Oil Pan Drain Plug Bit M16
1PC ● Oil Pan Drain Plug Bit H17
1PC ● 10mm Series Thin-Walled 12-Point Spark Plug Socket (14mm)
10PCS ● 10PCS Hex Key
9PCS ● 9PCS Hole-Through Torx Wrench
1PC ● Adapter 1/2"F×3/8"M
3PCS ● X-Handle Wrench (10, 13, 17)
1PC ● Special Socket for Shock Absorber Disassembly
1PC ● Telescopic Strong Magnetic Pick-Up Tool with LED Light
3PCS ● 12.5mm Colored Tire Protection Socket (17, 19, 21)mm



Telescopic strong magnetic pick-up tool with LED light, dual-purpose for lighting and picking up.



Upper and lower boxes of the set are detachable, flexible and easy to use.



3 chrome-molybdenum steel colored tire sockets (for high-end cars like BMW, Mercedes-Benz tire assembly/disassembly); rubber sleeves protect wheel hubs from friction and prevent burst injuries/damage.



Detachable for easy storage in tool cart.



Equipped with 3 extended X-handle flexible-head ratchet combination wrenches, labor-saving and efficient.



121PCS Master Tool Set
121件综合工具组套

BESTIR

Cr-V
1/4"
3/8"
1/2"



Item No.	Size	QTY
货号	规格	装箱数
91405	121PCS(Mirror Finish)	3Sets

Configuration List:

2PCS ● 10mm Metric Spark Plug Socket (16, 21)mm
11PCS ● Metric Mirror Polished Combination Wrench (8, 9, 10, 11, 12, 13,14, 16, 17, 18, 19)mm
2PCS ● 12.5mm Mirror Polished Chrome Knurled Extension Bar (5", 10")
2PCS ● 10mm Mirror Polished Chrome Knurled Extension Bar (3", 6")
1PC ● 6.3mm Mirror Polished Chrome Knurled Short Extension Bar (2")
2PCS ● Chrome-Vanadium Steel Environmentally Friendly Oil-Resistant Hollow Screwdriver H6.3*100(±)
1PC ● High-End Automotive Test Pencil φ3*145mm
1PC ● 12.5mm Torx Socket T52*140L
10PCS ● 6.3mm Series Metric Hex Mirror Polished Short Socket(4, 5, 6, 7, 8, 9, 10, 11, 12, 13) mm
11PCS ● 10mm Series Metric Hex Mirror Polished Short Socket(9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19) mm
7PCS ● 12.5mm Series Metric Hex Mirror Polished Short Socket(20, 21, 22, 24, 27, 30, 32)mm
1PC ● 3/8"(F) to 1/4"(M) Mirror Polished Adapter
1PC ● 3/8"(F) to 1/2"(M) Mirror Polished Adapter
7PCS ● 10mm Torx Bit Socket(T20, T30, T40, T45, T50, T55, T60)
4PCS ● 10mm Hex Bit Socket (H3, H4, H5, H6)
2PCS ● 10mm Slotted Bit Socket (5.5, 6.5)mm
2PCS ● 10mm Phillips Bit Socket (1#, 2#)
2PCS ● 10mm Pozidriv Bit Socket (PZ 1#, PZ 2#)
1PC ● 12.5mm Heavy-Duty Straight Handle Ratchet Wrench (Mirror Polished)
1PC ● 10mm Heavy-Duty Straight Handle Ratchet Wrench (Mirror Polished)
1PC ● 6.3mm Heavy-Duty Straight Handle Ratchet Wrench (Mirror Polished)
4PCS ● 6.3mm Series Metric Hex Deep Socket (8, 9, 10, 12)mm
4PCS ● 10mm Series Metric Hex Deep Socket (13, 14, 15, 17)mm
1PC ● 6.3mm Electric Hammer Spring Sleeve
1PC ● 6.3mm Black Fluted Handle Double-End Square Shank
9PCS ● 9PCS Chrome-Plated Extended Flat Head Hex Key(1.5, 2, 2.5, 3, 4, 5, 6, 8, 10)mm
7PCS ● 6.3mm Hole-Through Torx Bit (L-25mm)(T10, T15, T20, T25, T27, T30, T40)
3PCS ● 6.3mm Slotted Bit (L-25mm) (4, 5, 6.5) mm
2PCS ● 6.3mm Phillips Bit (L-25mm) (1#, 3#)
4PCS ● 6.3mm Hex Bit (L-25mm) (3, 4, 5, 6) mm
2PCS ● 6.3mm Pozidriv Bit (L-25mm) (PZ1#, PZ2#)
1PC ● 12.5mm Series Mirror Polished Universal Joint
1PC ● 10mm Series Mirror Polished Universal Joint
1PC ● 6.3mm Series Mirror Polished Universal Joint
1PC ● Three-Jaw Oil Filter Wrench (Flat Foot) (63-102mm)
8PCS ● 10mm Series Torx Socket(E8, E10, E11, E12, E14, E16, E18, E20)

120PCS Master Tool Set
120件综合工具组套

BESTIR

Cr-V
1/4"
3/8"
1/2"



Item No.	Size	QTY
货号	规格	装箱数
91404	120PCS(Mirror Finish)	3Sets

Configuration List:

10PCS ● Metric Mirror Polished Combination Wrench(8, 9, 10, 11, 12, 13, 14, 17, 18, 19)mm
2PCS ● 12.5mm Series Adapter Extension Bar (5", 10")
2PCS ● 10mm Series Adapter Extension Bar (3", 6")
4PCS ● 6.3mm Series Metric Hex Deep Socket (8, 9, 10, 12)mm
2PCS ● 10mm Metric Spark Plug Socket (16, 21)mm
4PCS ● 10mm Series Metric Hex Deep Socket(17, 15, 14, 13)mm
4PCS ● 12.5mm Series Inch Hex Short Socket(15/16", 1", 1-1/16", 1-1/4")
7PCS ● 12.5mm Series Metric Hex Socket(32, 30, 27, 24, 22, 21, 20)mm
11PCS ● 10mm Series Metric Socket(9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19) mm
10PCS ● 6.3mm Series Metric Hex Socket(4, 5, 6, 7, 8, 9, 10, 11, 12, 13) mm
10PCS ● 6.3mm Series Inch Hex Socket(1/2", 7/16", 3/8", 11/32", 5/16",9/32", 1/4", 7/32", 3/16", 5/32")
9PCS ● 10mm Series Inch Hex Socket(7/8", 13/16", 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8")
1PC ● 10mm Series Universal Joint
1PC ● 1/2" Two-Color Handle Ratchet Wrench (Mirror Polished)
1PC ● 1/2" Universal Joint
1PC ● 1/4" Universal Joint
1PC ● 3/8" Two-Color Handle Ratchet Wrench (Mirror Polished)
7PCS ● 6.3mm Hole-Through Torx Bit(T10, T15, T20, T25, T27, T30, T40)
1PC ● 1/4" Extension Bar (2")
1PC ● 6.3mm Mirror Polished Spring Sleeve
1PC ● 1/4" Black Fluted Handle Double-End Square Shank
1PC ● 1/4" Two-Color Handle Ratchet Wrench (Mirror Polished)
8PCS ● 10mm Series Torx Socket(E8, E10, E11, E12, E14, E16, E18, E20)
4PCS ● 12.5mm Series Metric Impact Socket (17, 19, 21, 23)mm
2PCS ● 10mm Slotted Bit Socket (5.5, 6.5)mm
2PCS ● 10mm Phillips Bit Socket (PH#1, #2)
2PCS ● 10mm Pozidriv Bit Socket (PZ#1, #2)
4PCS ● 10mm Hex Bit Socket (3, 4, 5, 6)mm
7PCS ● 10mm Torx Bit Socket(T20, T30, T40, T45, T50, T55, T60)

94PCS Socket Wrench Set
94件筒扳手组套

BESTIR

Cr-V

1/4"

1/2"



- All tools in this set are precision-forged from high-quality chrome-vanadium steel, featuring reliable quality, stable performance, and a torque that is over 20% higher than ordinary sockets;
- The screwdriver bits are made of S2 alloy steel, with high strength, large torque and good toughness;
- The new two-color plastic tool case has an elegant appearance and is sturdy and durable;
- Widely used in mechanical maintenance, car beauty, decoration and other industries.

Item No.	Size	QTY
货号	规格	装箱数
91401	94PCS	4Sets

Configuration List:

18PCS ● 12.5mm Series Metric Hex Socket(10, 11, 12, 13, 14, 15, 16, 17,18, 19, 20, 21, 22, 23, 24, 27,30, 32)mm
4PCS ● 12.5 mm Series Metric Hex Deep Socket(14, 15, 17, 19)mm
2PCS ● 12.5mm Metric Spark Plug Socket (16, 21)mm
2PCS ● 1/2" Extension Bar (125mm, 250mm)
1PC ● 1/2" Universal Joint
1PC ● 1/2" Quick-Release Ratchet Wrench
1PC ● 12.5 mm Retaining Ring
1PC ● Three - Way Sliding Head 1/2"(M)×3/8"(F)
13PCS ● 6.3mm Series Metric Hex Socket(4, 4.5, 5, 5.5, 6, 7, 8,9, 10, 11, 12, 13, 14)mm
8PCS ● 6.3mm Series Metric Hex Deep Socket(6, 7, 8, 9, 10, 11, 12, 13)mm
1PC ● 1/4" Universal Joint
2PCS ● 1/4" Extension Bar (50mm, 100mm)
1PC ● 1/4" Bit Handle
1PC ● 1/4" Flexible Extension Bar
1PC ● 1/4" Sliding Handle
1PC ● 1/4" Quick-Release Ratchet Wrench
17PCS ● 6.3 mm Bit Socket:
FD: 4, 5.5, 7,
PH: #1, #2,
PZ: #1, #2,
HW: 3, 4, 5, 6
TX: 8, 10, 15, 20, 25, 30
1PC ● Hex Adapter 1/4"
3PCS ● Hex Key (1.5, 2, 2.5)mm
15PCS ● Bits
SL: 8, 10, 12
PH: #3, #4
PZ: #3, #4
HW: 8, 10, 12, 14
TX: 40, 45, 50, 55

49PCS Auto Repair Master Tool Set
49件汽修综合工具组套

BESTIR

Cr-V



- This tool set is equipped with mid-to-high-end hand tools, featuring excellent quality, durability and a unique design.
- It is an ideal tool for maintenance in industrial and mining, machinery, automotive, water and electricity industries.

Item No.	Size	QTY
货号	规格	装箱数
92114	49PCS	4Sets

Configuration List:

16PCS ● 12.5mm Series Metric 6-Point Socket(8, 10, 11, 12, 13, 14,15, 17, 19, 20, 21, 22,24, 27, 30, 32)mm
7PCS ● Mirror Polished Combination Wrench Series(10, 12, 13, 14, 15, 17, 19)mm
1PC ● 12.5mm Series Knurled Short Extension Bar (125mm)
1PC ● 12.5mm Series Knurled Short Extension Bar (250mm)
1PC ● 12.5mm Heavy-Duty Straight Handle Ratchet Wrench (½")
1PC ● 12.5mm Series 3 - Way Adapter (3/8" to ½")
2PCS ● 12.5mm Series Spark Plug Socket (16mm, 21mm)
9PCS ● 9PCS Metric Extended Ball - End Hex Key
6PCS ● Premium Pattern Screwdriver Series:3×75±, 5×100±, 6×150±
1PC ● 12.5mm Universal Joint
1PC ● 6" American Zebra - Handle Long Nose Pliers
1PC ● 7" American Zebra - Handle Combination Pliers
1PC ● 8" Adjustable Wrench
1PC ● 1P Fiberglass - Handled Ball - Pein Hammer



1/4"Dr. Socket Wrench Set
53件套筒组套

BESTIR

Cr-V

1/4"



- All tools in this set are precision-forged from high-quality chrome-vanadium steel, boasting reliable quality, stable performance, and a torque that is over 20% higher than that of ordinary sockets;
- The screwdriver bits are made of S2 alloy steel, featuring high strength, large torque and excellent toughness;
- The new two-color plastic tool case has an elegant appearance and is sturdy and durable;
- It is widely used in mechanical maintenance, car beauty, decoration and other industries.

Item No.	Size	QTY
货号	规格	装箱数
91108	53PCS	10Sets

Configuration List:

13PCS ● 6.3mm Short Socket(4, 4.5, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13, 14)mm
7PCS ● 6.3mm Deep Socket(6, 7, 8, 9, 10, 11, 12, 13)mm
6.3mm Bit Socket
21PCS ● Torx: T10, T15, T20, T25, T30, T40
Hex: H3, H4, H5, H6, H7, H8
Phillips: PH1, PH2, Ph3,
Slotted: 4.0mm, 5.5mm, 7mm
Pozidriv: PZ1, PZ2, PZ3
3PCS ● Flat Head Hex Key (1.5, 2, 2.5)mm
1PC ● 6.3mm Ratchet Wrench with Black Rubber Handle
2PCS ● 6.3mm Knurled Short Extension Bar (2", 4")
1PC ● 6.3mm Mirror Polished Sliding Bar
1PC ● 6.3mm Mirror Polished Universal Joint
1PC ● 6.3mm Small Square Shank
1PC ● 6.3mm AD Conversion Adapter
1PC ● 6.3mm Flexible Extension Bar
1PC ● Composite Blow-Molded Case

1/4"Dr. Socket Wrench Set
46件套筒组套

BESTIR

Cr-V

1/4"



- All tools in this set are precision-forged from high-quality chrome-vanadium steel, boasting reliable quality, stable performance, and a torque that is over 20% higher than that of ordinary sockets;
- The screwdriver bits are made of S2 alloy steel, featuring high strength, large torque and excellent toughness;
- The new two-color plastic tool case has an elegant appearance and is sturdy and durable;
- It is widely used in mechanical maintenance, car beauty, decoration and other industries.

Item No.	Size	QTY
货号	规格	装箱数
91105	46PCS	10Sets

Configuration List:

13PCS ● 6.3mm Socket(4, 4.5, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13, 14)mm
21PCS ● 6.3mm Bit Socket
Torx: T10, T15, T20, T25, T30, T40
Hex: H3, H4, H5, H6, H7, H8
Phillips: PH1, PH2, Ph3,
Slotted: 4.0mm, 5.5mm, 7mm
Pozidriv: PZ1, PZ2, PZ3
3PCS ● Flat Head Hex Key (1.5, 2, 2.5)mm
1PC ● 6.3mm Ratchet Wrench with Black Rubber Handle
2PCS ● 6.3mm Knurled Short Extension Bar (2", 4")
1PC ● 6.3mm Mirror Polished Sliding Bar
1PC ● 6.3mm Mirror Polished Universal Joint
1PC ● 6.3mm Small Square Shank
1PC ● 6.3mm AD Conversion Adapter
1PC ● 6.3mm Flexible Extension Bar
1PC ● Composite Blow-Molded Case



32PCS Socket Wrench Set
32件镜面套筒组套（标准版）

Cr-V | 1/2" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91321	32PCS	6Sets
91322	32PCS	6Sets

Configuration List:

19PCS ● 12.5mm Series Metric 6 - point (12 - point) Socket(8, 9, 10, 11, 12, 13, 14,15, 16, 17, 18, 19, 20, 21,22, 24, 27, 30, 32)mm
6PCS ● 12.5mm Series Metric 12 - point (6 - point) Socket(10, 12, 14, 15, 17, 19)mm
2PCS ● ½" Extension Bar (125, 250)mm
1PC ● ½" Ratchet Wrench
1PC ● ½" Universal Joint
2PCS ● ½" Spark Plug Socket (16, 21)mm
1PC ● ½" Three - way Sliding Head

32PCS Socket Wrench Set
32件镜面套筒组套（精装版）

Cr-V | 1/2" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91323	32PCS	6Sets
91324	32PCS	6Sets

Configuration List:

19PCS ● 12.5mm Series Metric 6 - point (12 - point) Socket(8, 9, 10, 11, 12, 13, 14,15, 16, 17, 18, 19, 20, 21,22, 24, 27, 30, 32)mm
6PCS ● 12.5mm Series Metric 12 - point (6 - point) Socket(10, 12, 14, 15, 17, 19)mm
2PCS ● ½" Extension Bar (125, 250)mm
1PC ● ½" Ratchet Wrench
1PC ● ½" Universal Joint
2PCS ● ½" Spark Plug Socket (16, 21)mm
1PC ● ½" Three - way Sliding Head

32PCS Socket Wrench Set
32件镜面套筒组套（豪华版）

Cr-V | 1/2" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91319	32PCS	6Sets
91320	32PCS	6Sets

Configuration List:

19PCS ● 12.5mm Series Metric 6 - point (12 - point) Socket(8, 9, 10, 11, 12, 13, 14,15, 16, 17, 18, 19, 20, 21,22, 24, 27, 30, 32)mm
6PCS ● 12.5mm Series Metric 12 - point (6 - point) Socket(10, 12, 14, 15, 17, 19)mm
2PCS ● ½" Extension Bar (125, 250)mm
1PC ● ½" Ratchet Wrench
1PC ● ½" Universal Joint
2PCS ● ½" Spark Plug Socket (16, 21)mm
1PC ● ½" Three - way Sliding Head



26PCS Socket Wrench Set
26件套筒扳手组套

Cr-V | 3/8" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91201	26PCS	8Sets

Configuration List:

18PCS ● 10mm Series Metric Hex Socket (6, 7, 8, 9, 10, 11, 12,13, 14, 15, 16, 17, 18,19, 20, 21, 22, 24) mm
1PC ● 3/8" Quick-Release Ratchet Wrench
2PCS ● 3/8" Spark Plug Socket (16, 21)mm
1PC ● 3/8" Universal Joint
3PCS ● 3/8" Extension Bar (50mm, 75mm, 150mm)
1PC ● Three - Way Sliding Head 1/2" (F)×3/8" (M)

21PCS Socket Wrench Set
21件19mm系列套筒组套

Cr-Mo | 3/4" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91501	21PCS	2Sets
91502	21PCS	2Sets

Configuration List:

17PCS ● 19mm Series Socket(19, 20, 21, 22, 23, 24, 26,27, 28, 30, 32, 34, 36, 38,41, 46, 50) mm
2PCS ● 19mm Extension Bar (100mm, 200mm)
1PC ● 19mm Ratchet Wrench
1PC ● 19mm Sliding Handle

20PCS 1/2"Dr. 6TP Socket Set
20件镜面六角短套筒组套

Cr-V | 1/2" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91344	20PCS	6Sets

Configuration List:

20PCS ● 12.5mm Series Metric Hexagonal Short Socket(8, 9, 10, 11, 12, 13, 14,15, 16, 17, 18, 19, 20, 21,22, 23, 24, 27, 30, 32)mm

20PCS Dr. 6TP Deep Socket Set
20件镜面六角长套筒组套

Cr-V | 1/2" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91332	20PCS	6Sets

Configuration List:

20PCS ● 12.5mm Series Metric Hexagonal Deep Socket(8, 9, 10, 11, 12, 13, 14,15, 16, 17, 18, 19, 20, 21,22, 23, 24, 27, 30, 32)mm

13PCS Socket Wrench Set
13件12.5mm镜面套筒组套

Cr-V | 1/2" | BESTIR



Item No.	Size	QTY
货号	规格	装箱数
91307	13PCS	12Sets

Configuration List:

10PCS ● 12.5mm Series Metric 6 - point (12 - point) Socket(8, 10, 12, 13, 14, 17, 19,22, 24, 27) mm
1PC ● 1/2" (Offset Handle)
1PC ● 1/2" (Ratchet Wrench)
1PC ● Blow - Molded Case

13PCS Deep Socket Set
13件镜面长套筒组套

Cr-V | 1/2" | BESTIR



- Integrally forged from high-quality chrome-vanadium steel, it is sturdy and durable;
- Exceeds the United States Federal Standards and German professional standards;
- Widely used in automobile assembly, mechanical engineering maintenance and other fields.

Item No.	Size	QTY
货号	规格	装箱数
91341	13PCS	10Sets
91342	13PCS	10Sets

Configuration List:

13PCS ● 12.5mm Series Metric Hexagonal/12-Point Deep Socket(8, 10, 12, 13, 14, 15, 16, 17,18, 19, 21, 22, 24)mm

10PCS 6TP Deep Socket Set
10件镜面长套筒组套

Cr-V | 1/2" | BESTIR



- Integrally forged from high-quality chrome-vanadium steel, it is sturdy and durable;
- Exceeds the United States Federal Standards and German professional standards;
- Widely used in automobile assembly, mechanical engineering maintenance and other fields.

Item No.	Size	QTY
货号	规格	装箱数
91338	10PCS	10Sets

Configuration List:

10PCS ● 12.5mm Series Metric Hexagonal Deep Socket(10, 12, 13, 14, 15, 17, 19, 21,22, 24)mm

5PCS 6TP Deep Socket Set
5件镜面长套筒组套

Cr-V | 1/2" | BESTIR



- Integrally forged from high-quality chrome-vanadium steel, it is sturdy and durable;
- Exceeds the United States Federal Standards and German professional standards;
- Widely used in automobile assembly, mechanical engineering maintenance and other fields.

Item No.	Size	QTY
货号	规格	装箱数
91335	5PCS	10Sets

Configuration List:

10PCS ● 12.5mm Series Metric Hexagonal Deep Socket(17, 19, 21,22, 24)mm

10PCS E-Socket Wrench Set
10件镜面套筒组套

Cr-V | 1/2" | BESTIR



Item No. 货号	Size 规格	QTY 装箱数
91303	10PCS	20Sets
91304	10PCS	20Sets

Configuration List:

9PCS ● 12.5mm Series Metric 6-Point (12-Point) Socket(8, 10, 12, 13, 14, 17, 19, 22, 24)mm
1PCS ● 1/2" Offset Handle

10PCS E-Socket Wrench Set
10件花型套筒组套

Cr-V | 1/2" | BESTIR



Item No. 货号	Size 规格	QTY 装箱数
91305	10PCS	20Sets

Configuration List:

9PCS ● Specification: 12.5mm E - type Socket (E10, E11, E12, E14, E16, E18, E20, E22, E24)
1PCS ● 1/2" Offset Handle

12PCS Socket Set
12件套筒组套

Cr-V | 1/4" | 3/8" | 1/2" | BESTIR



- The tool set is made of high-quality chrome-vanadium steel, featuring high hardness, sturdiness and durability;
- The entire set of products undergoes mirror polishing treatment, providing excellent rust resistance and a long-lasting sleek appearance;
- The ratchet wrench is equipped with a quick-release function, allowing one-handed operation;
- The plastic buckles fit tightly, preventing easy falling off and enabling convenient storage.

Item No. 货号	Size 规格	QTY 装箱数
91107	12PCS 1/4"	5/50

Configuration List:

10PCS ● 1/4" Hex Socket (5, 6, 7, 8, 9, 10, 11, 12, 13, 14)mm
1PC ● 1/4" Short Extension Bar (50mm)
1PC ● 1/4" Ratchet Wrench

91204	12PCS 3/8"	5/40

Configuration List:

10PCS ● 3/8" Hex Socket (8, 9, 10, 11, 12, 13, 14, 17, 19, 21)mm
1PC ● 3/8" Short Extension Bar (75mm)
1PC ● 3/8" Ratchet Wrench

91330	12PCS 1/2"	5/20

Configuration List:

10PCS ● 1/2" Hex Socket (10, 11, 12, 13, 14, 15, 17, 19, 21, 24)mm
1PC ● 1/2" Short Extension Bar (125mm)
1PC ● 1/2" Ratchet Wrench

38PCS Socket Wrench Set
38件扳手套筒组套

Cr-V | 1/4" | BESTIR



- Forged from high-quality chrome-vanadium steel, it is hard and durable;
- The surface is treated with mirror chrome plating, providing excellent rust resistance.

Item No. 货号	Size 规格	QTY 装箱数
91102	38PCS	12Sets

Configuration List:

13PCS ● 6.3mm Socket(4, 4.5, 5, 5.5, 6,7, 8, 9, 10, 11,12, 13, 14)mm
8PCS ● 6.3mm Deep Socket(6, 7, 8, 9, 10,11, 12, 13)mm
1PC ● 6.3mm Universal Joint
2PCS ● 6.3mm Extension Bar (50mm, 100mm)
1PC ● 6.3mm Ratchet Wrench
1PC ● 6.3mm Retaining Ring 1/4" Dr.×1/4"
1PC ● 6.3mm Spin Handle
1PC ● 6.3mm Sliding Handle
10PCS ● 6.3mm Bit
TX: T(7, 8, 10, 15, 20,25, 27, 30, 35, 40)

60PCS Socket Wrench Set
60件扳手套筒组套

Cr-V | 1/4" | BESTIR



- Forged from high-quality chrome-vanadium steel, it is hard and durable;
- The surface is treated with mirror chrome plating, providing excellent rust resistance.

Item No. 货号	Size 规格	QTY 装箱数
91101	60PCS	12Sets

Configuration List:

13PCS ● 6.3mm Socket(4, 4.5, 5, 5.5, 6, 7, 8, 9,10, 11, 12, 13, 14)mm
1PC ● 6.3mm Three - Way Sliding Head1/4"(M)×3/8"(F)
1PC ● 6.3mm Universal Joint
2PCS ● 6.3mm Extension Bar (2"×6")
1PC ● 6.3mm Ratchet Wrench
1PC ● 6.3mm Retaining Ring (1/4" Dr.×1/4")
1PC ● 6.3mm Spin Handle 6.3mm Bit
10PCS ● SL: 2.5, 3, 4, 4.5, 5,5.5, 6, 6.5, 7, 8
10PCS ● HEX: 1.5, 2, 2.5, 3, 4,5, 5.5, 6, 8, AD
5PCS ● PH: 0, 1, 2, 2, 3
5PCS ● PZ: 0, 1, 2, 2, 3
10PCS ● TX: T(7, 8, 10, 15, 20, 25,27, 30, 35, 40)



MASTER TOOL SET
综合工具组套



8PCS Multi-use Tool Set
8件套多用工具组套

BESTIR

- This tool set features excellent quality, practical configuration and easy portability. It is suitable for being used as a gift for homes, enterprises and public institutions, and can also serve as a promotional gift for activities held by supermarkets, property management companies, etc.

Item No. 货号	Size 规格	QTY 装箱数
92112	8PCS	20Sets

Configuration List:

1PCS ● 2m Metric Tape Measure
1PC ● 6" Diagonal Pliers
1PC ● 8" Adjustable Wrench
1PCS ● Electrical Test Pen
1PC ● 6×100± Transparent Striped Screwdriver
1PC ● Utility Knife
1PC ● Electrical Tape

21PCS Multi-use Tool Set
21件套多用工具组套

BESTIR



- This tool set features excellent quality, practical configuration and easy portability. It is suitable for being used as a gift for homes, enterprises and public institutions, and can also serve as a promotional gift for activities held by supermarkets, property management companies, etc.

Item No. 货号	Size 规格	QTY 装箱数
92104	21PCS	8Sets

Configuration List:

1PC ● Electrical Tape
1PC ● 2M Plastic - Cased Tape Measure
1PC ● Self - Locking Utility Knife
1PC ● 6" Long Nose Pliers
1PC ● 6" Combination Pliers
4PCS ● Colored Strip Screwdrivers (6×38±, 6×100±)
1PC ● 8" Adjustable Wrench
1PC ● Digital Display Electrical Test Pen
1PC ● Hacksaw Frame
1PC ● 9" Water Pump Pliers
1PC ● Waterproof Tape
1PC ● 0.25kg Claw Hammer
6PCS ● 6 - Piece Watch Screwdrivers

32PCS Master Multi-use Tool Set
32件综合多用工具组套

BESTIR



Item No. 货号	Size 规格	QTY 装箱数
92116	32PCS	8Sets

Configuration List:

4PCS ● Telecom Screwdrivers(1.6mm+, 2.5mm+, 1.6mm-, 2.5mm-)
1PC ● Utility Knife
1PC ● Metric Steel Tape Measure (3M)
1PC ● Transparent Cross Colored Strip Screwdriver (6×100mm+)
1PC ● Transparent Slotted Colored Strip Screwdriver (6×100mm-)
1PC ● Digital Display Electrical Tester Pen
1PC ● American - Style Zebra - Handled Combination Pliers (6")
1PC ● American - Style High - Grade Chrome - Plated Adjustable Wrench (8")
1PC ● Iron - Handled Claw Hammer (0.25kg)
1PC ● Flashlight
1PC ● Hacksaw Frame
2PCS ● Spare Saw Blades
8PCS ● Hex Keys H(1.5, 2, 2.5, 3, 4, 5, 5.5, 6)mm
6PCS ● Plastic Hardware Accessories Box
1PC ● Electrical Tape
1PC ● Scissors



43PCS Electric Tool Set
43件电讯工具组套

BESTIR



Item No.	Size	QTY
货号	规格	装箱数
92105	43PCS	5Sets

Configuration List:

2PCS ● Transparent-Handle Screwdriver (6×100±)
2PCS ● Transparent-Handle Screwdriver (6×38±)
2PCS ● Transparent-Handle Screwdriver (3×75±)
2PCS ● Transparent-Handle Screwdriver (3×150±)
1PC ● 3M Rubber - Coated Tape Measure
1PC ● Electrical Tape
1PC ● Tweezer Pliers
1PC ● Hacksaw Frame
1PC ● Saw Blade
1PC ● Electrical Test Pen
1PC ● Self - Locking Utility Knife
1PC ● 8" Wire Crimping Pliers
1PC ● 8" Adjustable Wrench
1PC ● Knurled Extension Bar
1PC ● Flashlight (Φ 36×150)
9PCS ● 1/4" Hex Socket (5, 6, 7, 8, 9,10, 11, 12, 13)mm
1PC ● Computer Brush
1PC ● Soldering Iron
1PC ● Solder Wire
1PC ● Desoldering Pump
1PC ● Multimeter
1PC ● 0.25kg Claw Hammer
1PC ● 6" Long Nose Pliers
1PC ● 6" Diagonal Pliers
1PC ● 8" Combination Pliers
6PCS ● 6 - Piece Watch Screwdriver Set

54PCS Electric Tool Set
54件电讯工具组套

BESTIR



Item No.	Size	QTY
货号	规格	装箱数
92115	54PCS	5Sets

Configuration List:

1PC ● Straight-Head Electrician's Knife
1PC ● Soldering Iron (30W)
1PC ● Mini Soldering Iron Stand
1PC ● U-Shaped Anti-Static Brush
1PC ● Multimeter
1PC ● Manual Desoldering Pump
1PC ● Electrical Tape
11PCS ● 1/4" Hex Socket (4, 5, 5.5, 6, 7, 8,9, 10, 11, 12, 13)mm
1PC ● Adjustable Wrench (6")
3PCS ● 6.3mm Slotted Bit (4, 5, 6)mm
3PCS ● 6.3mm Phillips Bit (#0, #1, #2)
3PCS ● 6.3mm Torx Bit (T10, T15, T20)
1PC ● ADP Hex to Square Adapter
6PCS ● 6.3mm Series 25mm Long Hex Bit(2, 2.5, 3, 4, 5, 6)mm
1PC ● 6.3mm Series Bit Holder
2PCS ● Premium Patterned Phillips Screwdriver (5×75+, 6×200+)mm
2PCS ● Premium Patterned Slotted Screwdriver (5×75-, 6×100-)mm
1PC ● Digital Display Electrical Tester Pen (220V)
6PCS ● Telecom Screwdriver(2×75+, 3×100+, 4×150+, 2×75-, 3×100-, 4×150-)mm
1PC ● Long Nose Pliers (6")
1PC ● Diagonal Pliers (6")
1PC ● Solder Wire (0.8mm)
1PC ● Aluminum Alloy Flashlight
1PC ● Duckbill Multi-Purpose Wire Stripper (6-1/2")
1PC ● Tape Measure (3M×16mm)
1PC ● Tweezers

66PCS Master Multi-use Tool Set
66件综合多用工具组套

BESTIR





- This tool set features excellent quality, practical configuration and easy portability. It is suitable for being used as a gift for homes, enterprises and public institutions, and can also serve as a promotional gift for activities held by supermarkets, property management companies, etc.

Item No.	Size	QTY
货号	规格	装箱数
92117	66PCS	6Sets

Configuration List:

12PCS ● 12PCS Bit Set
(Phillips: PH1, PH2, PH3;
Slotted: 4mm, 5.5mm, 6.5mm;
TX: T10, T15, T20;
HEX: H4, H5;
Hex to Square Adapter)
8PCS ● Hex Key(1.5, 2, 2.5, 3, 4, 5, 5.5, 6)mm
1PC ● Two - Color Rubberized Utility Knife
1PC ● Metric Steel Tape Measure (5M)
1PC ● Premium Patterned Phillips Screwdriver (6×100mm+)
1PC ● Premium Patterned Slotted Screwdriver (6×100mm-)
9PCS ● 9PCS 1/4" Socket(5, 6, 7, 8, 9, 10, 11, 12, 13)mm
1PC ● Digital Display Electrical Tester Pen
1PC ● American - Style Zebra - Handled Combination Pliers (6")
1PC ● American - Style Zebra - Handled Long Nose Pliers (6")
1PC ● Rubberized Multi - Function Adjustable Wrench (8")
1PC ● Iron - Handled Claw Hammer (0.25kg)
1PC ● Flashlight (Aluminum Alloy)
1PC ● Hacksaw Frame
2PCS ● Spare Saw Blades
1PC ● 6.3mm Series Knurled Extension Bar
6PCS ● Telecom Screwdriver
(2.5mm+, 3.0mm+, 1.4mm-,2.0mm-, 2.5mm-, 3.0mm-)
10PCS ● Utility Knife Blades
1PC ● Electrical Tape
6PCS ● Plastic Hardware Accessories Box

60PCS Multi-use Tool Set
60件多用锂电工具组套

BESTIR





- The tool set is of mid-to-high-end configuration, with complete functions including tightening, striking, cutting, clamping, slicing and drilling.
- Made of high-quality materials, it has better quality than ordinary household tool sets and a longer service life.
- Equipped with a long-lasting lithium-ion electric drill, matched with alloy steel bits and drill bits for easy use.
- With a wide range of uses, it is an ideal backup choice for families, businesses and public institutions.

Item No.	Size	QTY
货号	规格	装箱数
92121	60PCS	5Sets

Configuration List:

1PCS ● 5×100mm Phillips Screwdriver
1PCS ● 5×100mm Slotted Screwdriver
1PCS ● 3M×16mm Metric Tape Measure
1PCS ● 12 - Piece 1/4" DR. Bit Handle
1PCS ● 8" Adjustable Wrench
1PCS ● 18mm Push - Button Utility Knife
10PCS ● 18mm Utility Knife Blades
8PCS ● 8 - Piece Hex Key Set (Standard Flat Head)
1PCS ● 6" Combination Pliers
1PCS ● 6" Long Nose Pliers
12PCS ● 25mm Long Bit Set
1PCS ● 1/4" DR.×60L Magnetic Extension Bar
1PCS ● Digital Display Electrical Tester Pen
1PCS ● PVC Electrical Tape
1PCS ● Waterproof Tape (Teflon Tape)
1PCS ● 7" Electronic Shears
9PCS ● 9 - Piece 1/4" DR. Socket (5, 6, 7, 8, 9, 10, 11, 12, 13)mm
1PCS ● Component Box (with Accessories like Rubber Plugs and Screws)
4PCS ● Twist Drill Bits (3, 4, 5, 6)mm
1PCS ● 12V Cordless Lithium - Ion Drill Set
1PCS ● Flexible Extension Bar

18PCS Box Home-use Tool Set
18件套家装组套（铝箱）

BESTIR





Aluminum Case

- This tool set features excellent quality, practical configuration and easy portability. It is suitable for being used as a gift for homes, enterprises and public institutions, and can also serve as a promotional gift for activities held by supermarkets, property management companies, etc.

Item No.	Size	QTY
货号	规格	装箱数
92109	18PCS	6Sets

Configuration List:

2PCS ● Screwdriver Φ6×100mm(±)
2PCS ● Screwdriver Φ3×75mm(±)
1PC ● 6" Zebra-Handled Long Nose Pliers
1PC ● 7" Zebra-Handled Combination Pliers
1PC ● 7" Zinc Alloy Multi-Purpose Scissors
1PC ● Self-Locking Utility Knife
1PC ● 3m Tape Measure
1PC ● 10" Aluminum Alloy Mini Hacksaw Frame
1PC ● 8" Adjustable Wrench
1PC ● LED Digital Display Electrical Tester Pen
1PC ● 0.25kg Claw Hammer
1PC ● 8" Water Pump Pliers
1PC ● Teflon Tape
1PC ● PVC Electrical Insulation Tape
1PC ● Plastic Hardware Accessories Box
1PC ● Aluminum Case

20PCS Multi-use Tool Set
20件多用工具组套

BESTIR




Oxford Fabric Tote Bag



Item No.	Size	QTY
货号	规格	装箱数
92119	20PCS	10Sets

Configuration List:


1PC ● Digital Display Electrical Tester Pen (Φ3×130)
8PCS ● 8 - Piece Hex Key Set
(1.5, 2, 2.5, 3, 4, 5, 5.5, 6)mm
1PC ● Two - Color Rubberized Utility Knife
1PC ● Premium Patterned Slotted Screwdriver (6×100mm)
1PC ● Premium Patterned Phillips Screwdriver (6×100mm)
2PCS ● 2 - Piece Universal Wrench Set (9 - 32mm)
1PC ● 8"Combination Pliers
1PC ● 6"Long Nose Pliers
1PC ● 0.25Kg Iron - Handled Claw Hammer
1PC ● 3M Steel Tape Measure
1PC ● Teflon Tape
1PC ● Medium - Sized Electrical Tape



371PCS Auto Repair Tool Trolley Set
371件汽修工具车组套

BESTIR


No. A1


204-Piece Socket Tool Tray Set (98445)


66-Piece 12.5MM Socket Tool Tray Set (98446)


44-Piece Automotive Maintenance Tool Tray Set (98447)


38-Piece Wrench Tool Tray Set (98444)



18-Piece Pliers & Screwdriver Tool Tray Set (98443)



Equipped with 7-Layer Tool Cart (05187)


390PCS Auto Repair Tool Trolley Set
390件汽修工具车组套

BESTIR

No. A2


204-Piece Socket Tool Tray Set (98445)


66-Piece 12.5MM Socket Tool Tray Set (98446)


19-Piece Oil Filter Tool Tray Set (98417)


44-Piece Automotive Maintenance Tool Tray Set (98447)


38-Piece Wrench Tool Tray Set (98444)



18-Piece Pliers & Screwdriver Tool Tray Set (98443)


Equipped with 7-Layer Tool Cart (05187)

257PCS Auto Repair Tool Trolley Set
257件汽修工具车组套

BESTIR

No. A3


137-Piece Socket Tool Tray Set (98448)


44-Piece Automotive Maintenance Tool Tray Set (98447)


18-Piece Pliers & Screwdriver Tool Tray Set (98443)


38-Piece Wrench Tool Tray Set (98444)



19-Piece Oil Filter Tool Tray Set (98417)


Equipped with 7-Layer Tool Cart (05187)

221PCS Auto Repair Tool Trolley Set
221件汽修工具车组套


BESTIR

No. A4


137-Piece Socket Tool Tray Set (98448)


25-Piece Comprehensive Tool Tray Set (98449)


39-Piece Auto Repair Tool Tray Set (98416)



19-Piece Oil Filter Tool Tray Set (98417)


Equipped with 7-Layer Tool Cart (05187)

202PCS Auto Repair Tool Trolley Set
202件汽修工具车组套

BESTIR

No. B1


137-Piece Socket Tool Tray Set (98448)


25-Piece Comprehensive Tool Tray Set (98449)



39-Piece Auto Repair Tool Tray Set (98416)


Equipped with 4-Layer Tool Cart (05185)

221PCS Auto Repair Tool Trolley Set
221件汽修工具车组套


BESTIR

No. B2


137-Piece Socket Tool Tray Set (98448)


25-Piece Comprehensive Tool Tray Set (98449)



39-Piece Auto Repair Tool Tray Set (98416)


19-Piece Oil Filter Tool Tray Set (98417)


Equipped with 4-Layer Tool Cart (05185)

238PCS Auto Repair Tool Trolley Set
238件汽修工具车组套


No. B3 BESTIR


137-Piece Socket Tool Tray Set (98448)


44-Piece Automotive Maintenance Tool Tray Set (98447)



38-Piece Wrench Tool Tray Set (98444)


Equipped with 4-Layer Tool Cart (05185)



18-Piece Pliers & Screwdriver Tool Tray Set (98443)

200PCS Auto Repair Tool Trolley Set
200件汽修工具车组套

No. C2 BESTIR


137-Piece Socket Tool Tray Set (98448)



44-Piece Automotive Maintenance Tool Tray Set (98447)


18-Piece Pliers & Screwdriver Tool Tray Set (98443)



Equipped with 3-Layer Tool Cart (05180)

202PCS Auto Repair Tool Trolley Set
202件汽修工具车组套

No. C1 BESTIR


137-Piece Socket Tool Tray Set (98448)



39-Piece Auto Repair Tool Tray Set (98416)


25-Piece Comprehensive Tool Tray Set (98449)



Equipped with 3-Layer Tool Cart (05180)

194PCS Auto Repair Tool Trolley Set
194件汽修工具车组套

No. C3 BESTIR


137-Piece Socket Tool Tray Set (98448)


38-Piece Wrench Tool Tray Set (98444)



18-Piece Pliers & Screwdriver Tool Tray Set (98443)



Equipped with 3-Layer Tool Cart (05180)


110PCS New Energy Vehicles Tool Trolley Set
110件新能源车工具组套


No. A8 German VDE Certification BESTIR



26-Piece VDE Insulated 10MM Socket & Hex Key Tool Tray Set (98495)


24-Piece VDE Insulated 12.5MM Socket Tool Tray Set (98496)


18-Piece VDE Insulated Screwdriver Tool Tray Set (98491)


15-Piece VDE Insulated Box End Wrench Tool Tray Set (98494)



15-Piece VDE Insulated Open-End Wrench Tool Tray Set (98493)



11-Piece VDE Insulated Pliers & Wrench Tool Tray Set (98492)



Equipped with 7-Layer Tool Cart (05187)


89PCS New Energy Vehicles Tool Trolley Set
89件新能源车工具组套


No. A9 German VDE Certification BESTIR


29-Piece VDE Insulated 10MM & 12.5MM Socket Tool Tray Set (98497)


18-Piece VDE Insulated Screwdriver Tool Tray Set (98491)


15-Piece VDE Insulated Box End Wrench Tool Tray Set (98494)



15-Piece VDE Insulated Open-End Wrench Tool Tray Set (98493)



11-Piece VDE Insulated Pliers & Wrench Tool Tray Set (98492)



Equipped with 7-Layer Tool Cart (05187)


95PCS New Energy Vehicles Tool Trolley Set
95件新能源车工具组套


No. A10 German VDE Certification BESTIR


26-Piece VDE Insulated 10MM Socket & Hex Key Tool Tray Set (98495)


24-Piece VDE Insulated 12.5MM Socket Tool Tray Set (98496)


15-Piece VDE Insulated Box End Wrench Tool Tray Set (98494)


15-Piece VDE Insulated Open-End Wrench Tool Tray Set (98493)



14-Piece VDE Insulated Comprehensive Tool Tray Set (98498)



Equipped with 7-Layer Tool Cart (05187)


74PCS New Energy Vehicles Tool Trolley Set
74件新能源车工具组套

No. B7 | German VDE Certification | BESTIR


29-Piece VDE Insulated 10MM & 12.5MM Socket Tool Tray Set (98497)


14-Piece VDE Insulated Comprehensive Tool Tray Set (98498)


15-Piece VDE Insulated Box End Wrench Tool Tray Set (98494)



15-Piece VDE Insulated Open-End Wrench Tool Tray Set (98493)



Equipped with 4-Layer Tool Cart (05185)


74PCS New Energy Vehicles Tool Trolley Set
74件新能源车工具组套

No. B8 | German VDE Certification | BESTIR


29-Piece VDE Insulated 10MM & 12.5MM Socket Tool Tray Set (98497)


18-Piece VDE Insulated Screwdriver Tool Tray Set (98491)



11-Piece VDE Insulated Pliers & Wrench Tool Tray Set (98492)



15-Piece VDE Insulated Open-End Wrench Tool Tray Set (98493)



Equipped with 4-Layer Tool Cart (05185)

54PCS New Energy Vehicles Tool Trolley Set
54件新能源车工具组套

No. C4 | German VDE Certification | BESTIR


24-Piece VDE Insulated 12.5MM Socket Tool Tray Set (98496)



18-Piece VDE Insulated Screwdriver Tool Tray Set (98491)



11-Piece VDE Insulated Pliers & Wrench Tool Tray Set (98492)



Equipped with 3-Layer Tool Cart (05180)

54PCS New Energy Vehicles Tool Trolley Set
54件新能源车工具组套

No. C5 | German VDE Certification | BESTIR


24-Piece VDE Insulated 12.5MM Socket Tool Tray Set (98496)



18-Piece VDE Insulated Screwdriver Tool Tray Set (98491)


15-Piece VDE Insulated Open-End Wrench Tool Tray Set (98493)


Equipped with 3-Layer Tool Cart (05180)

204PCS Socket Tool Trolley Set
204件套筒工具托组套

BESTIR



Item No.	Size	QTY
货号	规格	装箱数
98445	204PCS	1Sets

Configuration List:

- 23 - Piece 16.3mm Metric 6 - Point Long Socket

81402	4mm	81412	12mm	81308	8mm
81404	5mm	81413	13mm	81309	9mm
81406	6mm	81302	4mm	81310	10mm
81407	7mm	81303	4.5mm	81311	11mm
81408	8mm	81304	5mm	81312	12mm
81409	9mm	81305	5.5mm	81313	13mm
81410	10mm	81306	6mm	81314	14mm
81411	11mm	81307	7mm		

- 16 - Piece 10mm Metric 6 - Point Socket

82308	8mm	82316	16mm
82309	9mm	82317	17mm
82310	10mm	82318	18mm
82311	11mm	82319	19mm
82312	12mm	82320	20mm
82313	13mm	82321	21mm
82314	14mm	82322	22mm
82315	15mm	82324	24mm


- 9 - Piece 10mm Metric 6 - Point Long Socket

82408	8mm	82414	14mm
82410	10mm	82415	15mm
82411	11mm	82417	17mm
82412	12mm	82419	19mm
82413	13mm		

- 3-Piece 6.3mm Phillips Bit Socket (PH1, PH2, Ph3)
- 3-Piece 6.3mm Pozidriv Bit Socket (PZ1, PZ2, Pz3)
- 4-Piece 6.3mm Slotted Bit Socket (4.0, 5.5, 6.5, 7.0)mm
- 7-Piece 6.3mm Hex Bit Socket H (2.5, 3, 4, 5, 6, 7, 8)
- 8-Piece 6.3mm Torx Bit Socket T (8, 10, 15, 20, 25, 27, 30, 40)
- 2-Piece 10mm Slotted Bit Socket (5.5, 6.5)mm
- 3-Piece 10mm Pozidriv Bit Socket (PZ1, PZ2, Pz3)
- 3-Piece 10mm Phillips Bit Socket (PH1, PH2, Ph3)
- 6-Piece 10mm Hex Bit Socket H (3, 4, 5, 6, 8, 10)
- 10-Piece 10mm Torx Bit Socket T (10, 15, 20, 25, 27, 30, 40, 45, 50, 55)
- 5-Piece 6.3mm Series Torx Socket E (4, 5, 6, 8, 10)
- 7-Piece 10mm Series Torx Socket E (10, 11, 12, 14, 16, 18, 20)
- 3-Piece H10mm Hex Bit (H8×30, H10×30, H12×30)
- 3-Piece H10mm 12-Point Bit (M5×30L, M6×30L, M8×30L)
- 6-Piece H10mm Torx Bit (T27×30, T30×30, T40×30, T45×30, T50×30, T55×30)
- 82983 10mm Spark Plug Socket (21mm)
- 82981 10mm Spark Plug Socket (16mm)
- 81965 Snap - on Straight - Handle Ratchet Wrench (1/4")
- 82964 Snap - on Straight - Handle Ratchet Wrench (3/8")
- 83940 Adapter (3/8" to ¼")
- 81952 6.3mm Flexible Extension Bar
- 81901 6.3mm Knurled Extension Bar (2")
- 81903 6.3mm Knurled Extension Bar (4")
- 81904 6.3mm Knurled Extension Bar (6")
- 81951 Black - Handle Double - Head Square Bar (1/4")
- 81931 Mirror Polished Sliding T - Bar (1/4")
- 82901 10mm Knurled Short Extension Bar (3")
- 82902 10mm Knurled Long Extension Bar (6")
- 82903 10mm Knurled Long Extension Bar (10")
- 82931 Mirror Polished Sliding T - Bar (3/8")
- 81921 6.3mm Mirror Polished Knurled Bent Handle (1/4")
- 83957 Torx Bit Holder (3/8" Square Hole to Hex Hole)
- 83958 Torx Bit Holder (1/2" Square Hole to 3/8" Hex Hole)
- 83959 Torx Bit Holder (3/8" Square Hole to Hex Hole)
- 81943 Electroplated Spring Socket (6.3mm)
- 82941 Universal Joint (3/8")
- 81941 Universal Joint (1/4")
- 83949 Adapter (3/8" to 1/4")
- 60 - Piece 6.3mm Series 25mm Long Bit Set

137PCS Socket Tool Trolley Set
137件套筒工具托组套

BESTIR



Item No.	Size	QTY
货号	规格	装箱数
98448	137PCS	1Sets

Configuration List:

- 17-Piece 12.5mm Mirror-Polished Hexagonal Socket

83308	8mm	83316	16mm	83322	22mm
83310	10mm	83317	17mm	83324	24mm
83312	12mm	83318	18mm	83327	27mm
83313	13mm	83319	19mm	83330	30mm
83314	14mm	83320	20mm	83332	32mm
83315	15mm	83321	21mm		

- 4-Piece 12.5mm Air Impact Hex Short Socket

82308	8mm	82316	16mm
82309	9mm	82317	17mm
82310	10mm	82318	18mm
82311	11mm	82319	19mm
82312	12mm	82320	20mm
82313	13mm	82321	21mm
82314	14mm	82322	22mm
82315	15mm	82324	24mm

- 9 - Piece 12.5mm Mirror - Polished Hex Long Socket

83410	10mm	83417	17mm
83412	12mm	83418	18mm
83413	13mm	83419	19mm
83414	14mm	83421	21mm
83416	16mm		

- 13-Piece 6.3mm Metric Hexagonal Socket

81302	4mm	81309	9mm
81303	4.5mm	81310	10mm
81304	5mm	81311	11mm
81305	5.5mm	81312	12mm
81306	6mm	81313	13mm
81307	7mm	81314	14mm
81308	8mm		

- 13-Piece 10mm Metric Hexagonal Socket

82308	8mm	82315	15mm
82309	9mm	82316	16mm
82310	10mm	82317	17mm
82311	11mm	82318	18mm
82312	12mm	82319	19mm
82313	13mm	82320	20mm
82314	14mm		

- 14-Piece H10mm Hex Bit

44201	H4x30	44211	H4x75
44202	H5x30	44212	H5x75
44203	H6x30	44213	H6x75
44204	H7x30	44214	H7x75
44205	H8x30	44215	H8x75
44206	H10x30	44216	H10x75
44207	H12x30	44217	H12x75

- 10-Piece H10mm Torx Bit

44301	M5x30	44311	M5x75
44302	M6x30	44312	M6x75
44303	M8x30	44313	M8x75
44304	M10x30	44314	M10x75
44305	M12x30	44315	M12x75

- 14-Piece H10mm Torx Bit

44101	T20x30	44111	T20x75
44102	T25x30	44112	T25x75
44103	T30x30	44113	T30x75
44104	T40x30	44114	T40x75
44105	T45x30	44115	T45x75
44106	T50x30	44116	T50x75
44107	T55x30	44117	T55x75

- 82981 10mm Series Spark Plug Socket (16mm)
- 82983 10mm Series Spark Plug Socket (21mm)
- 82980 10mm Series 14mm 12-Point Thin - wall Spark Plug Socket (14mm)
- 81903 6.3mm Knurled Long Extension Bar (4")
- 81901 6.3mm Knurled Short Extension Bar (2")
- 82902 10mm Knurled Long Extension Bar (6")
- 82903 10mm Knurled Long Extension Bar (10")
- 83921 12.5mm Mirror - Polished Bent Handle (250mm)
- 83912 12.5mm Knurled Short Extension Bar (5")
- 83913 12.5mm Knurled Long Extension Bar (10")
- 81962 Black Rubber - Grip Ratchet Wrench (1/4")
- 82961 Black Rubber - Grip Ratchet Wrench (3/8")
- 83966 Black Rubber - Grip Ratchet Wrench (½")
- 83947 Universal Joint (1/2") 3/8" to ½"
- 82941 Universal Joint (3/8") 1/2" to 3/8"
- 81941 Universal Joint (1/4") 3/8" to ½"
- 81951 Black - Handle Double - Head Square Bar
- 81943 Electroplated Spring Socket (6.3mm)
- 83940 Adapter (3/8" to ¼")
- 83941 Adapter (1/2" to 3/8")
- 83943 12.5mm Series 3 - in - 1 Adapter
- 83957 Torx Bit Holder (3/8" Square Hole to Hex Hole)
- 83958 Torx Bit Holder (1/2" Square Hole to 3/8" Hex Hole)
- 20 - Piece 6.3mm Series 25mm Long Bit Set

66PCS Socket Tool Trolley Set
66件12.5mm套筒工具托组套



Item No.	Size	QTY
货号	规格	装箱数
98446	66PCS	1Sets

Configuration List:

- 19-Piece 12.5mm Mirror-Polished Hexagonal Socket

83308	8mm	83316	16mm	83323	23mm
83310	10mm	83317	17mm	83324	24mm
83311	11mm	83318	18mm	83327	27mm
83312	12mm	83319	19mm	83330	30mm
83313	13mm	83320	20mm	83332	32mm
83314	14mm	83321	21mm		
83315	15mm	83322	22mm		

- 19-Piece 12.5mm Mirror-Polished Hex Long Socket

83410	10mm	83417	17mm
83412	12mm	83419	19mm
83413	13mm	83421	21mm
83414	14mm	83422	22mm
83415	15mm	83424	24mm
83416	16mm		

- 4-Piece 12.5mm Series 100L Torx Bit Socket

75130	T30
75140	T40
75145	T45
75150	T50

- 4-Piece 12.5mm Series 100L 12-Point Bit Socket

75606	M6
75608	M8
75610	M10
75612	M12

- 9-Piece 12.5mm Series Torx Socket

83010	E10	83018	E18
83011	E11	83020	E20
83012	E12	83022	E22
83014	E14	83024	E24
83016	E16		

- 91329 3-Piece Tire Protection Socket (17, 19, 21)
- 83956 Oil Pan Screw Disassembly and Assembly Bit Socket (H17)
- 83955 Audi Oil Pan Screw Disassembly and Assembly Bit Socket (M16)
- 83943 Adapter (1/2" to 3/8")
- 83941 Adapter (1/2" to 3/8")
- 83913 12.5mm Knurled Extension Bar (10")
- 83912 12.5mm Knurled Extension Bar (5")
- 83901 12.5mm Knurled Extension Bar (3")
- 83936 12.5mm Sliding Handle (250mm)
- 83921 12.5mm Bent Handle (250mm)
- 83947 Universal Joint (1/2")
- 83954 Shock Absorber Socket (Two-Point)
- 83983 12.5mm Spark Plug Socket (21mm)
- 83981 12.5mm Spark Plug Socket (16mm)
- 83971 Snap-on Straight-Handle Ratchet Wrench (1/2")
- 76152 12.5mm 140L Torx Bit Socket (T52)
- 76609 12.5mm M9*140L 12-Point Bit Socket (M9X140L)



44PCS Auto Tool Trolley Set
44件汽保工具托组套



Item No.	Size	QTY
货号	规格	装箱数
98447	44PCS	1Sets

Configuration List:

- 07610 Tire Pressure Gauge (0 - 220PSI)
- 93421 5 - Piece Broken Screw Extractor Set
- 07401 Three - Jaw Oil Filter Wrench
- 07621 Premium Air Blow Gun
- 02113 Fiberglass Handle Ball - Pein Hammer (1.5P)
- 03506 Two - Color Rubber - Coated Utility Knife (A - 100)
- 95113 4 - Piece Oil Seal Puller
- 38502 Automotive Circuit Tester (ϕ 3×145)
- 94201 9 - Piece Extended Ball - End Hex Key Set
- 94205 9 - Piece Extended L - Shape Torx Wrench with Hole
- 06101 Polished Torque Wrench (1/2" 0 - 300N.m)
- 96306 5 - Piece Plastic - Clip Center Punch Set
- 07522 Feeler Gauge
- Pen - Type Pickup Tool
- Tire Tread Depth Gauge
- Brake Pad Gauge
- Double - End Valve Core Wrench

39PCS Auto Tool Trolley Set
39件汽保工具托组套



Item No.	Size	QTY
货号	规格	装箱数
98416	39PCS	1Sets

Configuration List:

- 11-Piece Mirror-Polished Combination Wrench

50308	8mm	50317	17mm
50310	10mm	50318	18mm
50312	12mm	50319	19mm
50313	13mm	50321	21mm
50314	14mm	50324	24mm
50316	16mm		

- 18-Piece Mirror-Polished Hex Oil Line Wrench

54303	8-10mm
54304	9-11mm
54306	10-12mm
54309	12-14mm

- 03506 Two - Color Rubber - Coated Utility Knife (A - 100)
- 38502 Automotive Circuit Tester (ϕ 3×145)
- 09111 Lithium - ion Work Light
- 07522 Feeler Gauge (100×17 Pieces)
- 96306 5 - Piece Plastic - Clip Center Punch Set (5PCS)
- 93302 8PCS Impact Driver Bit Set
- 02113 Fiberglass Handle Ball - Pein Hammer (1.5P)
- 06101 Polished Torque Wrench (0 - 300N.m)
- Double - End Valve Core Wrench
- Charging Cable
- Tire Tread Depth Gauge
- Brake Pad Gauge
- Pen - Type Pickup Tool

38PCS Wrench Tool Trolley Set
38件扳手工具托组套



Item No.	Size	QTY
货号	规格	装箱数
98444	38PCS	1Sets

Configuration List:

- 18-Piece Mirror-Polished Combination Wrench

50306	6mm	50315	15mm
50307	7mm	50316	16mm
50308	8mm	50317	17mm
50309	9mm	50318	18mm
50310	10mm	50319	19mm
50311	11mm	50320	20mm
50312	12mm	50321	21mm
50313	13mm	50322	22mm
50314	14mm	50324	24mm

- 6-Piece Metric Combination Ratchet Wrench

53110	10mm
53112	12mm
53113	13mm
53114	14mm
53117	17mm
53119	19mm

- 3-Piece Mirror-Polished Hex Oil Line Wrench

54303	8-10mm
54304	9-11mm
54306	10-12mm

- 6-Piece Mirror-Polished Double Open-End Wrench

51301	5.5-7mm
51306	8X10mm
51309	10X12mm
51312	12X14mm
51316	14X17mm
51319	17X19mm

- 4-Piece Mirror-Polished Double Box-End Wrench

52305	8-10mm
52311	12-14mm
52315	14-17mm
52318	17-19mm

- 12" American-Style Chrome-Plated Adjustable Wrench

25PCS Master Tool Trolley Set
25件综合工具托组套




Item No.	Size	QTY
货号	规格	装箱数
98449	25PCS	1Sets

Configuration List:

- 12403 7" High-Grade Chrome-Vanadium Steel Straight Hole Circlip Pliers
- 12413 7" High-Grade Chrome-Vanadium Steel Straight Shaft Circlip Pliers
- 10111 6" American-Style Zebra-Handle Long Nose Pliers
- 10313 8" American-Style Zebra-Handle Combination Pliers
- 10502 8" Slip Joint Pliers
- 03653 8" End Cutting Pliers
- 55112 12" American-Style High-Grade Chrome-Plated Adjustable Wrench
- 94201 9-Piece Extended Ball-End Hex Key Set
- 31601 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Slotted Screwdriver (3×75)
- 31622 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Slotted Screwdriver (5×100)
- 31631 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Slotted Screwdriver (6×100)
- 31633 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Slotted Screwdriver (6×150)
- 31651 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Phillips Screwdriver (3×75)
- 31672 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Phillips Screwdriver (5×100)
- 31681 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Phillips Screwdriver (6×100)
- 31683 Chrome-Molybdenum Steel Environmentally Friendly Oil-Resistant Phillips Screwdriver (6×150)
- 07401 Three-Jaw Oil Filter Wrench

19PCS Cap Style Oil Fiter Wrench Tool Trolley Set
19件机油格工具托组套



Item No.	Size	QTY
货号	规格	装箱数
98417	19PCS	1Sets

Configuration List:

- 17-Piece Steel Plate Cap-Type Oil Filter Wrench

07461	64-65mm/14P	07476	88-89mm/15P
07462	66-67mm/14P	07477	90-91mm/15P
07463	72-73mm/14P	07478	80mm/12P
07464	73-74mm/14P	07479	101mm/15P
07468	77mm/12P	07480	91-92mm/15P
07465	73mm/15P	07481	27mm/6P
07469	78-79mm/15P	07482	32mm/6P
07475	79-80mm/15P	07483	36mm/6P
07472	86mm/18P		

- 07418 Handcuff-Type Oil Filter Wrench (55-75mm)
- 07419 Handcuff-Type Oil Filter Wrench (75-95mm)

18PCS Plier&Screwdriver Tool Trolley Set
18件钳子螺丝批工具托组套



Item No.	Size	QTY
货号	规格	装箱数
98443	18PCS	1Sets

Configuration List:

- 12403 7" Chrome-Vanadium Steel Straight Hole Circlip Pliers
- 12413 7" Chrome-Vanadium Steel Straight Shaft Circlip Pliers
- 12423 7" Chrome-Vanadium Steel Bent Hole Circlip Pliers
- 12433 7" Chrome-Vanadium Steel Bent Shaft Circlip Pliers
- 10211 6" American-Style Zebra-Handle Diagonal Pliers
- 10111 6" American-Style Zebra-Handle Long Nose Pliers
- 10313 8" American-Style Zebra-Handle Combination Pliers
- 10502 8" Slip Joint Pliers
- 03653 8" End Cutting Pliers
- 11203 10" American-Style Locking Pliers
- 31601 Chrome-Molybdenum Steel Oil-Resistant Handle Slotted Screwdriver (3×75)
- 31631 Chrome-Molybdenum Steel Oil-Resistant Handle Slotted Screwdriver (6×100)
- 31651 Chrome-Molybdenum Steel Oil-Resistant Handle Phillips Screwdriver (3×75)
- 31681 Chrome-Molybdenum Steel Oil-Resistant Handle Phillips Screwdriver (6×100)
- 32481 Chrome-Molybdenum Steel Oil-Resistant Handle Through Phillips Screwdriver (6.3×100)
- 32491 Chrome-Molybdenum Steel Oil-Resistant Handle Through Phillips Screwdriver (8×200)
- 32431 Chrome-Molybdenum Steel Oil-Resistant Handle Through Slotted Screwdriver (6.3×100)
- 32441 Chrome-Molybdenum Steel Oil-Resistant Handle Through Slotted Screwdriver (8×200)

BESTIR




VDE Insulated Pliers Series

German Authoritative Certification

BESTIR IEC60900:2004 1000V 10



VDE German Certification







All products have passed the 10,000V insulation high-voltage testing machine test.




Fire Resistance Test

After being exposed to flame for 10 seconds, the insulation layer must prove to be non-flammable.




High-Voltage Test

Each insulated pliers undergoes and passes the 10,000-volt test in VDE testing before being put into production.




Electrical Test

After being soaked in water for 24 hours, and then connected to 10,000 volts, after 3 minutes, the insulated part must not crack or peel off.



Adhesion Test

After being exposed to a temperature of 70°C for 168 hours and 3 minutes, and then tested with a tensile force of 500N, the insulated part must not lift or move.




Pressure Test

At a temperature of 70°C and 5,000 volts, under a pressure of 20N, the insulated part must not peel off or fall off due to the pressure.




Cold Impact Test

After being exposed to a temperature of -25°C for 2 hours, the insulated part must show no cracks or other damage.



18PCS VDE Insulated Screwdriver Set
18件VDE绝缘螺丝批工具托组套 BESTIR

German VDE Certification



- Certified by VDE (Germany) and compliant with the IEC 60900 standard, the product has passed the 10,000V insulation withstand voltage test, with a withstand voltage of 1000V.
- Suitable for use in industries such as new energy vehicles and power electrical engineering.


Item No.	Size	QTY
货号	规格	装箱数
98491	18PCS	1Sets

Configuration List:

- 4-Piece VDE Insulated Slotted Screwdriver
  - 35207 0.4x3x75mm
  - 35203 0.8x4.0x100mm
  - 35204 1.0x5.5x125mm
  - 35205 1.2x6.5x150mm
- 4-Piece VDE Insulated Phillips Screwdriver
  - 35219 PH0x75mm
  - 35213 PH1x80mm
  - 35215 PH2x100mm
  - 35217 Ph3x150mm
- 9-Piece VDE Insulated Nut Screwdriver
  - 36301 4.0x125mm
  - 36302 5.0x125mm
  - 36304 6.0x125mm
  - 36305 7.0x125mm
  - 36306 8.0x125mm
  - 36307 9.0x125mm
  - 36308 10x125mm
  - 36309 11x125mm
  - 36311 13x125mm
- 1-Piece VDE Insulated Voltage Tester Pen
  - 38321 3x125mm

15PCS VDE Insulated Open-End Wrench Set
15件VDE绝缘开口扳手工具托组套 BESTIR

German VDE Certification



- Certified by VDE (Germany) and compliant with the IEC 60900 standard, the product has passed the 10,000V insulation withstand voltage test, with a withstand voltage of 1000V.
- Suitable for use in industries such as new energy vehicles and power electrical engineering.


Item No.	Size	QTY
货号	规格	装箱数
98493	15PCS	1Sets

Configuration List:

- 15-Piece VDE Insulated Open-End Wrench
  - 51608 8mm
  - 51609 9mm
  - 51610 10mm
  - 51611 11mm
  - 51612 12mm
  - 51613 13mm
  - 51614 14mm
  - 51615 15mm
  - 51616 16mm
  - 51617 17mm
  - 51618 18mm
  - 51619 19mm
  - 51621 21mm
  - 51622 22mm
  - 51624 24mm

11PCS VDE Insulated Plier & Wrench Set
11件VDE绝缘钳子、扳手工具托组套 BESTIR

German VDE Certification



- Certified by VDE (Germany) and compliant with the IEC 60900 standard, the product has passed the 10,000V insulation withstand voltage test, with a withstand voltage of 1000V.
- Suitable for use in industries such as new energy vehicles and power electrical engineering.


Item No.	Size	QTY
货号	规格	装箱数
98492	11PCS	1Sets

Configuration List:

- 10391 1-Piece 6" VDE Insulated Combination Pliers
- 10393 1-Piece 8" VDE Insulated Combination Pliers
- 10191 1-Piece 6" VDE Insulated Long Nose Pliers
- 10193 1-Piece 8" VDE Insulated Long Nose Pliers
- 10291 1-Piece 6" VDE Insulated Diagonal Pliers
- 01211 1-Piece 6" VDE Insulated Wire Stripper
- 10422 1-Piece 10" VDE Insulated Water Pump Pliers
- 10646 1-Piece 6" VDE Insulated Voltage-Withstand Cable Pliers
- 03559 1-Piece 210mm VDE Insulated Straight-Edge Cable Knife
- 55911 1-Piece 6" VDE Insulated Adjustable Wrench
- 55913 1-Piece 10" VDE Insulated Adjustable Wrench

15PCS VDE Insulated Offset End Wrench Set
15件 VDE绝缘梅花扳手工具托组套 BESTIR

German VDE Certification



- Certified by VDE (Germany) and compliant with the IEC 60900 standard, the product has passed the 10,000V insulation withstand voltage test, with a withstand voltage of 1000V.
- Suitable for use in industries such as new energy vehicles and power electrical engineering.


Item No.	Size	QTY
货号	规格	装箱数
98494	15PCS	1Sets

Configuration List:

- 15-Piece VDE Insulated Box-End Wrench
  - 52908 8mm
  - 52909 9mm
  - 52910 10mm
  - 52911 11mm
  - 52912 12mm
  - 52913 13mm
  - 52914 14mm
  - 52915 15mm
  - 52916 16mm
  - 52917 17mm
  - 52918 18mm
  - 52919 19mm
  - 52921 21mm
  - 52922 22mm
  - 52924 24mm

26PCS VDE Insulated Socket & Hex Key Wrench Set
26件 VDE绝缘10MM套筒、内六角工具托组套 BESTIR

German VDE Certification




Item No.	Size	QTY
货号	规格	装箱数
98495	26PCS	1Sets

Configuration List:

- 6-Piece VDE Insulated Hex Key
  - 20903 3mm
  - 20904 4mm
  - 20905 5mm
  - 20906 6mm
  - 20908 8mm
  - 20910 10mm
- 16-Piece 10MM VDE Insulated Metric Hex Socket Set
  - 82808 8x44mm
  - 82810 10x44mm
  - 82811 11x44mm
  - 82812 12x44mm
  - 82813 13x44mm
  - 82814 14x44mm
  - 82816 16x44mm
  - 82817 17x44mm
  - 82818 18x44mm
  - 82819 19x44mm
  - 82821 21x44mm
  - 82822 22x44mm
- 4-PCS 10MM VDE Insulated Hex Screwdriver Socket
  - 72904 4x75mm
  - 72905 5x75mm
  - 72906 6x75mm
  - 72908 8x75mm
- 82908 1-Piece 10MM VDE Insulated Extension Bar (3/8"x125mm)
- 82909 1-Piece 10MM VDE Insulated Extension Bar (3/8"x250mm)
- 82911 1-Piece 10MM VDE Insulated T-Handle (3/8"x200mm)
- 82969 1-Piece 10MM VDE Insulated Ratchet Wrench (3/8"x200mm)

24PCS VDE Insulated 1/2"Dr.Socket Set
24件 VDE绝缘12.5MM套筒工具托组套 BESTIR

German VDE Certification



Item No.	Size	QTY
货号	规格	装箱数
98496	24PCS	1Sets

Configuration List:

- 15-Piece 12.5MM VDE Insulated Metric Hex Socket Set
  - 83210 10x54mm
  - 83211 11x54mm
  - 83212 12x44mm
  - 83213 13x54mm
  - 83214 14x54mm
  - 83216 16x54mm
  - 83217 17x54mm
  - 83218 18x54mm
  - 83219 19x54mm
  - 83221 21x54mm
  - 83222 22x54mm
  - 83224 24x54mm
  - 83227 27x54mm
  - 83230 30x54mm
  - 83232 32x54mm
- 5-Piece 12.5MM VDE Insulated Hex Screwdriver Socket Set
  - 75904 4x120mm
  - 75905 5x120mm
  - 75906 6x120mm
  - 75908 18x120mm
  - 75910 10x120mm
- 2-Piece 12.5MM VDE Insulated Extension Bar
  - 83918 1/2"x125mm
  - 83919 1/2"x250mm
- 83953 1-Piece 12.5MM VDE Insulated T-Handle (1/2"x200mm)
- 83961 1-Piece 12.5MM VDE Insulated Ratchet Wrench (1/2"x250mm)

29PCS VDE Insulated 3/8"&1/2"Dr.Socket Set
29件 VDE绝缘10MM、12.5MM套筒工具托组套 BESTIR

German VDE Certification




Item No.	Size	QTY
货号	规格	装箱数
98497	29PCS	1Sets

Configuration List:

- 5-Piece 10MM VDE Insulated Metric Hex Socket Set
  - 82808 8x44mm
  - 82810 10x44mm
  - 82812 12x44mm
  - 82813 13x44mm
  - 82814 14x44mm
- 12-Piece 12.5MM VDE Insulated Hex Screwdriver Socket Set
  - 83210 10x54mm
  - 83211 11x54mm
  - 83212 12x44mm
  - 83213 13x54mm
  - 83214 14x54mm
  - 83216 16x54mm
  - 83217 17x54mm
  - 83218 18x54mm
  - 83219 19x54mm
  - 83221 21x54mm
  - 83222 22x54mm
  - 83224 24x54mm
- 5-Piece 12.5MM VDE Insulated Hex Screwdriver Socket Set
  - 75904 4x120mm
  - 75905 5x120mm
  - 75906 6x120mm
  - 75908 8x120mm
  - 75910 10x120mm
- 2-Piece 12.5MM VDE Insulated Extension Bar
  - 83918 1/2"x125mm
  - 83919 1/2"x250mm
- 83953 1-Piece 12.5MM VDE Insulated T-Handle (1/2"x200mm)
- 83961 1-Piece 12.5MM VDE Insulated Ratchet Wrench (1/2"x250mm)
- 83969 1-Piece 10MM VDE Insulated Ratchet Wrench (3/8"x200mm)

14PCS VDE Insulated Master Tool Set
14件 VDE绝缘综合工具托组套 BESTIR

German VDE Certification



Item No.	Size	QTY
货号	规格	装箱数
98498	14PCS	1Sets

Configuration List:

- 3-Piece VDE Insulated Slotted Screwdriver
  - 35207 0.4x3x75mm
  - 35203 0.8x4.0x100mm
  - 35204 1.0x5.5x125mm
- 4-Piece VDE Insulated Phillips Screwdriver
  - 35219 PH0x75mm
  - 35213 PH1x80mm
  - 35215 Ph2x100mm
- 38321 1-Piece VDE Voltage Tester (3x125mm)
- 10393 1-Piece VDE Insulated Combination Pliers (8")
- 10193 1-Piece VDE Insulated Long Nose Pliers (8")
- 10291 1-Piece VDE Insulated Diagonal Pliers (6")
- 01211 1-Piece VDE Insulated Wire Stripper (6")
- 10646 1-Piece VDE Insulated Voltage-Withstand Cable Pliers (6")
- 55913 1-Piece VDE Insulated Adjustable Wrench (10")
- 03559 1-Piece VDE Insulated Straight-Edge Cable Knife (210mm)

18PCS VDE Insulated Tool Set
18件VDE绝缘综合维修工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99106	18PCS	1Sets

Configuration List:

1PC ● VDE Voltage Tester 3x125mm
3PCS ● VDE Insulated Slotted Screwdrivers
0.4x3x75mm 0.8x4.0x100mm 1.0x5.5x125mm
3PCS ● VDE Insulated Phillips Screwdrivers
PH0x75mm PH1x80mm PH2x100mm
4PCS ● VDE Insulated Open-End Wrenches (10, 14, 17, 19)mm
1PC ● VDE Insulated Electrical Tape
1PC ● VDE 8" Insulated Adjustable Wrench
1PC ● 8" Insulated Combination Pliers
1PC ● VDE 6" Insulated Long Nose Pliers
1PC ● VDE 6" Insulated Diagonal Pliers
1PC ● VDE Protective Insulated Cable Stripper (210mm)
1PC ● VDE Insulated Scissors (150mm)

32PCS VDE Insulated Tool Set
32件1/2"VDE绝缘套筒、扳手综合维修工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99108	32PCS	1Sets

Configuration List:

7PCS ● VDE Insulated Open-End Wrenches (8, 10, 12, 13, 14, 17, 19)mm
1PC ● VDE Protective Insulated Cable Stripper (210mm)
2PCS ● VDE Insulated Slotted Screwdrivers 0.8x4.0x100mm 1.0x5.5x125mm
2PCS ● VDE Insulated Phillips Screwdrivers PH1x80mm PH2x100mm
1PC ● VDE Insulated Scissors (150mm)
1PC ● VDE Insulated Electrical Tape
12PCS ● 12.5MM VDE Insulated Metric Hexagon Sockets
(10x55, 11x55, 12x55, 13x55, 14x55, 16x55,17x55, 18x55, 19x55, 21x55, 22x55, 24x55) mm
2PCS ● VDE Insulated Extension Bars (1/2"x125, 1/2"x250) mm
1PC ● VDE Insulated Ratchet Wrench (1/2"x250mm)
3PCS ● 6" VDE Insulated Combination Pliers; 6" VDE Insulated Long Nose Pliers; 6" VDE Insulated Diagonal Pliers

26PCS VDE Insulated Tool Set
26件VDE绝缘综合工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99107	26PCS	1Sets

Configuration List:

12PCS ● 12.5MM VDE Insulated Metric Hexagon Socket
(10x55, 11x55, 12x55, 13x55, 14x55, 16x55,17x55, 18x55, 19x55, 21x55, 22x55, 24x55) mm
2PCS ● VDE Insulated Slotted Screwdriver 0.8x4.0x100mm 1.0x5.5x125mm
2PCS ● VDE Insulated Phillips Screwdriver PH1x80mm PH2x100mm
1PC ● VDE Voltage Tester (3x125mm)
1PC ● VDE Protective Insulated Cable Stripper (210mm)
1PC ● VDE Insulated Electrical Tape
1PC ● VDE 8" Insulated Adjustable Wrench
1PC ● VDE 8" Insulated Combination Pliers
1PC ● VDE 6" Insulated Long Nose Pliers
1PC ● VDE 6" Insulated Diagonal Pliers
2PCS ● VDE Insulated Extension Bar (1/2"x125, 1/2"x250) mm
1PC ● VDE Insulated Ratchet Wrench (1/2"x250mm)

34PCS VDE Insulated Tool Set
34件3/8"VDE绝缘套筒、扳手综合维修工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99109	34PCS	1Sets

Configuration List:

7PCS ● VDE Insulated Open-End Wrenches (8, 10, 12, 13, 14, 17, 19)mm
1PC ● VDE Protective Insulated Cable Stripper (210mm)
2PCS ● VDE Insulated Slotted Screwdrivers 0.4x3x75mm 1.0x5.5x125mm
2PCS ● VDE Insulated Phillips Screwdrivers PH0x75mm PH2x100mm
1PC ● VDE Insulated Scissors (150mm)
1PC ● VDE Insulated Electrical Tape
1PC ● VDE Voltage Tester (3x125mm)
12PCS ● 10MM VDE Insulated Metric Hexagon Sockets (8x44, 10x44, 11x44, 12x44, 13x44, 14x44, 16x44, 17x44, 18x44, 19x44, 21x44, 22x44) mm
2PCS ● VDE Insulated Extension Bars (3/8"x125, 3/8"x250) mm
1PC ● VDE Insulated T-Bar
1PC ● VDE Insulated Ratchet Wrench (3/8"x200mm)
3PCS ● 6" VDE Insulated Combination Pliers; 6" VDE Insulated Long Nose Pliers; 6" VDE Insulated Diagonal Pliers

25PCS VDE Insulated Tool Set
25件VDE绝缘扳手、螺丝批综合维修工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99110	25PCS	1Sets

Configuration List:

15PCS ● VDE Insulated Open-End Wrenches
(8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24)mm
3PCS ● VDE Insulated Slotted Screwdrivers
0.4x3x75mm 0.8x4.0x100mm 1.0x5.5x125mm
3PCS ● VDE Insulated Phillips Screwdrivers
PH0x75mm PH1x80mm PH2x100mm
1PC ● VDE Voltage Tester (3x125mm)
1PC ● 8" VDE Insulated Combination Pliers
1PC ● 6" VDE Insulated Long Nose Pliers
1PC ● 6" VDE Insulated Diagonal Pliers

16PCS VDE Insulated Tool Set
16件电力维修工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99111	16PCS	1Sets

Configuration List:

1PC ● Digital Multimeter
1PC ● Digital Clamp Meter
1PC ● VDE Insulated Electrical Tape
3PCS ● VDE Insulated Slotted Screwdrivers
0.4x3x75mm 0.8x4.0x100mm 1.0x5.5x125mm
3PCS ● VDE Insulated Phillips Screwdrivers
PH0x75mm PH1x80mm PH2x100mm
1PC ● VDE Voltage Tester (3x125mm)
1PC ● VDE Insulated Scissors (150mm)
1PC ● VDE Protective Insulated Cable Stripper (210mm)
1PC ● 6" VDE Insulated Combination Pliers
1PC ● 6" VDE Insulated Long Nose Pliers
1PC ● 6" VDE Insulated Diagonal Pliers
1PC ● 8" VDE Insulated Adjustable Wrench

37PCS VDE Insulated Tool Set
37件VDE绝缘综合维修工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99112	37PCS	1Sets

Configuration List:

10PCS ● VDE Insulated Open-End Wrenches
(7, 8, 10, 12, 13, 14, 16, 17, 18, 19)mm
6PCS ● VDE Insulated Hex Keys (3, 4, 5, 6, 8, 10)mm
14PCS ● 12.5MM VDE Insulated Metric Hexagon Sockets
(10x55, 11x55, 12x55, 13x55, 14x55, 15x55, 16x55, 17x55, 18x55, 19x55, 20x55, 21x55, 22x55, 24x55) mm
5PCS ● 12.5MM VDE Insulated Hex Bit Sockets
(4x120, 5x120, 6x120, 8x120, 10x120) mm
1PC ● VDE Insulated Extension Bar (1/2"x250mm)
1PC ● VDE Insulated Ratchet Wrench (1/2"x250mm)

39PCS VDE Insulated Tool Set
39件新能源汽车快修工具组套

1000V German VDE Certification



- German VDE certification;
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99113	39PCS	1Sets

Configuration List:

7PCS ● VDE Insulated Open-End Wrenches (7, 8, 10, 12, 13, 14, 17)mm
7PCS ● VDE Insulated Torx Hex Keys T(10, 15, 20, 25, 27, 30, 40)
3PCS ● VDE Insulated Slotted Screwdrivers
0.4x3x75mm 0.8x4.0x100mm 1.0x5.5x125mm
3PCS ● VDE Insulated Phillips Screwdrivers
PH0x75mm PH1x80mm PH2x100mm
1PC ● VDE Voltage Tester (3x125mm)
8PCS ● 10MM VDE Insulated Metric Hexagon Sockets
(8x44, 10x44, 11x44, 12x44, 13x44, 14x44, 17x44, 19x44) mm
4PCS ● 10MM VDE Insulated Hex Bit Sockets (4x75, 5x75, 6x75, 8x75)mm
1PC ● VDE Insulated Ratchet Wrench (3/8"x200mm)
1PC ● VDE Insulated Extension Bar (3/8"x125mm)
1PC ● VDE Insulated T-Bar (3/8"x200mm)
3PCS ● 8" VDE Insulated Combination Pliers; 6" VDE Insulated Long Nose Pliers; 6" VDE Insulated Diagonal Pliers

7PCS Insulated Tool Set
7件绝缘工具组套

BESTIR

1000V German VDE Certification



- German VDE certification(Except for the voltage tester);
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99101	7PCS	10

Configuration List:

1PC ● 1.0x5.5x125mm
2PCS ● PH1x4.5x80mm PH2x6x100mm
1PC ● 4x190mm General-Purpose Voltage Tester
1PC ● 8" VDE Insulated Voltage-Withstand Combination Pliers
1PC ● 6" VDE Insulated Voltage-Withstand Long Nose Pliers
1PC ● VDE Electrical Tape

9PCS Insulated Tool Set
9件绝缘工具组套

BESTIR

1000V German VDE Certification



- German VDE certification(Except for the voltage tester);
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99103	9PCS	10

Configuration List:

4PC ● Slotted Screwdrivers 0.5x3x75mm, 0.8x4x100mm, 1.0x5.5x125mm, 1.2x6.5x150mm
3PCS ● Phillips Screwdrivers PH0x3x75mm, PH1x4.5x80mm, PH2x6x100mm
1PC ● 4x190mm General-Purpose Voltage Tester
1PC ● VDE Electrical Tape

13PCS VDE Screwdriver Set
13件VDE绝缘螺丝批套装

BESTIR

1000V German VDE Certification





- Products pass 10,000V insulation withstand voltage test, far exceeding the IEC60900 standard of 1000V withstand voltage;
- Tool shank made of high-quality chrome-vanadium alloy steel, with magnetic bit;
- VDE insulated handle, enabling one-click bit replacement.

Item No.	Size	QTY
货号	规格	装箱数
99105	13PCS	6/12

Configuration List:

4PC ● Slotted Screwdrivers 0.5x3x75mm,
4PCS ● Screwdrivers ⊖ : 1.2x6.5x100mm, 1x5.5x100mm, 0.8x4x100mm, 0.5x3x100mm
2PCS ● Screwdrivers ✚ : PH2x100mm, PH1x80mm
2PCS ● Screwdrivers ✪ : PZ2x100mm, PZ1x80mm
3PCS ● Screwdrivers ✪ : T20x100mm, T15x100mm, T10x100mm
1PC ● 140mm Voltage Tester
1PC ● VDE Insulated Handle (Bit - replaceable Type)

8PCS Insulated Tool Set
8件VDE绝缘耐压工具组套

BESTIR

1000V German VDE Certification

Aluminum Case Packaging



- German VDE certification(Except for the voltage tester);
- Rated voltage withstand: 1000V.
- Each tool undergoes 10,000V high-voltage test (10 times safety factor), flame-retardant handle test, impact resistance test, and pull-out force test.
- It has good insulation and flame-retardant performance.

Item No.	Size	QTY
货号	规格	装箱数
99102	8PCS	5

Configuration List:

1PC ● 10" Water Pump Pliers
1PC ● 8" Combination Pliers
1PC ● 6" Diagonal Pliers
1PC ● 6" Long Nose Pliers
1PC ● 6" Wire Strippers
1PC ● Voltage Tester (3x140mm)
1PC ● Insulated Red Electrical Tape
1PC ● Insulated Black Electrical Tape

11PCS Insulated Tool Set
11件绝缘工具组套

BESTIR

1000V German VDE Certification



- German VDE certification(Except for the voltage tester);
- Passed the insulation withstand voltage test of 10,000 volts;
- Complies with the IEC60900 standard;
- Withstand voltage of 1,000 volts.

Item No.	Size	QTY
货号	规格	装箱数
99104	11PCS	10

Configuration List:

4PC ● Slotted Screwdrivers 0.5x3x75mm, 0.8x4x100mm, 1.0x5.5x125mm, 1.2x6.5x150mm
2PCS ● Phillips Screwdrivers PH1x4.5x80mm, PH2x6x100mm
1PC ● 4x190mm General-Purpose Voltage Tester
1PC ● 8" VDE Insulated Voltage-Withstand Combination Pliers
1PC ● 6" VDE Insulated Voltage-Withstand Long Nose Pliers
1PC ● 6" VDE Insulated Voltage-Withstand Diagonal Pliers
1PC ● VDE Electrical Tape



VDE Combination Plier
VDE 绝缘耐压钢丝钳

BESTIR

Cr-V

1000V German VDE Certification



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10391	6"/150mm	6/60
10392	7"/175mm	6/60
10393	8"/200mm	6/60



VDE Long Nose Plier
VDE 绝缘耐压尖咀钳

BESTIR

Cr-V

1000V German VDE Certification



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10191	6"/150mm	6/60
10193	8"/200mm	6/60

VDE Insulated Bent Nose Plier
VDE 绝缘耐压弯咀钳

BESTIR

Cr-V

1000V German VDE Certification



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10641	6"/150mm	3
10643	8"/200mm	3

VDE Diagonal Cutter
VDE 绝缘耐压斜咀钳

BESTIR

Cr-V

1000V German VDE Certification



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10291	6"/150mm	6/60

VDE Insulated Flat Nosed Plier
VDE 绝缘耐压扁咀钳

BESTIR

Cr-V

1000V German VDE Certification



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10645	6"/150mm	3

VDE Insulated Round Nose Plier
VDE 绝缘耐压圆咀钳

Cr-V



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10644	6"/150mm	3

VDE Insulated Cable Shear
VDE 绝缘耐压线缆钳

Cr-V



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10646	6"/150mm	6/60

VDE Insulated Wire Stripper
VDE 绝缘耐压剥线钳

Cr-V



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
01211	6"/150mm	6/60


VDE Insulated Cable Shear
VDE 绝缘耐压线缆钳

Cr-V



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10646	6"/150mm	6/60



VDE Insulated Water Pump Plier
VDE 绝缘耐压水泵钳

Cr-V



- Tplier body forged from chrome-vanadium steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
10422	10"/255mm	6/36

VDE Insulated Scissors
VDE 绝缘耐压电工剪刀

5CR13



- Blade made of high-quality stainless steel, sturdy and durable;
- Blade teeth feature a serrated design, preventing slippage during cutting;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
03646	6"/150mm	6

VDE Insulated Flat Blade Cable Knife
VDE 绝缘电缆剥线刀 (直刃式)

5CR13



- Blade made of high-quality stainless steel, sturdy and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
03559	210mm	3

VDE Insulated Covered Straight Blade Cable Knife
VDE 绝缘电缆剥线刀 (防护式)

5CR13




- Blade made of high-quality stainless steel, sturdy and durable;
- Sickle hook-shaped blade,Blade head with sliding guide block, no damage to wire inner core;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
  Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No.	Size	QTY
货号	规格	装箱数
03558	210mm	3

VDE Insulated Slotted Screwdriver
VDE 一字绝缘耐压螺丝批

S2




- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
35207	0.4x3x75mm	157	6
35203	0.8x4x100mm	197	6
35204	1.0x5.5x125mm	230	6
35205	1.2x6.5x150mm	260	6

VDE Insulated Phillips Screwdriver
VDE 十字绝缘耐压螺丝批

S2




- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
35219	PH0x3x75mm	150	6
35213	PH1x4.5x80mm	183	6
35215	PH2x6x100mm	210	6
35217	PH3x8x150mm	268	6

VDE Insulated Screwdriver
VDE 米字绝缘耐压螺丝批

S2



- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
35221	PZ0x3x60mm	157	6
35223	PZ1x4.5x80mm	183	6
35225	PZ2x6x100mm	210	6

VDE Insulated Torx Screwdriver
VDE 绝缘花型螺丝批

S2



- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
35231	T10x100mm	175	6
35232	T15x100mm	200	6
35233	T20x100mm	200	6
35234	T25x125mm	231	6
35235	T27x125mm	231	6
35236	T30x125mm	231	6

VDE Insulated Precision Slotted Screwdriver
VDE 绝缘一字微型螺丝批

S2




- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
37501	1.5x0.25x50mm	148	6
37502	2.0x0.40x50mm	148	6
37503	2.5x0.40x50mm	148	6
37504	3.0x0.50x50mm	148	6

VDE Insulated Precision Phillips Screwdriver
VDE 绝缘十字微型螺丝批

S2



- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
37511	PH00x50mm	148	6
37512	PH0x50mm	148	6
37513	PH1x50mm	148	6

VDE Insulated Precision Torx Screwdriver
VDE 绝缘花形微型螺丝批

S2



- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
37521	T6x50mm	148	6
37522	T8x50mm	148	6
37523	T10x50mm	148	6
37524	T15x50mm	148	6
37525	T20x50mm	148	6

VDE Insulated Nut Driver
VDE 绝缘螺帽螺丝批

50BV30




- Forged from high-quality alloy steel, Full-body heat treatment;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
36301	4.0x125mm	247	6
36302	5.0x125mm	247	6
36303	5.5x125mm	247	6
36304	6.0x125mm	247	6
36305	7.0x125mm	247	6
36306	8.0x125mm	247	6
36307	9.0x125mm	247	6
36308	10x125mm	247	6
36309	11x125mm	247	6
36310	12x125mm	247	6
36311	13x125mm	247	6
36312	14x125mm	247	6



VDE Insulated Adjustable Wrench
VDE 绝缘活动扳手

Cr-V




- Forged from chrome-vanadium steel, Full-body heat treatment;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
55911	6"/150mm	162	3
55912	8"/200mm	218	3
55913	10"/255mm	260	3
55914	12"/300mm	308	3

VDE Insulated Open-End Wrench
VDE 绝缘开口扳手

Cr-V




- Forged from chrome-vanadium steel, Full-body heat treatment;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
51606	6mm	76	6
51607	7mm	86	6
51608	8mm	99	6
51609	9mm	99	6
51610	10mm	109	6
51611	11mm	119	6
51612	12mm	127	6
51613	13mm	134	6
51614	14mm	141	6
51615	15mm	149	4
51616	16mm	156	4
51617	17mm	156	4
51618	18mm	173	4
51619	19mm	173	4
51621	21mm	190	4
51622	22mm	190	4
51624	24mm	223	4
51627	27mm	247	4
51630	30mm	267	4
51632	32mm	282	4

VDE Insulated Offset End Wrench
VDE 绝缘梅花扳手

Cr-V



- Forged from chrome-vanadium steel, Full-body heat treatment;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
52906	6mm	129	6
52907	7mm	140	6
52908	8mm	150	6
52909	9mm	160	6
52910	10mm	170	6
52911	11mm	180	6
52912	12mm	190	6
52913	13mm	200	6
52914	14mm	210	6
52915	15mm	216	4
52916	16mm	216	4
52917	17mm	220	4
52918	18mm	230	4
52919	19mm	240	4
52921	21mm	250	4
52922	22mm	260	4
52924	24mm	280	4
52927	27mm	290	4
52930	30mm	310	4
52932	32mm	320	4



VDE Insulated Torx Wrench
VDE 绝缘花型扳手

BESTIR

S2

1000V German VDE Certification



- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
27510	T10	98	6
27515	T15	98	6
27520	T20	109	6
27525	T25	109	6
27527	T27	125	4
27530	T30	125	4
27540	T40	146	4

VDE Insulated Hex Key Wrench
VDE 绝缘内六角扳手

BESTIR

S2

1000V German VDE Certification



- Main body forged from S2 steel, hard and durable;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
20903	3mm	98	6
20904	4mm	109	6
20905	5mm	124	6
20906	6mm	145	6
20908	8mm	162	4
20910	10mm	184	4

VDE Insulated Ratchet Handle
VDE 绝缘棘轮扳手(10mm)

BESTIR

Cr-V

3/8"

1000V German VDE Certification



- Forged from chrome-vanadium steel, Full-body heat treatment;
- Ratchet design for fast and labor-saving steering; equipped with one-click socket replacement function, enabling easy one-handed operation;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	QTY 装箱数
82969	8"/200mm	3

VDE Insulated Ratchet Handle
VDE 绝缘棘轮扳手(12.5mm)

BESTIR

Cr-V

1/2"

1000V German VDE Certification



- Forged from chrome-vanadium steel, Full-body heat treatment;
- Ratchet design for fast and labor-saving steering; equipped with one-click socket replacement function, enabling easy one-handed operation;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	QTY 装箱数
83961	10"/250mm	2

VDE Insulated T-Handle Wrench
VDE 绝缘T型柄

BESTIR

3/8"

1/2"

1000V German VDE Certification



- Forged from high-quality alloy steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No. 货号	Size 规格	QTY 装箱数
82911	3/8"x200mm	1
83953	1/2"x200mm	1

VDE Insulated Extension Bar
VDE 绝缘接杆

BESTIR

50BV30

3/8"

1/2"

1000V German VDE Certification



- Forged from high-quality alloy steel, hard and durable;
- Handle passes 10,000V high-voltage test, featuring insulation, flame retardancy and
- voltage resistance;
- Certified by Germany VDE, suitable for power supply operations in electric power departments.

Item No. 货号	Size 规格	QTY 装箱数
82908	3/8"x125mm	4
82909	3/8"x250mm	4
83918	1/2"x125mm	4
83919	1/2"x250mm	4

3/8" 6PT VDE Insulated Socket
VDE 绝缘公制六角套筒(10mm)

BESTIR

Cr-V

3/8"

1000V German VDE Certification



- Sockets are cold-extruded from chrome-vanadium steel, with overall high-frequency quenching, featuring high hardness and durability;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	QTY 装箱数
82808	8x45mm	3/12
82810	10x45mm	3/12
82811	11x45mm	3/12
82812	12x45mm	3/12
82813	13x45mm	3/12
82814	14x45mm	3/12
82816	16x45mm	3/12
82817	17x47mm	3/12
82818	18x47mm	3/12
82819	19x47mm	2/8
82821	21x47mm	8
82822	22x47mm	8

1/2" VDE Insulated Hex Bit Socket
VDE 绝缘六角旋具套筒(12.5mm)

BESTIR

S2

1/2"

1000V German VDE Certification



- Bits are made of S2 alloy steel, with overall high-frequency quenching, featuring high hardness and durability;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	QTY 装箱数
75904	H4x120mm	3/12
75905	H5x120mm	3/12
75906	H6x120mm	3/12
75908	H8x120mm	3/12
75910	H10x120mm	3/12

1/2" 6PT VDE Insulated Socket
VDE 绝缘公制六角套筒(12.5mm)

BESTIR

Cr-V

1/2"

1000V German VDE Certification



- Sockets are cold-extruded from chrome-vanadium steel, with overall high-frequency quenching, featuring high hardness and durability;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	QTY 装箱数
83210	10x55mm	4/8
83211	11x55mm	4/8
83212	12x55mm	4/8
83213	13x55mm	4/8
83214	14x55mm	4/8
83215	15x55mm	4/8
83216	16x55mm	4/8
83217	17x55mm	4/8
83218	18x55mm	2/8
83219	19x55mm	2/8
83220	20x55mm	8
83221	21x55mm	8
83222	22x55mm	7
83224	24x59mm	6
83227	27x59mm	6
83230	30x61mm	3
83232	32x61mm	3

3/8" VDE Insulated Hex Bit Socket
VDE 绝缘六角旋具套筒(10mm)

BESTIR

S2

3/8"

1000V German VDE Certification



- Bits are made of S2 alloy steel, with overall high-frequency quenching, featuring high hardness and durability;
- Germany VDE CertifiedPasses 10,000V insulation test, far exceeding IEC60900 standard (1000V voltage withstand).

Item No. 货号	Size 规格	QTY 装箱数
72904	H4x76mm	4/12
72905	H5x76mm	4/12
72906	H6x76mm	4/12
72908	H8x76mm	4/12



Tool Storage &Tool Bag

7 Tray Tool Carts
7抽屉工具车

BESTIR



- Made of high-quality cold-rolled steel plate via CNC stamping (Cold-rolled plate thickness: 1.0~1.5mm);
- Computer-controlled automatic powder coating, with uniform coating thickness and consistent clear texture;
- Equipped with heavy-duty ball slides with buffer and automatic closing, preventing impact damage from drawer sliding;
- Drawer with sliding damping design, preventing automatic pop-out when the tool cart is placed unevenly, reducing the risk of tool cart tipping to a certain extent;
- Each drawer layer bears a load of 35kg.

Item No.	Size	QTY
货号	规格	装箱数
05187	790x470x970mm	1

3 Tray Tool Carts
3抽屉工具车

BESTIR



- Made of high-quality cold-rolled steel plate via CNC stamping (Cold-rolled plate thickness: 0.8~1.2mm);
- Computer-controlled automatic powder coating, with uniform coating thickness and consistent clear texture;
- Equipped with heavy-duty ball slides with buffer and automatic closing, preventing impact damage from drawer sliding;
- Drawer with sliding damping design, preventing automatic pop-out when the tool cart is placed unevenly, reducing the risk of tool cart tipping to a certain extent;
- Each drawer layer bears a load of 35kg.

Item No.	Size	QTY
货号	规格	装箱数
05180	795x466x972mm	1

4 Tray Tool Carts
4抽屉工具车

BESTIR



- Made of high-quality cold-rolled steel plate via CNC stamping (Cold-rolled plate thickness: 0.8~1.2mm);
- Computer-controlled automatic powder coating, with uniform coating thickness and consistent clear texture;
- Equipped with heavy-duty ball slides with buffer and automatic closing, preventing impact damage from drawer sliding;
- Drawer with sliding damping design, preventing automatic pop-out when the tool cart is placed unevenly, reducing the risk of tool cart tipping to a certain extent;
- Each drawer layer bears a load of 35kg.

Item No.	Size	QTY
货号	规格	装箱数
05185	795x466x972mm	1

Workbench
工具台

BESTIR



- Workbench made of cold-rolled steel plate (pressed), tabletop thickness up to 2.5mm, high strength and non-deformable;
- Surface with black powder coating for wear resistance, strong rust prevention;
- Suitable for maintenance, fitter work and other scenarios in various industrial and mining enterprises.

Item No.	Size	QTY
货号	规格	装箱数
05181	1500x640x865mm	1

Tool Cart Usage Precautions :

1.When not moving the product, engage the wheel brakes to prevent it from sliding;
2.Ensure the tool cart is placed on a horizontal surface; do not place it on any movable objects;
3.The load-bearing of each layer and the entire tool cart must not exceed the specified weight;
4.Do not fully open the drawers when loaded; only one drawer can be opened at a time, and the rest must be closed to prevent the tool cart from tipping over.

3 Tray Tool Carts
3层工具推车

BESTIR



- Strong load-bearing capacity, each layer bears ≤40kg, thick and durable;
- Equipped with 4 universal wheels for easy movement.

Item No.	Size	QTY
货号	规格	装箱数
05189	750x420x900mm	1

2 Tray Tool Carts
2层工具推车

BESTIR



- Strong load-bearing capacity, each layer bears ≤40kg, thick and durable;
- Equipped with 4 universal wheels for easy movement.

Item No.	Size	QTY
货号	规格	装箱数
05188	650x420x900mm	1

3 Tray Tool Box
3抽屉工具箱

BESTIR



- Black powder-coated wear-resistant surface treatment;
- Smooth rails, adopting full-extension ball rail design;
- Each drawer is equipped with a protective pad.

Item No.	Size	QTY
货号	规格	装箱数
05112	520x218x300mm	1

Hand-away Tool Box
托盘式手提工具箱

BESTIR



- Black powder-coated wear-resistant surface treatment;
- Cold-rolled steel plate material, sturdy and solid;
- Reinforced handle, with stronger bearing capacity.

Item No.	Size	QTY
货号	规格	装箱数
05116	510x205x230mm	1

Plastic Tool Box
塑料工具箱

BESTIR

14-inch & 17-inch:
Load capacity ≤15kg
pressure resistance ≤150kg

19-inch & 23-inch:
Load capacity ≤20kg
pressure resistance ≤150kg



- Made of reinforced PP plastic, pressure-resistant and impact-resistant;
- Upper and lower covers connected by steel bars, anti-falling and with stronger load-bearing capacity;
- Metal latches, sturdy and durable.

Item No.	Size	QTY
货号	规格	装箱数
05201	14" (370x195x180mm)	12
05202	17" (420x230x190mm)	9
05203	19" (470x240x200mm)	6
05204	23" (530x310x260mm)	4

Plastic Tool Box
塑料工具箱（加强型）

BESTIR

15-inch & 18-inch:
Load capacity ≤15kg
pressure resistance ≤150kg

21-inch & 23-inch:
Load capacity ≤20kg
pressure resistance ≤150kg



- Made of reinforced PP plastic, pressure-resistant and impact-resistant;
- Lid and base fully covered with reinforcing ribs, sturdy and non-deformable;
- Upper and lower lids connected by steel bars for stronger load-bearing capacity;
- Thickened stainless steel latches, wear-resistant and rust-proof.

Item No.	Size	QTY
货号	规格	装箱数
05205	15" (370x200x190mm)	9
05206	18" (430x230x210mm)	6
05207	21" (490x280x220mm)	6
05208	23" (540x330x250mm)	4

Reinforced Plastic Toolbox
增强型塑料工具箱

BESTIR





Warm Reminder:
If the toolbox hasn't been opened for a long time, a vacuum is likely to form inside, making it difficult to open. At this time, you can unscrew the exhaust hole to let air in and then open the toolbox.





Note:
The tools in the toolbox are for display reference only and are not actually equipped!

- Made of high-strength plastic, it has advantages such as drop resistance, impact resistance, pressure resistance, and shock resistance;
- The whole is designed with a thickened and heavy-duty structure, and the surface is
- anti-slip treated;
- It has excellent sealing performance and features such as moisture resistance and dust resistance, which can prevent tools, appliances, items, etc. in the box from rusting and deteriorating.

Item No.	Size	QTY
货号	规格	装箱数
05176	16"(395x220x180mm)	6
05177	18"(435x250x215mm)	6



Plastic Toolbox
塑料工具箱

BESTIR



Note:
The tools in the toolbox are for display reference only and are not actually equipped!

- Made of new engineering plastic, thickened and reinforced;
- Transparent flip-top parts box with built-in separation tray for better parts storage;
- Unique combination of lid and box body, with a solid structure;
- Heavy-duty handle for stronger load-bearing capacity.

Item No.	Size	QTY
货号	规格	装箱数
05126	15" (357x185x180mm)	1/12
05127	17" (405x210x185mm)	1/9
05128	19" (450x240x197mm)	1/6

Tool Box With Steel
铁塑工具箱

BESTIR



Note:
The tools in the toolbox are for display reference only and are not actually equipped!

- Made of cold-rolled iron plate and new engineering plastic, it is resistant to dropping, compression and impact, durable, and widely used for automobile accompanying tools, mechanical matching, maintenance services, household tools, and can also be used as packaging for high-end instruments.

Item No.	Size	QTY
货号	规格	装箱数
05172	15" (360x200x180mm)	1/8
05173	17" (410x205x180mm)	1/6
05174	19" (455x245x190mm)	1/6



Tool Bag
手提工具包

BESTIR



- Made of dense Oxford cloth, sturdy and durable;
- Multi-pocket design for organized tool storage;
- Built-in reinforced steel strips for a wider opening;
- Can be carried by hand or crossbody; natural rubber handle is durable and comfortable.

Item No. 货号	Size 规格	QTY 装箱数
05130	12in	40
Bottom length: 31cm	Bottom width: 17cm	Height: 21cm	Shoulder strap length: 120cm	

Tool Bag
手提工具包（塑底款）

BESTIR





Note:
The tools in the tool pouch are for display reference only and are not actually equipped!

- Made of dense Oxford cloth, sturdy and durable;
- Thickened plastic base, wear-resistant and puncture-proof;
- Multi-pocket design for organized tool storage;
- Built-in reinforced steel strips for a wider opening;
- Can be carried by hand or crossbody; natural rubber handle is durable and comfortable.

Item No. 货号	Size 规格	QTY 装箱数
05101	14in	18
Bottom length: 36cm	Bottom width: 21cm	Height: 26cm	Shoulder strap length: 120cm	
05102	16in	16
Bottom length: 42cm	Bottom width: 23cm	Height: 29cm	Shoulder strap length: 120cm	
05103	18in	14
Bottom length: 45cm	Bottom width: 25cm	Height: 30cm	Shoulder strap length: 120cm	

Tool Bag
手提工具包（软底款）

BESTIR



- Made of dense Oxford cloth, sturdy and durable;
- Multi-pocket design for organized tool storage;
- Built-in reinforced steel strips for a wider opening;
- Can be carried by hand or crossbody; natural rubber handle is durable and comfortable.

Item No. 货号	Size 规格	QTY 装箱数
05135	13in	24
Bottom length: 33cm	Bottom width: 20cm	Height: 25cm	Shoulder strap length: 120cm	
05137	17in	20
Bottom length: 42cm	Bottom width: 22cm	Height: 29cm	Shoulder strap length: 120cm	
05139	20in	16
Bottom length: 50cm	Bottom width: 26cm	Height: 32cm	Shoulder strap length: 120cm	

Tool Pouch
工具长腰包（锂电钻款）

BESTIR



Note:
The tools in the tool pouch are for display reference only and are not actually equipped!



- Multi-layer cross-woven Oxford cloth, scratch-resistant, wear-resistant and durable;
- Multi-pocket waist-support design with a dedicated pocket for lithium drills;
- Dedicated pockets designed for mobile phones and notebooks;
- Press-type buckles, adjustable waist belt length.

Item No. 货号	Size 规格	QTY 装箱数
05157	3 Pockets / 7 Slots	40

Cordless Drill Pocket
锂电钻小腰包

BESTIR



Note: The tools in the tool pouch are for display reference only and are not actually equipped!



- Exquisitely sewn with Oxford cloth composite material;
- Specialized for lithium drills; can hold battery packs and drill accessories;
- Complete items for carrying, easy to operate.

Item No. 货号	Size 规格	QTY 装箱数
05159	260x160mm	100

Tool Pouch
工具腰包（带盖多插口）

BESTIR



Note:
The tools in the tool pouch are for display reference only and are not actually equipped!



- Multi-layer cross-woven Oxford cloth, scratch-resistant, wear-resistant and durable;
- Design of Tool Bag with Multiple Pockets and Large Capacity, Spacious and Highly Practical;
- Dedicated pockets designed for mobile phones and notebooks;
- Press-type buckles, adjustable waist belt length.

Item No. 货号	Size 规格	QTY 装箱数
05158	4 Pockets / 5 Slots	40

4PCS Tool Pouch Set
四件套组合工具包（含腰带）

BESTIR



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No. 货号	Size 规格	QTY 装箱数
05144	11 Pockets / 1 Slots	40

5-Pocket Tool Pouch
五合一工具包




- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05145	5 Slots	100

10-Pocket Tool Pouch
十合一工具包




- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05148	7 Pockets, 3 Slots	100

8-Pocket Tool Pouch
八合一钳套工具包



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05154	2 Pockets, 6 Slots	50

Multi-function Pincers Cap
多功能钳套



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05141	1 Slots	300

8-Pocket Tool Pouch
八合一工具包



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05146	3 Pockets, 5 Slots	50

14-Pocket Tool Pouch
十四合一护腰式工具包



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05149	6 Pockets, 8 Slots	40

9-Pocket Tool Pouch
九合一钳套工具包



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05155	2 Pockets, 7 Slots	25

4-Pocket Tool Pouch
四合一工具包



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05143	4Slots	150

9-Pocket Tool Pouch
九合一工具包（带盖）



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05147	6 Pockets, 3 Slots	20

7-Pocket Tool Pouch
七合一钳套工具包



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05153	2 Pockets, 5 Slots	40

8-Pocket Tool Pouch
八合一挂腰式工具包（含带）



- Exquisitely sewn with Oxford cloth composite material, fabric density 600D, durable and wear-resistant;
- Lightweight design, usable with a waist belt, convenient and practical.

Item No.	Size	QTY
货号	规格	装箱数
05156	2 Pockets, 5 Slots	50

Saddlebag Belt
工具包腰带


Economy Type


Since Glues Style

Item No.	Size	QTY
货号	规格	装箱数
05151	Economy Type	250
05152	Since Glues Style	100



The Tool Book


BESTIR Manual Sockets




Characteristics:

- Made of high - quality 50BV30 chromium - vanadium steel by cold heading process and fully quenched, with a hardness of HRC45 - 50, firm and durable;
- Special arc inner corner design increases the torque by more than 15%, which can effectively reduce the wear of the sharp corners of the nut, prevent slipping during operation, and provide better safety;
- Treated with mirror fine polishing and electroplating process, it has strong corrosion resistance, is not easy to rust, and greatly extends the service life of the socket.





12-Point




6-Point

BESTIR sockets combine lightweight and thin features with strong performance. The drive part of the socket head adopts a special shape design: it can effectively prevent rotational slipping of the bolt head caused by jamming or scratching; the expanded smooth contact surface ensures stable and uniform transmission of torque to the bolt head, greatly reducing damage to the bolt head. Even when used on damaged bolt heads, there will be no slipping or idling. Verified by the practice of numerous users, this socket tool has excellent performance and durability, and its quality meets or exceeds ANSI (American Standard), DIN (German Standard) and GB (Chinese National Standard).

1/4" Dr. 6PT Socket(mirror)

6.3mm系列英制6角套筒

Cr-V | 1/4" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
81101	5/32"	25	10/80
81102	3/16"	25	10/80
81103	7/32"	25	10/80
81104	1/4"	25	10/80
81105	9/32"	25	10/80
81106	5/16"	25	10/80
81107	11/32"	25	10/80
81108	3/8"	25	10/80
81109	7/16"	25	10/60
81110	1/2"	25	4/64

1/4" Dr. 6PT Socket(mirror)

6.3mm系列公制6角长套筒

Cr-V | 1/4" | BESTIR




- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
81402	4mm	50	5/40
81403	4.5mm	50	5/40
81404	5mm	50	5/40
81405	5.5mm	50	5/40
81406	6mm	50	5/40
81407	7mm	50	5/40
81408	8mm	50	5/40
81409	9mm	50	5/40
81410	10mm	50	5/30
81411	11mm	50	5/30
81412	12mm	50	5/30
81413	13mm	50	5/20

1/4" Dr. 6PT Socket(mirror)

6.3mm系列公制6角套筒

Cr-V | 1/4" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
81301	3.5mm	25	10/80
81302	4.0mm	25	10/80
81303	4.5mm	25	10/80
81304	5.0mm	25	10/80
81305	5.5mm	25	10/80
81306	6.0mm	25	10/80
81307	7.0mm	25	10/80
81308	8.0mm	25	10/80
81309	9.0mm	25	10/60
81310	10mm	25	10/60
81311	11mm	25	10/40
81312	12mm	25	10/40
81313	13mm	25	10/40
81314	14mm	25	10/40

1/4" Dr. E- Socket

6.3mm系列花型套筒

Cr-V | 1/4" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
81004	E4	25	10/80
81005	E5	25	10/80
81006	E6	25	10/80
81007	E7	25	10/80
81008	E8	25	10/80
81010	E10	25	10/80
81011	E11	25	10/80

3/8" Dr. 6PT Socket(mirror)
10mm系列公制6角套筒

Cr-V | 3/8" | BESTIR



- Forged from chromium -vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
82306	6mm	28	10/40
82307	7mm	28	10/40
82308	8mm	28	10/40
82309	9mm	28	10/40
82310	10mm	28	10/40
82311	11mm	28	10/40
82312	12mm	28	10/40
82313	13mm	28	10/40
82314	14mm	28	10/40
82315	15mm	28	10/30
82316	16mm	28	10/30
82317	17mm	28	20
82318	18mm	30	18
82319	19mm	30	18
82320	20mm	30	15
82321	21mm	30	15
82322	22mm	30	12
82324	24mm	30	12

3/8" Dr. 6PT Socket(mirror)
10mm系列英制6角套筒

Cr-V | 3/8" | BESTIR



- Forged from chromium -vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
82105	3/8"	28	10
82106	7/16"	28	10
82108	1/2"	28	10
82109	9/16"	28	10
82111	5/8"	28	10
82112	11/16"	30	20
82114	3/4"	30	18
82116	13/16"	30	16
82117	7/8"	30	12

3/8" Dr. 6PT Socket(mirror)
10mm系列公制6角长套筒

Cr-V | 3/8" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
82408	8mm	63	5/20
82410	10mm	63	5/20
82411	11mm	63	5/20
82412	12mm	63	5/20
82413	13mm	63	5/20
82414	14mm	63	5/15
82415	15mm	63	12
82416	16mm	63	15
82417	17mm	63	12
82419	19mm	63	12

3/8" Dr. E-Socket
10mm系列花型套筒

Cr-V | 3/8" | BESTIR



- Forged from chromium -vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
82008	E8	28	10
82010	E10	28	10
82011	E11	28	10
82012	E12	28	10
82014	E14	28	10
82016	E16	28	10
82018	E18	28	10
82020	E20	30	10

The Tool Book

Screwdriver identification:

Slotted | Cross | Hexagon | Double hexagon | Torx

Pozidriv | Pentagram | Triangle | Square | Y - shape

1/2" Dr. 6PT Socket(mirror)
12.5mm系列英制6角套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83101	5/16"	38	24
83102	3/8"	38	24
83103	7/16"	38	24
83104	1/2"	38	24
83105	9/16"	38	24
83106	5/8"	38	24
83107	11/16"	38	20
83108	3/4"	38	18
83109	13/16"	38	15
83110	7/8"	38	12
83111	15/16"	38	12
83112	1"	40	9
83113	1-1/16"	40	9
83114	1-1/8"	42	7
83115	1-1/4"	42	6

1/2" E- Socket
12.5mm系列花型套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium -vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83008	E8	38	24
83010	E10	38	24
83011	E11	38	24
83012	E12	38	24
83014	E14	38	24
83016	E16	38	24
83018	E18	38	20
83020	E20	38	20
83022	E22	38	18
83024	E24	38	15

1/2" Dr. 6PT Socket(mirror)
12.5mm系列镜面6角套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83308	8mm	38	24
83309	9mm	38	24
83310	10mm	38	24
83311	11mm	38	24
83312	12mm	38	24
83313	13mm	38	24
83314	14mm	38	24
83315	15mm	38	24
83316	16mm	38	24
83317	17mm	38	20
83318	18mm	38	18
83319	19mm	38	18
83320	20mm	38	15
83321	21mm	38	15
83322	22mm	38	12
83323	23mm	40	12
83324	24mm	40	12
83325	25mm	42	8
83326	26mm	42	8
83327	27mm	43	8
83328	28mm	43	7
83330	30mm	44	6
83332	32mm	44	6

1/2" Dr. 6PT Socket(mirror)
12.5mm系列镜面6角长套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83408	8mm	77	12
83409	9mm	77	12
83410	10mm	77	12
83411	11mm	77	12
83412	12mm	77	12
83413	13mm	77	12
83414	14mm	77	12
83415	15mm	77	12
83416	16mm	77	12
83417	17mm	77	10
83418	18mm	77	10
83419	19mm	77	10
83420	20mm	77	8
83421	21mm	77	8
83422	22mm	77	8
83423	23mm	77	8
83424	24mm	77	8
83427	27mm	77	6
83430	30mm	77	3
83432	32mm	77	3

1/2" Dr. 12PT Socket(mirror)
12.5mm系列镜面12角套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83708	8mm	38	24
83709	9mm	38	24
83710	10mm	38	24
83711	11mm	38	24
83712	12mm	38	24
83713	13mm	38	24
83714	14mm	38	24
83715	15mm	38	24
83716	16mm	38	24
83717	17mm	38	20
83718	18mm	38	18
83719	19mm	38	18
83720	20mm	38	15
83721	21mm	38	15
83722	22mm	38	12
83723	23mm	40	12
83724	24mm	40	12
83725	25mm	42	8
83726	26mm	42	8
83727	27mm	43	8
83728	28mm	43	7
83730	30mm	44	6
83732	32mm	44	6



The Tool Book

Metric and Imperial Size Conversion Chart

Imperial	Metric
1/16"	1.59mm
1/8"	3.18mm
3/16"	4.76mm
1/4"	6.35mm
5/16"	7.94mm
3/8"	9.53mm
7/16"	11.11mm
1/2"	12.70mm
9/16"	14.29mm
5/8"	15.88mm

Imperial	Metric
11/16"	17.46mm
3/4"	19.05mm
13/16"	20.64mm
7/8"	22.23mm
15/16"	23.81mm
1"	25.40mm
1-1/16"	26.99mm
1-1/8"	28.58mm
1-3/16"	30.16mm
1-1/4"	31.75mm

1/2" Dr. 12PT Socket(mirror)
12.5mm系列镜面12角长套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83808	8mm	77	12
83809	9mm	77	12
83810	10mm	77	12
83811	11mm	77	12
83812	12mm	77	12
83813	13mm	77	12
83814	14mm	77	12
83815	15mm	77	12
83816	16mm	77	12
83817	17mm	77	10
83818	18mm	77	10
83819	19mm	77	10
83820	20mm	77	8
83821	21mm	77	8
83822	22mm	77	8
83823	23mm	77	8
83824	24mm	77	8
83827	27mm	77	6
83830	30mm	77	3
83832	32mm	77	3

1/2" Dr. 6PT Socket(blue band)
12.5mm系列蓝带6角套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
85308	8mm	38	24
85309	9mm	38	24
85310	10mm	38	24
85311	11mm	38	24
85312	12mm	38	24
85313	13mm	38	24
85314	14mm	38	24
85315	15mm	38	24
85316	16mm	38	24
85317	17mm	38	20
85318	18mm	38	18
85319	19mm	38	18
85320	20mm	38	15
85321	21mm	38	15
85322	22mm	38	12
85323	23mm	38	12
85324	24mm	38	12
85327	27mm	42	8
85330	30mm	44	6
85332	32mm	44	6

1/2" Dr. 6PT Socket(blue band)
12.5mm系列蓝带12角套筒

Cr-V | 1/2" | BESTIR



- Forged from chromium-vanadium steel;
- Thin-wall design.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
85708	8mm	38	24
85709	9mm	38	24
85710	10mm	38	24
85711	11mm	38	24
85712	12mm	38	24
85713	13mm	38	24
85714	14mm	38	24
85715	15mm	38	24
85716	16mm	38	24
85717	17mm	38	20
85718	18mm	38	18
85719	19mm	38	18
85720	20mm	38	15
85721	21mm	38	15
85722	22mm	38	12
85723	23mm	38	12
85724	24mm	38	12
85727	27mm	42	8
85730	30mm	44	6
85732	32mm	44	6

3/8" Dr. Spark Plug Socket
10mm系列镜面火花塞套筒

Cr-V | 3/8" | BESTIR



- Precisely machined from chromium-vanadium steel (50BV30), sturdy and durable;
- The socket is equipped with a built-in rubber plug to prevent spark plug scratches, enabling effective clamping and better spark plug installation/removal;
- Mirror-finish polishing and electroplating treatment, featuring strong corrosion resistance and rust prevention.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
82981	16mm	65	12
82982	18mm	65	12
82983	21mm	65	12

3/8" Dr. Spark Plug Socket
10mm系列雾面薄壁火花塞套筒

Cr-V | 3/8" | BESTIR



- Originally produced in Taiwan, China, forged from high-quality chromium-vanadium steel;
- Thin-wall design, suitable for operation in narrow spaces;
- Built-in magnetic ring, which can adsorb spark plugs for more convenient use;
- Torque ≤ 32 N·m (Newton-meters), must be used with a torque wrench;
- This socket is a manual tool; it is strictly prohibited to connect it to pneumatic or electric tools;
- Suitable for multiple car models such as BMW, Mercedes-Benz and Renault.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
82980	14mm	65	12

1/2" Dr. Spark Plug Socket
12.5mm系列镜面火花塞套筒

Cr-V | 1/2" | BESTIR



- Precisely machined from chromium-vanadium steel (50BV30), sturdy and durable;
- The socket is equipped with a built-in rubber plug to prevent spark plug scratches, enabling effective clamping and better spark plug installation/removal;
- Mirror-finish polishing and electroplating treatment, featuring strong corrosion resistance and rust prevention.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83981	16mm	65	24
83983	21mm	65	12

3/4" Dr. 6PT Socket
19mm系列公制6角套筒

Cr-Mo | 3/4" | BESTIR



- Made of high-quality chrome-molybdenum steel, more robust and durable;
- Inner fillet design to increase the contact surface.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
86319	19mm	50	6
86320	20mm	50	6
86321	21mm	50	6
86322	22mm	50	6
86323	23mm	50	6
86324	24mm	50	6
86325	25mm	50	6
86326	26mm	50	6
86327	27mm	52	6
86328	28mm	52	6
86329	29mm	52	6
86330	30mm	54	6
86331	31mm	54	6
86332	32mm	56	6
86333	33mm	56	6
86334	34mm	56	6
86335	35mm	56	6
86336	36mm	58	6
86338	38mm	60	6
86341	41mm	64	6
86346	46mm	68	4
86350	50mm	72	1

3/4" Dr. 12PT Socket
19mm系列公制12角套筒

Cr-Mo | 3/4" | BESTIR



- Made of high-quality chrome-molybdenum steel, more robust and durable;
- Inner fillet design to increase the contact surface.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
86719	19mm	50	6
86720	20mm	50	6
86721	21mm	50	6
86722	22mm	50	6
86723	23mm	50	6
86724	24mm	50	6
86725	25mm	50	6
86726	26mm	50	6
86727	27mm	52	6
86728	28mm	52	6
86729	29mm	52	6
86730	30mm	54	6
86731	31mm	54	6
86732	32mm	56	6
86733	33mm	56	6
86734	34mm	56	6
86735	35mm	56	6
86736	36mm	58	6
86738	38mm	60	6
86741	41mm	64	6
86746	46mm	68	4
86750	50mm	72	4

1" Dr. 6PT Socket
25mm系列公制6角套筒

Cr-Mo | 1" | BESTIR



- Made of high-quality chrome-molybdenum steel, torque increased by 30%, more robust and durable;
- Special arc inner corner design, effectively reducing wear on the sharp corners of nuts and preventing slippage during operation;
- Mirror embossing and fine polishing treatment, rust-resistant and durable;
- Widely used in industries such as mining, metallurgy, shipbuilding, and auto repair, suitable for heavy machinery maintenance and the installation/removal of large screws.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
86355	55mm	80	1/20
86360	60mm	80	1/12
86365	65mm	87	1/12

1" Dr. 12PT Socket
25mm系列公制12角套筒

Cr-Mo | 1" | BESTIR



- Made of high-quality chrome-molybdenum steel, torque increased by 30%, more robust and durable;
- Special arc inner corner design, effectively reducing wear on the sharp corners of nuts and preventing slippage during operation;
- Mirror embossing and fine polishing treatment, rust-resistant and durable;
- Widely used in industries such as mining, metallurgy, shipbuilding, and auto repair, suitable for heavy machinery maintenance and the installation/removal of large screws.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
86755	55mm	80	1/20
86760	60mm	80	1/12
86765	65mm	87	1/12





The Tool Book

BESTIR
Screwdriver Socket



Key Features:
1. Socket Adapter: Made of 50BV30 chromium -vanadium steel via cold heading, fully quenched, with hardness reaching HRC45-50, sturdy, durable and high-torque;
2. Surface Treatment: Mirror-finish polishing and electroplating, strong corrosion resistance, rust-proof, extending service life;
3. Bit Material: High-grade alloy steel (S-2), high-frequency quenched, with hardness reaching HRC58-60, resistant to breakage and slippage;
4. Length Options: 38mm, 50mm, 55mm, 100mm, 140mm, suitable for different work requirements;
5. Drive Size Options: 1/4", 3/8", 1/2" (three types available).

1/4"Dr.Phillips Bit Socket
6.3mm系列十字旋具套筒

S2 | 1/4" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
71301	PH1#	38	10/50
71302	PH2#	38	10/50
71303	PH3#	38	10/50

1/4"Dr.Slottet Bit Socket
6.3mm系列一字旋具套筒

S2 | 1/4" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
71501	4.0mm	38	10/50
71502	5.5mm	38	10/50
71503	6.5mm	38	10/50
71504	7.0mm	38	10/50

1/4"Dr.Hex Bit Socket
6.3mm系列6角旋具套筒

S2 | 1/4" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
71202	H2.5	38	10/50
71203	H3	38	10/50
71204	H4	38	10/50
71205	H5	38	10/50
71206	H6	38	10/50
71207	H7	38	10/50
71208	H8	38	10/50

1/4"Dr.Torx Bit Socket
6.3mm系列花型旋具套筒

S2 | 1/4" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
71108	T8	38	10/50
71110	T10	38	10/50
71115	T15	38	10/50
71120	T20	38	10/50
71125	T25	38	10/50
71127	T27	38	10/50
71130	T30	38	10/50
71140	T40	38	10/50

1/4"Dr.Pozi Bit Socket
6.3mm系列米字旋具套筒

S2 | 1/4" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
71401	PZ1#	38	10/50
71402	PZ2#	38	10/50
71403	PZ3#	38	10/50

3/8"Dr.Hex Bit Socket
10mm系列6角旋具套筒

S2 | 3/8" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
72203	H3	50	6/120
72204	H4	50	6/120
72205	H5	50	6/120
72206	H6	50	6/120
72207	H7	50	6/120
72208	H8	50	6/120
72210	H10	50	6/120

3/8"Dr.Torx Bit Socket
10mm系列花型旋具套筒

S2 | 3/8" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
72110	T10	50	6/120
72115	T15	50	6/120
72120	T20	50	6/120
72125	T25	50	6/120
72127	T27	50	6/120
72130	T30	50	6/120
72140	T40	50	6/120
72145	T45	50	6/120
72150	T50	50	6/120
72155	T55	50	6/120
72160	T60	50	6/120

3/8"Dr.Pozi Bit Socket
10mm系列米字旋具套筒

S2 | 3/8" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
72401	PZ1#	50	6/120
72402	PZ2#	50	6/120
72403	PZ3#	50	6/120



3/8"Dr.Phillips Bit Socket
10mm系列十字旋具套筒

S2 | 3/8" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
72301	PH1#	50	6/120
72302	PH2#	50	6/120
72303	PH3#	50	6/120

3/8"Dr.Slottet Bit Socket
10mm系列一字旋具套筒

S2 | 3/8" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
72500	4.0mm	50	10/50
72501	5.5mm	50	10/50
72502	6.5mm	50	10/50
72503	8.0mm	50	10/50

1/2"Dr.Torx Bit Socket(55L)
12.5mm系列55L花型旋具套筒

S2 | 1/2" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
74125	T25	55	12
74127	T27	55	12
74130	T30	55	12
74140	T40	55	12
74145	T45	55	12
74150	T50	55	12
74155	T55	55	12
74160	T60	55	12
74170	T70	55	12



1/2"Dr. 12PT Bit Socket(55L)
12.5mm系列55L 12角旋具套筒

S2 | 1/2" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
74605	M5	55	12
74606	M6	55	12
74608	M8	55	12
74610	M10	55	12
74612	M12	55	12
74614	M14	55	12
74616	M16	55	12
74618	M18	55	8

1/2"Dr.Hex Bit Socket(55L)
12.5mm系列55L6角旋具套筒

S2 | 1/2" | BESTIR



■ The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
74203	H3	55	12
74204	H4	55	12
74205	H5	55	12
74206	H6	55	12
74207	H7	55	12
74208	H8	55	12
74210	H10	55	12
74212	H12	55	12
74214	H14	55	12
74217	H17	55	8
74219	H19	55	8

1/2"Dr.Hex Bit Socket(100L)
12.5mm系列100L6角旋具套筒

S2 | 1/2" | BESTIR



- The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
75204	H4	100	9
75205	H5	100	9
75206	H6	100	9
75207	H7	100	9
75208	H8	100	9
75210	H10	100	9
75212	H12	100	9
75214	H14	100	9
75217	H17	100	9
75219	H19	100	9

1/2"Dr.Torx Bit Socket(100L)
12.5mm系列100L花型旋具套筒

S2 | 1/2" | BESTIR




- The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
75125	T25	100	9
75127	T27	100	9
75130	T30	100	9
75140	T40	100	9
75145	T45	100	9
75150	T50	100	9
75155	T55	100	9
75160	T60	100	9
75170	T70	100	9

1/2"Dr.12PT Bit Socket(100L)
12.5mm系列100L12角旋具套筒

S2 | 1/2" | BESTIR



- The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
75605	M5	100	9
75606	M6	100	9
75608	M8	100	9
75610	M10	100	9
75612	M12	100	9
75614	M14	100	9
75616	M16	100	9
75618	M18	100	9

1/2"Dr.Torx Bit Socket(140L)
12.5mm系列140L花型旋具套筒

S2 | 1/2" | BESTIR



- The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.
- Specialized for removing/installing cylinder head bolts of car engines, applicable to Volkswagen series, Audi, Jetta, Bora, etc.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
76152	T52	140	9

1/2"Dr.12PT Bit Socket(140L)
12.5mm系列140L 12角旋具套筒

S2 | 1/2" | BESTIR



- The screwdriver bit is made of S2 alloy steel and undergoes overall quenching, with high resistance to breakage.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
76609	M9	140	9



Magnetic Bit Socket
磁力套筒

BESTIR



- Made of high-quality tool steel with strong magnetism on the head ;
- It can be used with ordinary electric hand drills, pneumatic screwdrivers and electric screwdrivers, mainly for installing and removing hexagon head screws and nuts.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
87106	6mm	42	100/800
87107	7mm	42	100/800
87108	8mm	42	100/800
87109	9mm	42	100/800
87110	10mm	50	100/800

Magnetic Bit Socket
磁力套筒

BESTIR



- Made of high-quality tool steel with strong magnetism on the head ;
- It can be used with ordinary electric hand drills, pneumatic screwdrivers and electric screwdrivers, mainly for installing and removing hexagon head screws and nuts.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
87208	8mm	65	75/450
87210	10mm	65	70/420
87211	11mm	65	60/360
87212	12mm	65	50/300
87213	13mm	65	50/300
87214	14mm	65	50/300

9PCS Bit Sockets
9件电钻风批套筒组套

BESTIR





- Precision-forged from high-quality alloy steel, wear-resistant;
- Overall heat treatment, high hardness and anti-slip;
- Multiple specifications available;
- Suitable for electric hand drills, pneumatic screwdrivers and electric screwdrivers, used for assembling and disassembling hexagon head screws.

Item No. 货号	Size 规格	QTY 装箱数
93128	9PCS	12/144

Configuration List:
H5x34L、H6x36L、H7x36L、H8x36L、H9x36L、H10x38L、H11x38L、H12x38L、H13x38L

14PCS Bit Sockets
14件电钻风批套筒组套

BESTIR





- Precision-forged from high-quality alloy steel, wear-resistant;
- Overall heat treatment, high hardness and anti-slip;
- Multiple specifications available;
- Suitable for electric hand drills, pneumatic screwdrivers and electric screwdrivers, used for assembling and disassembling hexagon head screws.

Item No. 货号	Size 规格	QTY 装箱数
93129	14PCS	10/100

Configuration List:
H5x34L、H5.5x36L、H6x36L、H7x36L、H8x36L、H10x38L、H12x38L、H3/16x34L、H1/4x36L、H9/32x36L、H5/16x36L、H11/32x36L、H3/8x38L、H7/16x38L



Bit Holder
电动扳手伸缩头转换头

BESTIR



- 1/2"Square Drive (for connecting electric wrenches)
- 1/4" Hex Shank (for connecting screwdriver bits)



- Forged from alloy steel, highly durable;
- Retractable spring sleeve design, facilitates bit replacement and ensures secure clamping;
- Converts 1/2" square drive to 1/4" hex hole, compatible with screwdriver bits and magnetic sockets.

Item No. 货号	QTY 装箱数
63945	20

3PCS Cordless Wrench Adapter Set
3件电动扳手转换接杆


1/4" | 3/8" | 1/2" | BESTIR



(Hex Shank to Square Drive)

- Forged from alloy steel, highly durable;
- Retractable spring sleeve design, facilitates bit replacement and ensures secure clamping;
- Converts 1/2" square drive to 1/4" hex hole, compatible with screwdriver bits and magnetic sockets.

Item No. 货号	Size 规格	QTY 装箱数
81912	1/4"x65mm	
82907	3/8"x65mm	
83917	1/2"x72mm	
93121	3PCS	60



24PCS 1/2"DR. 12PT Bit Socket Set
24件十二角旋具套筒组套

S2
1/2"



- Forged from high-quality S2 alloy steel, featuring high hardness, good toughness, durability and wear resistance;
- Red surface treatment ensures strong adhesion, oil resistance and rust prevention; Complete specifications, convenient and neat
- storage, widely used in automobile assembly, maintenance and other operations.

Item No. 货号	Size 规格	QTY 装箱数
93132	24PCS	10Sets

Configuration List:

- 8PCS 1/2"Dr.x55mm(L) M(5、6、8、10、12、14、16、18)
- 6PCS 1/2"Dr.x100mm(L) M(5、6、8、9、12、14)
- 6PCS 1/2"Dr.x140mm(L) M(5、6、8、10、12、14)
- 4PCS 1/2"Dr.x200mm(L) M(8、10、12、14)



24PCS 1/2"DR. 6PT Bit Socket Set
24件六角旋具套筒组套

BESTIR

S2
1/2"



- Forged from high-quality S2 alloy steel, featuring high hardness, good toughness, durability and wear resistance;
- Red surface treatment ensures strong adhesion, oil resistance and rust prevention; Complete specifications, convenient and neat
- storage, widely used in automobile assembly, maintenance and other operations.

Item No. 货号	Size 规格	QTY 装箱数
93131	24PCS	10Sets

Configuration List:

- 8PCS 1/2"Dr.x55mm(L) H(6、7、8、10、12、14、17、19)
- 6PCS 1/2"Dr.x100mm(L) H(5、6、7、9、11、13)
- 6PCS 1/2"Dr.x140mm(L) H(6、7、8、10、12、14)
- 4PCS 1/2"Dr.x200mm(L) H(8、10、12、14)



24PCS 1/2"DR. Torx Bit Socket Set
24件花型旋具套筒组套

BESTIR

S2
1/2"



- Forged from high-quality S2 alloy steel, featuring high hardness, good toughness, durability and wear resistance;
- Red surface treatment ensures strong adhesion, oil resistance and rust prevention; Complete specifications, convenient and neat
- storage, widely used in automobile assembly, maintenance and other operations.

Item No. 货号	Size 规格	QTY 装箱数
93133	24PCS	10Sets

Configuration List:

- 8PCS 1/2"Dr.x55mm(L) T(40、45、50、55、60、70、80、90)
- 6PCS 1/2"Dr.x100mm(L) T(20、25、30、55、60、70、)
- 6PCS 1/2"Dr.x140mm(L) T(40、45、50、55、60、70、)
- 4PCS 1/2"Dr.x200mm(L) T(50、55、60、70、)



Adapter
转换接头

BESTIR

Cr-V
1/4"
3/8"
1/2"




- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83940	3/8" to 1/2"	35	10
83941	1/2" to 3/8"	35	10
83949	3/8" to 1/4"	35	20
83950	1/4" to 3/8"	35	25

Sliding Adapter
滑头系列

BESTIR

Cr-Mo
3/4"
1"



- Forged from high-quality chrome-molybdenum steel (SCM440) and fully quenched, making it more sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
86912	3/4"	84	6/48
86913	1"	84	4/24

Extension Bar
压花接杆系列

BESTIR

Cr-V
1/4"
3/8"
1/2"




- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
81901	1/4"	50	15
81902	1/4"	75	10
81903	1/4"	100	10
81904	1/4"	150	14
82901	3/8"	75	10
82902	3/8"	150	5
82903	3/8"	250	15
83901	1/2"	75	20/200
83903	1/2"	125	24/72
83912	1/2"	125	20/120
83907	1/2"	250	12/36
83913	1/2"	250	10/60
83911	1/2"	500	25

3Way Adapter
三用接头系列

BESTIR

Cr-V
3/4"
3/8"
1/2"



- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
83943	1/2" to 3/8"	42	10
83944	1/2"to 3/8"(Matte)	42	10
83939	3/8" to 1/2"	40	12
83915	1" to 3/4"(Cr-Mo)	73	6/24

Universal Joint
万向接头

BESTIR

Cr-V
1/4"
3/8"
1/2"
3/4"



- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No. 货号	Size 规格	QTY 装箱数
81941	1/4"	10
82941	3/8"	10
83947	1/2"	18
86914	3/4"	4/24

3-in-1 adapter (with extension bar):
acts as sliding bar head, boosts torque.



3/4"Dr. Extension Bar
19mm系列接杆

Cr-Mo
3/4"

BESTIR



- Forged from high-quality chrome-molybdenum steel (SCM440) and fully quenched, making it more sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
86901	3/4"	100	12/48
86902	3/4"	200	6/24

1/4"Dr.Soft Extension Bar
转换接头

Cr-V | 1/4" | BESTIR



- Precision-made from chrome-vanadium steel, fully heat-treated, sturdy and durable;
- Mirror-polished & electroplated, strong corrosion resistance, rust-proof;
- For use with 1/4" ratchet wrenches, flexible and bendable;
- Suitable for removing/installing screws in small, narrow or angled/turned spaces.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81952	1/4"	150	12

1/2"Dr. Sliding T Handle
12.5mm系列长接杆滑行柄

Cr-V | 1/2" | BESTIR




- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
83934	1/2"	250	6

1/2"Dr.Speed Handle
12.5mm系列大弯弓

Cr-V | 1/2" | BESTIR




- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
83924	1/2"	400	25/50

Sliding T Handle
镜面滑行杆

Cr-V | 1/4" | 3/8" | 1/2" | BESTIR



- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81931	1/4"	110	10
82931	3/8"	165	10
83936	1/2"	250	10/60

1/4"Spinner Handle
6.3mm黑色麻柄双头方杆

Cr-V | 1/4" | BESTIR



- Precisely made of high-quality chrome-vanadium steel, with the rotating rod heat-treated;
- Mirror-finish polishing and electroplating, offering strong corrosion resistance and rust prevention.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81951	1/4"	150	10

L-type Handle
镜面弯柄系列

Cr-V | 1/4" | 3/8" | 1/2" | BESTIR



- Made of high-quality chrome-vanadium steel through precision manufacturing and overall heat treatment, it is sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81921	1/4"	150	20/100
82922	3/8"	250	20/60
83921	1/2"	250	12/48
83922	1/2"	250	12/48
83923	1/2"	300	15/30
83925	1/2"	400	15/30

Dr. Sliding T Handle
铬钼钢滑行柄

Cr-Mo | 3/4" | 1" | BESTIR



- Forged from high-quality chrome-molybdenum steel (SCM440) and fully quenched, making it more sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
86931	3/4"	510	4/16
86932	1"	525	3/12

3/4"Dr.Extension handle
19mm加力杆

Cr-Mo | 3/4" | BESTIR



- Forged from high-quality chrome-molybdenum steel (SCM440) and fully quenched, making it more sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
86935	3/4"	500	2/12

3/4"Dr. L-type Handle
19mm镜面压花弯柄

Cr-Mo | 3/4" | BESTIR



- Forged from high-quality chrome-molybdenum steel (SCM440) and fully quenched, making it more sturdy and durable;
- With mirror-finish polishing and electroplating treatment, it features strong corrosion resistance and is not easy to rust.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
86925	3/4"	410	2/8
86926	3/4"	510	2/6

1" Dr.L Handle
25mm系列发黑弯柄

Cr-Mo | 1" | BESTIR




- Forged from high-quality chrome-molybdenum steel (SCM440), fully quenched;
- Phosphated surface treatment, wear-resistant.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
86924	1"	800	4

1" Dr.F Handle
25mm转向手柄F杆

Cr-Mo | 1" | BESTIR



- Forged from high-quality chrome-molybdenum steel (SCM440), fully quenched;
- Mirror-finish polishing and electroplating treatment.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
86954	1"	760	1/6

1/2" Dr.F Handle
12.5mm镜面F杆

Cr-V | 1/2" | BESTIR




- Precisely made of high-quality chrome-vanadium steel, with mirror-finish polishing and electroplating;
- Knurled handle design for effective anti-slip performance.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
83951	1/2"	250	30

Spark Plug Socket
加长T型火星套筒

BESTIR



- Extended length design, suitable for assembling/ disassembling spark plugs in deep positions;
- Sleeve with mirror-finish polishing and electroplating, strong corrosion resistance, rust-proof.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
83994	16mm	375	10/60
83996	21mm	375	10/60

Ratchet Handle
压花柄棘轮扳手

1/4" | 1/2" | BESTIR



- Mirror-finish polishing and electroplating treatment;
- Rotatable direction cap for quick clockwise/ counterclockwise adjustment;
- Knurled handle design for effective anti-slip grip.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81961	1/4"	135	12
83964	1/2"	250	6/60

Ratchet Handle
黑胶柄棘轮扳手

Cr-V | 1/2" | BESTIR



- Made of high-quality chrome-vanadium steel, featuring high hardness and durability;
- Rotatable direction cap for quick clockwise/ counterclockwise adjustment; Non-slip handle design for comfortable grip.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
83962	1/2"	260	6/60



Quick Release Ratchet Handle
黑胶柄葫芦棘轮扳手

1/4" | 3/8" | 1/2" | BESTIR



- Mirror-finish polishing and electroplating treatment;
- Directional shift paddle for quick adjustment;
- Non-slip handle design for comfortable grip.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81962	1/4"	150	6/72
82961	3/8"	216	6/72
83966	1/2"	255	6/36

Quick Release Ratchet Handle
伸缩柄葫芦自脱棘轮扳手

Cr-V | 1/2" | BESTIR





Telescopic Extended Handle Design

- Drive head: Precisely forged from CR-V chrome-vanadium steel, with mirror-finish polishing;
- 72-tooth ratchet, requiring only 5° rotation for operation;
- Equipped with quick-release function;
- Extended telescopic handle for enhanced torque;
- One-handed direction switching capability.


Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
83977	1/2"	440	10/20

The Tool Book

Quick Release Ratchet Handle



Assembly Diagram



Quick Release Ratchet Handle
重型弯柄葫芦棘轮扳手

Cr-V
1/4"
3/8"



- Exquisitely made of high-quality chrome-vanadium steel, with bright chrome plating on t
- he surface;
- 45-tooth ratchet mechanism, labor-saving, fast and high-torque, suitable for mechanical
- maintenance in small-angle ranges;
  Heavy-duty new eco-friendly curved handle, non-slip and comfortable;
  One-click quick socket change design, easy to operate with one hand.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81966	1/4"	150	5/75
82965	3/8"	200	6/72
82967	3/8"	200	6/72


Quick Release Ratchet Handle
直柄葫芦棘轮扳手

Cr-V
1/4"
3/8"
1/2"



- Exquisitely made of high-quality chrome-vanadium steel, with bright chrome plating on t
- he surface;
- 45-tooth ratchet mechanism, labor-saving, fast and high-torque, suitable for mechanical
- maintenance in small-angle ranges;
  Heavy-duty new eco-friendly curved handle, non-slip and comfortable;
  One-click quick socket change design, easy to operate with one hand.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
81970	1/4"	150	6/72
82970	3/8"	200	6/72
83980	1/2"	250	6/36



3/4"Dr. Ratchet Wrench
19mm系列棘轮扳手

Cr-Mo
3/4"



- Forged from high-quality chrome-molybdenum steel (SCM440), fully quenched;
- Heavy-duty structural design for super strong torque;
- Mirror-finish polishing and electroplating treatment;
- Rotatable direction cap for quick clockwise/counterclockwise adjustment;
- Knurled handle design, non-slip and durable.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
86961	3/4"	475	12

3/4"Dr. Ratchet Wrench
19mm葫芦棘轮扳手 (电镀头)

Cr-Mo
3/4"



- Forged from high-quality chrome-molybdenum steel (SCM440), fully quenched;
- Phosphating treatment on the head surface (wear-resistant);
- knurled handle design (non-slip and durable);
- Heavy-duty structure with super strong torque;
- Directional shift paddle for quick adjustment.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
86963	3/4"	480	6

3/4"Dr.Ratchet Handle Head
19mm快脱棘轮扳头

Cr-Mo
3/4"




- Made of high-quality chrome-molybdenum steel, with overall heat treatment for durability;
- Mirror-finish polishing and electroplating for rust and corrosion resistance;
- Heavy-duty structure, powerful torque;
- One-click quick socket change, easy one-handed operation.

Item No.	Size	QTY
货号	规格	装箱数
86965	3/4"	2/12

Torque Wrench
胶柄扭力扳手

Cr-V
1/2"




- Precisely forged from chrome-vanadium steel, durable with super strong torque;
- Surface fogging treatment;
- Ergonomic handle, non-slip and comfortable;
- Analog dial with clear scale markings.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
06102	1/2"(0-300N.m)	480	20

Torque Wrench
抛光扭力扳手

Cr-V
1/2"
3/4"



- Precisely forged from chrome-vanadium steel, durable with strong torque;
- Mirror-finish polishing and electroplating treatment; knurled handle design for non-slip durability;
- Analog dial with clear scale markings.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
06101	1/2"(0-300N.m)	480	20
06103	3/4"(0-500N.m)	550	20

Torque Wrench
预置式扭矩扳手

Cr-Mo
1/2"



- Drive head: Precisely forged from Cr-Mo chrome-molybdenum steel, with mirror-finish polishing;
- Forward torque accuracy ±4%; 24-tooth ratchet head for labor-saving and quick operation;
- Directional shift paddle: Quick adjustment with quick-release function;
- Rotatable handle enables micrometer-based torque presetting;
- Knurled handle design, non-slip and durable.

⚠ This precision instrument offers free repair and calibration within 3 months of purchase (based on invoice date) for damage caused by material or craftsmanship defects.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
06206	1/2"(28-210N.m)	465	10

Adjustable Torque Wrench
可调式扭力扳手

BESTIR

Cr-Mo

1/4"
3/8"
1/2"



Accuracy: ±3%

- Drive head: Precisely forged from CR-MO chrome-molybdenum steel, with surface fogging treatment;
- Aluminum alloy knurled handle, non-slip and rust-proof;
- Push-pull locking structure, easy and safe to adjust;
  Note: This product can only be used as a calibration tool and must not be used as a fastening tool.

⚠ This precision instrument offers free repair and calibration within 3 months of purchase (based on invoice date) for damage caused by material or craftsmanship defects.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
06301	1/4"(5-25)N.m	250	50
06302	3/8"(10-60)N.m	415	16
06303	1/2"(10-110)N.m	470	16
06304	1/2"(30-210)N.m	490	16
06305	1/2"(60-330)N.m	565	12

Adjustable Torque Wrench
可换头机械式扭力扳手

BESTIR

Cr-V



Accuracy: ±3%



Wrench head inserts need to be purchased separately.

- Joint: Forged from chrome-vanadium steel, with chrome plating on the surface;
- Shank: Made of high-quality carbon steel, fully heat-treated for high durability;
- Push-pull locking structure, easy to adjust;
- Aluminum alloy knurled handle, non-slip and rust-proof;
- Compatible interfaces: Can be used with 9x12mm, 14x18mm square drive wrench heads (to be purchased separately);
- Note: This product can only be used as a calibration tool and must not be used as a fastening tool.

⚠ This precision instrument offers free repair and calibration within 3 months of purchase (based on invoice date) for damage caused by material or craftsmanship defects.


Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
06321	5-25N.m-9x12mm	248	30
06322	10-60N.m-9x12mm	297	25
06324	10-60N.m-14x18mm	422	12
06325	10-110N.m-14x18mm	469	12
06326	30-210N.m-14x18mm	490	12
06327	60-330N.m-14x18mm	562	10

Window-Type Torque Wrench
视窗式扭力扳手

BESTIR

Cr-Mo

3/4"
1"



Accuracy: ±3%

- Drive head: Precisely forged from CR-MO chrome-molybdenum steel, offering enhanced durability;
- Fine-tuning window display for clear readings and precise, intuitive settings;
- Push-pull locking structure for easy adjustment;
- Note: This product can only be used as a calibration tool and must not be used as a fastening tool.


⚠ This precision instrument offers free repair and calibration within 3 months of purchase (based on invoice date) for damage caused by material or craftsmanship defects.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
06310	3/4"(100-550)N.m	900	2
06306	3/4"(200-1000)N.m	1115	2
06307	1"(300-1500)N.m	1250	2
06308	1"(400-2000)N.m	1250	2
06309	1"(600-3000)N.m	1250	2





Original Imported Torque Wrench Calibrator







Quick Connector



One-Press Quick Disassembly



Ratchet Direction Switching

⚠ Torque wrenches (precision instruments) offer free repair and calibration within 3 months of purchase (based on invoice date) for damage caused by material or craftsmanship defects.

Digital Torque Wrench
数显扭力扳手

BESTIR

Cr-V
1/4"
3/8"
1/2"



- Precision chip design and manufacturing; large backlit display for accurate reading;
- Quick-release device enabling one-handed forward and reverse rotation;
- User-friendly design for simple, intuitive operation;
- Accuracy: Forward rotation ±2%, reverse rotation ±2.5%.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
06505	1/4"DR.	0.6-10N.m	10
06506	1/4"DR.	1.8-30N.m	10
06507	3/8"DR.	1.8-30N.m	10
06508	3/8"DR.	3.6-60N.m	10
06509	3/8"DR.	5.1-85N.m	10
06510	3/8"DR.	8-135N.m	10
06511	1/2"DR.	8-135N.m	10
06512	1/2"DR.	12-200N.m	10
06513	1/2"DR.	20.4-340N.m	10
06514	3/4"DR.	30-500N.m	1
06515	3/4"DR.	51-850N.m	1

Digital Torque Wrench
迷你数显扭力扳手

BESTIR

Cr-V
1/4"
3/8"
1/2"



- Ratchet head: Forged from high-quality chrome-vanadium steel with mirror chrome plating;
- Quick-release device for one-handed forward and reverse rotation
- Short design: Portable and more suitable for use in narrow spaces
- Multiple mode switching to meet different application scenarios
- Accuracy: Forward rotation ±2%, reverse rotation ±2.5%.

Item No. 货号	Size 规格	QTY 装箱数
06501	1/4"DR. 0.3~10N.m	10
06502	1/4"DR. 0.9~30N.m	10
06503	3/8"DR. 1.8~60N.m	10
06504	1/2"DR. 3~100N.m	10

Digital Torque Wrench
可换头数显扭力扳手

BESTIR

Cr-V



- Precision chip manufacturing; large backlit display for accurate reading;
- Replaceable head for versatile use with one wrench;
- User-friendly design for simple, intuitive operation;
- Accuracy: Forward rotation ±2%, reverse rotation ±2.5%.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
06611	0.6-10N.m-9x12mm	369mm	5
06612	1.8-30N.m-9x12mm	369mm	5
06613	3.6-60N.m-9x12mm	377mm	25
06614	5.1-85N.m-9x12mm	377mm	5
06615	8-135N.m-9x12mm	377mm	25
06616	12-200N.m-14x18mm	478mm	10
06617	20.4-340N.m-14x18mm	720mm	15

Digital Torque Wrench
迷你可换头数显扭力扳手

BESTIR

Cr-V



- Forged from high-quality alloy steel with mirror chrome plating;
- Replaceable head for versatile use with one wrench;
- Digital display for accurate and intuitive reading;
- Short design: Portable and suitable for narrow spaces;
- Accuracy: Forward rotation ±2%, reverse rotation ±2.5%.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
06601	0.3~10N.m-9x12mm	205mm	10
06602	0.9~30N.m-9x12mm	205mm	15
06603	1.8~60N.m-9x12mm	205mm	10
06604	3~100N.m-9x12mm	240mm	5

Digital Torque Wrench
数显钢筋头扭力扳手

BESTIR

Cr-V



- Forged from high-quality alloy steel with mirror chrome plating;
- Replaceable head for versatile use with one wrench;
- Digital display for accurate and intuitive reading;
- Short design: Portable and suitable for narrow spaces;
- Accuracy: Forward rotation ±2%, reverse rotation ±2.5%.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
06631	17-340N.m-(0~45mm)	720mm	10
06632	20.5-410N.m-(0~45mm)	720mm	10

Digital Display Torque Meter
数显扭力计

BESTIR

Cr-V
1/2"



Standard-Equipped Adapter



- Precision chip manufacturing; large backlit display for accurate reading;
- Compact and portable;
- Can be used with a standard ratchet wrench or offset handle to function as a digital torque wrench;
- Accuracy: Forward rotation ±2%, reverse rotation ±2.5%.

Item No. 货号	Size 规格	QTY 装箱数
06521	1/2"DR. 13.5~135N.m	10

Ratchet Head
棘轮头插件

BESTIR

Cr-V
1/4"
3/8"
1/2"
3/4"



- Made of chrome-vanadium steel with a chrome-plated surface;
- Integrally hot-forged for sturdiness and durability;
- Ratchet design for labor-saving, fast, flexible and convenient operation;
- Suitable for narrow spaces with dense, hard-to-reach bolt connections.

Item No. 货号	Size 规格	LxW mm 长x宽
06481	1/4"	9x12mm
06482	3/8"	9x12mm
06483	1/2"	9x12mm
06392	3/8"	14x18mm
06393	1/2"	14x18mm
06394	3/4"	14x18mm

Ring and Open ends
梅开扭力扳手头插件

BESTIR

Cr-V



- Made of chrome-vanadium steel with a chrome-plated surface;
- Integrally hot-forged for sturdiness and durability;
- Flexible and easy head replacement;
- Suitable for narrow spaces with dense, hard-to-reach bolt connections.

Item No. 货号	Size 规格	LxW mm 长x宽
06460	10mm	9x12mm
06461	11mm	9x12mm
06462	12mm	9x12mm
06463	13mm	9x12mm
06464	14mm	9x12mm
06466	16mm	9x12mm
06467	17mm	9x12mm
06468	18mm	9x12mm
06469	19mm	9x12mm
06471	21mm	9x12mm
06472	22mm	9x12mm

Open End Wrench Plug
开口扭力扳手头插件

BESTIR

Cr-V



- Made of chrome-vanadium steel with a chrome-plated surface;
- Integrally hot-forged for sturdiness and durability;
- Flexible and easy head replacement;
- Suitable for narrow spaces with dense, hard-to-reach bolt connections.

Item No. 货号	Size 规格	LxW mm 长x宽
06421	7mm	9x12mm
06422	8mm	9x12mm
06423	9mm	9x12mm
06424	10mm	9x12mm
06425	11mm	9x12mm
06426	12mm	9x12mm
06427	13mm	9x12mm
06428	14mm	9x12mm
06429	15mm	9x12mm
06430	16mm	9x12mm
06431	17mm	9x12mm
06432	18mm	9x12mm
06433	19mm	9x12mm
06331	8mm	14x18mm
06332	9mm	14x18mm
06333	10mm	14x18mm
06334	11mm	14x18mm
06335	12mm	14x18mm
06336	13mm	14x18mm
06337	14mm	14x18mm
06338	15mm	14x18mm
06339	16mm	14x18mm
06340	17mm	14x18mm
06341	18mm	14x18mm
06342	19mm	14x18mm
06343	20mm	14x18mm
06344	21mm	14x18mm
06345	22mm	14x18mm
06346	24mm	14x18mm
06347	27mm	14x18mm
06348	30mm	14x18mm
06349	32mm	14x18mm
06350	34mm	14x18mm
06351	36mm	14x18mm
06352	38mm	14x18mm
06353	39mm	14x18mm
06354	41mm	14x18mm

Ring Ends
梅花扭力扳手头插件

BESTIR

Cr-V



- Made of chrome-vanadium steel with a chrome-plated surface;
- Integrally hot-forged for sturdiness and durability;
- Flexible and easy head replacement;
- Suitable for narrow spaces with dense, hard-to-reach bolt connections.

Item No. 货号	Size 规格	LxW mm 长x宽
06441	7mm	9x12mm
06442	8mm	9x12mm
06444	10mm	9x12mm
06445	11mm	9x12mm
06446	12mm	9x12mm
06447	13mm	9x12mm
06448	14mm	9x12mm
06449	15mm	9x12mm
06450	16mm	9x12mm
06451	17mm	9x12mm
06452	18mm	9x12mm
06453	19mm	9x12mm
06455	21mm	9x12mm
06456	22mm	9x12mm
06361	8mm	14x18mm
06363	10mm	14x18mm
06364	11mm	14x18mm
06365	12mm	14x18mm
06366	13mm	14x18mm
06367	14mm	14x18mm
06368	15mm	14x18mm
06369	16mm	14x18mm
06370	17mm	14x18mm
06371	18mm	14x18mm
06372	19mm	14x18mm
06373	20mm	14x18mm
06374	21mm	14x18mm
06375	22mm	14x18mm
06376	24mm	14x18mm
06377	27mm	14x18mm
06378	28mm	14x18mm
06379	30mm	14x18mm
06380	32mm	14x18mm
06381	34mm	14x18mm
06382	36mm	14x18mm
06383	41mm	14x18mm



1" Dr.Impact Socket
25mm系列公制风动套筒

Cr-Mo | 1"



- Made of chrome-molybdenum steel (42Cr-Mo) for sturdiness and durability;
- Internal fillet design to increase contact area.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
64617	17mm	88	30
64619	19mm	88	30
64620	20mm	88	30
64621	21mm	88	30
64622	22mm	88	30
64623	23mm	88	30
64624	24mm	88	30
64625	25mm	88	30
64626	26mm	88	30
64627	27mm	88	30
64628	28mm	88	30
64629	29mm	88	30
64630	30mm	88	30
64631	31mm	88	30
64632	32mm	88	30
64633	33mm	88	30
64634	34mm	88	30
64635	35mm	88	30
64636	36mm	88	30
64637	37mm	88	24
64638	38mm	88	24
64639	39mm	88	24
64640	40mm	88	24
64641	41mm	88	24
64642	42mm	88	24
64643	43mm	88	24
64644	44mm	88	24
64645	45mm	90	24
64646	46mm	90	24
64648	48mm	100	24
64650	50mm	100	1/20
64652	52mm	100	1/20
64653	53mm	100	1/20
64655	55mm	110	1/20
64656	56mm	110	1/20
64658	58mm	110	1/20
64660	60mm	110	1/16
64663	63mm	110	1/10
64665	65mm	120	1/12
64670	70mm	120	1/8
64675	75mm	120	1/5
64680	80mm	120	1/6
64685	85mm	120	1/6
64690	90mm	120	1/6
64600	17mm(Square)	88	30
64601	19mm(Square)	88	30
64602	21mm(Square)	88	30
64603	22mm(Square)	88	30
64604	24mm(Square)	88	30

1" Dr.Impact Socket
25mm系列公制风动加长套筒(管桩用)

Cr-Mo | 1"



- High-quality chrome-molybdenum steel material, with high-hardness treatment for impact resistance;
- Phosphating and blackening surface treatment for scratch and wear resistance;
- Suitable for high-frequency use scenarios (e.g., disassembly and assembly of pipe pile screws).

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
65430	30mm	90	1/30
65436	36mm	90	1/30
65441	41mm	90	1/24



3/4" Dr.Impact Socket
19mm系列公制风动套筒

Cr-Mo | 3/4"



- Made of chrome-molybdenum steel (42Cr-Mo) for sturdiness and durability;
- Internal fillet design to increase contact area.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
64317	17mm	53	6
64318	18mm	53	6
64319	19mm	53	6
64320	20mm	53	6
64321	21mm	53	6
64322	22mm	53	6
64323	23mm	53	6
64324	24mm	53	6
64326	26mm	53	6
64327	27mm	53	6
64328	28mm	53	6
64329	29mm	53	6
64330	30mm	53	6
64332	32mm	53	6
64333	33mm	53	6
64334	34mm	53	6
64335	35mm	53	6
64336	36mm	53	6
64338	38mm	55	6
64339	39mm	55	6
64341	41mm	55	6

3/4" Dr.Impact Socket
19mm系列公制加长风动套筒

Cr-Mo | 3/4"



- Made of chrome-molybdenum steel (42Cr-Mo) for sturdiness and durability;
- Internal fillet design to increase contact area.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
64417	17mm	88	4
64418	18mm	88	4
64419	19mm	88	4
64420	20mm	88	4
64421	21mm	88	4
64422	22mm	88	4
64423	23mm	88	4
64424	24mm	88	4
64426	26mm	88	3
64427	27mm	88	3
64428	28mm	88	3
64429	29mm	88	3
64430	30mm	88	3
64432	32mm	88	3
64433	33mm	88	3
64434	34mm	88	3
64435	35mm	88	2
64436	36mm	88	2
64438	38mm	88	2
64439	39mm	88	2
64441	41mm	88	2

1/2" Dr.6PT Impact Deep Socket
12.5mm系列风动6角长套筒

Cr-V | 1/2"



- Made of chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, maintenance and other scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63408	8mm	79	10
63409	9mm	79	10
63410	10mm	79	10
63411	11mm	79	10
63412	12mm	79	10
63413	13mm	79	10
63414	14mm	79	10
63415	15mm	79	10
63416	16mm	79	10
63417	17mm	79	10
63418	18mm	79	8
63419	19mm	79	8
63420	20mm	79	8
63421	21mm	79	8
63422	22mm	79	8
63423	23mm	79	8
63424	24mm	79	6
63427	27mm	79	3
63430	30mm	79	3
63432	32mm	79	3
63434	34mm	78	6
63436	36mm	78	6
63438	38mm	78	6
63441	41mm	78	6



1/2" Dr.6PT Impact Socket
12.5mm系列公制6角风动套筒

Cr-V | 1/2"





- Made of chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, maintenance and other scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63308	8mm	38	20
63309	9mm	38	20
63310	10mm	38	20
63311	11mm	38	20
63312	12mm	38	20
63313	13mm	38	20
63314	14mm	38	20
63315	15mm	38	20
63316	16mm	38	20
63317	17mm	38	18
63318	18mm	38	15
63319	19mm	38	15
63320	20mm	38	12
63321	21mm	38	12
63322	22mm	38	12
63323	23mm	38	9
63324	24mm	41	9
63325	25mm	41	9
63326	26mm	41	8
63327	27mm	41	8
63328	28mm	41	6
63330	30mm	42	6
63332	32mm	42	6
63334	34mm	46	6
63336	36mm	50	6
63338	38mm	52.5	6
63341	41mm	55	6

1/2" Dr.6PT Impact Socket
12.5mm系列英制6角风动套筒

Cr-V | 1/2" | BESTIR



- Made of chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, maintenance and other scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63101	5/16"	38	24
63102	3/8"	38	24
63103	7/16"	38	24
63104	1/2"	38	24
63106	5/8"	38	24
63107	11/16"	38	20
63108	3/4"	38	18
63109	13/16"	38	15
63110	7/8"	38	12
63111	15/16"	38	12
63112	1"	40	9
63113	1-1/16"	40	9
63114	1-1/8"	42	7
63115	1-1/4"	42	6

1/2" Dr.Extended Electric Socket
12.5mm系列加长电动套筒

Cr-V | 1/2" | BESTIR



For Use with 1/2" Cordless Lithium-Ion Wrenches

- Made of chrome-vanadium steel, fully quenched for high hardness;
- Used with ½" cordless lithium-ion wrenches for quick and convenient operation;
- Commonly applied in scenarios like shear wall form clamping, scaffolding, and woodworking screw assembly /disassembly.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
60122	22mm	150	6
60222	22mm	200	4

1/2"Dr.Impact Torx Bit Socket
12.5mm系列风动花型旋具套筒

Cr-Mo | 1/2" | BESTIR



- Integrally forged from high-quality chrome-molybdenum steel for enhanced sturdiness and durability;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, maintenance, and related scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63671	T20	78	10/120
63672	T25	78	10/120
63673	T27	78	10/120
63674	T30	78	10/120
63675	T35	78	10/120
63676	T40	78	10/120
63677	T45	78	10/120
63678	T47	78	10/120
63679	T50	78	10/120
63680	T52	78	10/120
63681	T55	78	10/120
63682	T60	78	10/120
63683	T70	78	10/120
63684	T80	78	10/120
63685	T90	78	10/120
63686	T100	78	10/120

1/2"Dr. RT Impact Bit Socket
12.5mm系列RT型风动旋具套筒

Cr-Mo | 1/2" | BESTIR



- Integrally forged from high-quality chrome-molybdenum steel for enhanced sturdiness and durability;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, maintenance, and related scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63851	RT5	78	10/120
63852	RT6	78	10/120
63853	RT7	78	10/120
63854	RT8	78	10/120
63855	RT9	78	10/120
63856	RT10	78	10/120
63857	RT11	78	10/120
63858	RT12	78	10/120
63859	RT13	78	10/120
63860	RT14	78	10/120

1/2"Dr.12PT Impact Bit Socket
12.5mm系列12角风动旋具套筒

Cr-Mo | 1/2" | BESTIR



- Integrally forged from high-quality chrome-molybdenum steel for enhanced sturdiness and durability;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, maintenance, and related scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63820	M5	78	10/120
63821	M6	78	10/120
63822	M7	78	10/120
63823	M8	78	10/120
63824	M9	78	10/120
63825	M10	78	10/120
63826	M11	78	10/120
63827	M12	78	10/120
63828	M13	78	10/120
63829	M14	78	10/120
63830	M15	78	10/120
63831	M16	78	10/120
63832	M17	78	10/120
63833	M18	78	10/120

1/2"Dr.ImpactHex Bit Socket
12.5mm系列风动6角旋具套筒

Cr-Mo | 1/2" | BESTIR




- Integrally forged from high-quality chrome-molybdenum steel for enhanced sturdiness and durability;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, maintenance, and related scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63720	H4	78	10/120
63721	H5	78	10/120
63722	H6	78	10/120
63723	H7	78	10/120
63724	H8	78	10/120
63725	H9	78	10/120
63726	H10	78	10/120
63727	H11	78	10/120
63728	H12	78	10/120
63729	H13	78	10/120
63730	H14	78	10/120
63731	H15	78	10/120
63732	H16	78	10/120
63733	H17	78	10/120
63734	H18	78	10/120
63735	H19	78	10/120
63736	H20	78	10/120
63737	H21	78	10/120
63738	H22	78	10/120



1/2"Dr.Impact Extension Bar
12.5mm系列风动接杆

Cr-V | 1/2" | BESTIR



- Integrally forged from high-quality chrome-vanadium steel, sturdy and durable;
  Manufactured via cold forging process for resistance
- to strong impact;
  Widely used in automotive assembly, maintenance and other scenarios.

Item No. 货号	Size 规格	D2 mm	L mm 总长	QTY 装箱数
63502	1/2"	25	125	12

1" Dr.Impact Extension Bar
25mm系列风动接杆

Cr-Mo | 1" | BESTIR



- Made of chrome-molybdenum steel;
- Fully quenched for enhanced sturdiness and durability.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
64701	1"	200	20
64702	1"	400	20
64703	1"	600	5

Impact Adapter
风动万向接头

BESTIR

Cr-Mo



- Made of chrome-molybdenum steel (SCM440) for enhanced sturdiness and durability;
- Cold-forged for resistance to strong impact.

Item No. 货号	Size 规格	D2	L mm 总长	QTY 装箱数
62521	3/8"	24	48	12
63952	1/2"	26	67	12
64522	3/4"	44	90	3
64721	1"	54	110	2
64722	1"	54	110	2



Hand Adapter
手动转换接头

BESTIR

Cr-Mo



- Cold-forged from chrome-molybdenum steel for resistance to strong impact;
- Phosphide-treated surface for wear resistance;
- Widely used in automotive assembly, maintenance and other scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63921	1"to3/4"	68	4
63922	3/4"to1/2"	60	6

Hand Adapter
手动转换接头

BESTIR

Cr-Mo



- Cold-forged from chrome-molybdenum steel for resistance to strong impact;
- Phosphide-treated surface for wear resistance;
- Widely used in automotive assembly, maintenance and other scenarios.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
63923	3/4"to1"	68	4
63924	1/2"to3/4"	60	6

10PCS Impact Hex Bit Socket Set
10件套风动六角旋具套筒

Cr-Mo
1/2"



- Forged from chrome-molybdenum steel, featuring high hardness, good toughness, and durability with wear resistance;
- Black oxide finish for strong adhesion, rust resistance and oil stain resistance;
- Multiple specifications available, packed in a hard plastic case;
- Widely used in automotive assembly, maintenance and other operations.

Item No. 货号	Size 规格	QTY 装箱数
93115	10PCS	20Sets

Configuration List:
10PCS ● Hexagon Screwdriver Socket
H (5、6、7、8、10、12、14、16、17、19)

10PCS Impact 12PT Bit Socket Set
10件套风动十二角旋具套筒

Cr-Mo
1/2"



- Forged from chrome-molybdenum steel, featuring high hardness, good toughness, and durability with wear resistance;
- Black oxide finish for strong adhesion, rust resistance and oil stain resistance;
- Multiple specifications available, packed in a hard plastic case;
- Widely used in automotive assembly, maintenance and other operations.

Item No. 货号	Size 规格	QTY 装箱数
93117	10PCS	20Sets

Configuration List:
10PCS ● 12-Point Screwdriver Socket
M (5、6、8、9、10、12、14、16、17、18)

10PCS Impact Torx Bit Socket Set
10件套风动花型旋具套筒

Cr-Mo
1/2"



- Forged from chrome-molybdenum steel, featuring high hardness, good toughness, and durability with wear resistance;
- Black oxide finish for strong adhesion, rust resistance and oil stain resistance;
- Multiple specifications available, packed in a hard plastic case;
- Widely used in automotive assembly, maintenance and other operations.

Item No. 货号	Size 规格	QTY 装箱数
93116	10PCS	20Sets

Configuration List:
10PCS ● Torx Screwdriver Socket
T (30、40、45、50、55、60、70、80、90、100)

10PCS Impact RT Bit Socket Set
10件套风动RT型旋具套筒

Cr-Mo
1/2"



- Forged from chrome-molybdenum steel, featuring high hardness, good toughness, and durability with wear resistance;
- Black oxide finish for strong adhesion, rust resistance and oil stain resistance;
- Multiple specifications available, packed in a hard plastic case;
- Widely used in automotive assembly, maintenance and other operations.

Item No. 货号	Size 规格	QTY 装箱数
93117	10PCS	20Sets

Configuration List:
10PCS ● RT Screwdriver Socket
RT (5、6、7、8、9、10、11、12、13、14)

15PCS Impact Socket & Hex Bit Set
15件气动套筒及六角旋具组套

Cr-V
1/2"



- Socket: Made of chrome-vanadium steel with black oxide finish, featuring high hardness, sturdiness and durability; Hexagon Bit: Constructed from S2 alloy steel with fine
- sand surface treatment, offering excellent durability and wear resistance;
  Widely used in automotive assembly, mechanical engineering maintenance and other scenarios.

Item No. 货号	Size 规格	QTY 装箱数
91346	15PCS	20Sets

Configuration List:
8PCS ● 1/2" Dr. Hexagonal Air Socket
(10, 12, 14, 17, 19, 21, 22, 24)mm
1PC ● 1/2" Dr. Extension Bar (5"/125mm)
5PCS ● H1/4" Single-head Reducing Hexagonal Screwdriver Bit
50LxH4, 50LxH5, 50LxH6,50LxH8, 50LxH10
1PC ● Electric Wrench Telescopic Adapter
(1/2" Square Hole to 1/4" Hexagonal Hole)

5PCS 1/2"Dr.6TP Impact Deep Socket Set
5件12.5MM风动六角长套筒组套

Cr-V
1/2"



- Integrally forged from chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, mechanical engineering maintenance and other scenarios.

Item No. 货号	Size 规格	QTY 装箱数
91334	5PCS	10Sets

Configuration List:
5PCS ● 1/2"Dr.6TP Impact Deep Socket
(17、19、21、22、24) mm

10PCS 1/2"Dr.6TP Impact Deep Socket Set
10件12.5MM风动六角长套筒组套

Cr-V
1/2"



- Integrally forged from chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, mechanical engineering maintenance and other scenarios.

Item No. 货号	Size 规格	QTY 装箱数
91337	10PCS	10Sets

Configuration List:
10PCS ● 1/2"Dr.6TP Impact Deep Socket
(10、12、13、14、15、17、19、21、22、24) mm

13PCS 1/2"Dr.6TP Impact Deep Socket Set
13件12.5MM风动六角长套筒组套

Cr-V
1/2"



- Integrally forged from chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, mechanical engineering maintenance and other scenarios.

Item No. 货号	Size 规格	QTY 装箱数
91340	13PCS	10Sets

Configuration List:
13PCS ● 1/2"Dr.6TP Impact Deep Socket
(8、10、12、13、14、15、16、17、18、19、21、22、24) mm

20PCS 1/2"Dr.6TP Impact Socket Set
20件12.5MM风动六角短套筒组套

Cr-V
1/2"



- Integrally forged from chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, mechanical engineering maintenance and other scenarios.

Item No. 货号	Size 规格	QTY 装箱数
91343	20PCS	6Sets

Configuration List:
20PCS ● 1/2"Dr.6TP Impact Socket
(8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、23、24、27、30、32) mm

20PCS 1/2"Dr.6TP Impact Deep Socket Set
20件12.5MM风动六角长套筒组套

Cr-V
1/2"



- Integrally forged from chrome-vanadium steel, sturdy and durable;
- Exceeds U.S. federal standards and German professional standards;
- Widely used in automotive assembly, mechanical engineering maintenance and other scenarios.

Item No. 货号	Size 规格	QTY 装箱数
91331	20PCS	6Sets


Configuration List:
20PCS ● 1/2"Dr.6TP Impact Deep Socket
(8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、23、24、27、30、32) mm



3PCS Colored Tyre Protection Socket Set
3件彩色轮胎保护套筒

Cr-Mo | BESTIR | 1/2"





- Precisely crafted from chrome-molybdenum alloy steel, with colored plating finish for rust resistance and aesthetics;
- Nylon sleeve on the socket outer circle to prevent hub surface scratches when disassembling/assembling tire nuts;
- The complete set comes with a toolbox for easy storage.

Item No. 货号	Size 规格	QTY 装箱数
91329	3PCS	5/40

Configuration List:
3PCS ● 1/2" Hexagon Deep Socket (17、19、21) mm

Internal & External Puller
内外轴承拉拔器

Cr-V | BESTIR



- Made of CR-V chrome-vanadium steel through forging and subjected to overall heat treatment;
- The complete set comes with a toolbox for easy storage.

Item No. 货号	Size 规格
93204	3PCS

13PCS Disassembling Set For Automobile Alternator 13件汽车发电机拆卸组套

Cr-V | BESTIR





应用于汽车发电机拆卸







- Precisely made of high-quality chrome-vanadium steel, with overall heat treatment for sturdiness and durability;
- Designed with special socket + bit, dedicated to alternator/pulley replacement and freewheel pulley disassembly & assembly;
- Suitable for Volkswagen, Audi, Mercedes-Benz, Porsche and other vehicle models.

Item No. 货号	Size 规格	QTY 装箱数
93332	13PCS	10Sets

Configuration List:
2PCS ● 110mm 1/2" Bits: M10 + 33 Teeth, T50 + 33 Teeth
6PCS ● 75mm S2 Bits: M8, M10, H8, H10, T40, T50
1PC ● 10mm x 1/2" Spring Sleeve Socket
3PCS ● Special Bits: 1# 33T x H15mm, 2# 33T x H22mm, 3# H22mm
1PC ● Hexagonal Head 4-Teeth Accessory

Automotive Voltage Tester
汽车测电笔

BESTIR





- Testing Range: 6V-12V-24V;
- Equipped with long-life LED light-emitting tubes;
- The elastic test wires have excellent tensile resistance;
- Lightweight and compact in size, with a built-in pen clip for easy carrying;
- Comes with two spare light-emitting tubes, which can be replaced by simply unscrewing the metal cap on the top of the test pencil.

Item No. 货号	Size 规格	QTY 装箱数
38502	Ø3x140	10/60


Automotive Voltage Tester
汽车测电笔

BESTIR



- Testing Range: 6V-12V-24V;
- This automotive test pencil is specifically designed for detecting low-voltage circuit faults in transportation machinery.
- It is suitable for circuit inspection and maintenance of vehicles, motorcycles, and construction machinery such as bulldozers, road rollers, and excavators.

Item No. 货号	Size 规格	QTY 装箱数
38501	Ø3x145	10/120



3-Jaw Gear Puller
三爪拉马

Cr-V





- Three Jaws: Made of high-quality chrome-vanadium steel;
- Ejector Rod: Treated with special heat treatment for long-lasting durability;
- Two-way rotation design, larger extension size and more spacious working space;
- Used for disassembling ball bearings, gears and other components.

Item No.	Size	QTY
货号	规格	装箱数
08303	3"	20
08304	4"	20
08306	6"	10
08308	8"	4
08310	10"	4
08312	12"	2

3-Jaw Gear Puller
三爪拉马(普通型)



- Three Jaws: Forged from high-quality high-carbon steel, with chrome-plated surface;
- Ejector Rod: Treated with special heat treatment for long-lasting durability;
- Two-way rotation design, larger extension size and more spacious working space;
- Used for disassembling ball bearings, gears and other components.

Item No.	Size	QTY
货号	规格	装箱数
08321	3"	20
08322	4"	20
08323	6"	16
08324	8"	6
08325	10"	4
08326	12"	3
08327	14"	2
08328	16"	1
08329	20"	1

2/3-Jaw Gear Puller
多功能两用拉马

Cr-V




- Three Jaws: Made of high-quality chrome-vanadium steel;
- Ejector Rod: Treated with special heat treatment for long-lasting durability;
- Two-way rotation design, larger extension size and more spacious working space;
- Used for disassembling ball bearings, gears and other components.

Item No.	Size	QTY
货号	规格	装箱数
08404	4"	20
08406	6"	10
08408	8"	4

2-Arm Gear Puller Bar Type
横梁二爪拉马

Cr-V



- The puller is entirely forged from chrome-vanadium steel;
- Special heat treatment process ensures high hardness and durability;
- Specifically designed for disassembling ball bearings, gears and other components.

Item No.	Size	QTY
货号	规格	装箱数
08201	1#(80x100mm)	20
08202	2#(120x100mm)	20
08203	3#(150x150mm)	6
08204	4#(200x150mm)	6
08205	5#(250x200mm)	3

Oil filter Wrench
钳式机油格扳手



- Forged from high-quality tool steel, sturdy and durable;
- Plastic-coated double-handle design, capable of withstanding greater clamping force;
- Specifically used for removing stubborn, hard-to-dismantle filters.

Item No.	Size	QTY
货号	规格	装箱数
07411	10"	12
07412	12"	15

The Tool Book

Notes for Oil Filter Installation

1. Before installing a new oil filter, apply oil to its rubber O-ring to enhance sealing and reduce installation friction;
2. Hand-tighten the new filter to the base until initial resistance from the O-ring is felt, then stop;
3. Wrench tightening: 3/4 more turns after initial resistance; only 1/4 more turn if hand-tightened to l mmobility;
4. Do not over-tighten to avoid O-ring damage (leakage) and difficult future removal.

Oil Filer Wrench
三爪机油格扳手（扁脚）

Cr-V



- Three jaws feature uniform and flexible bidirectional rotation, with high strength and resistance to deformation;
- Special gear design enables firmer clamping of the filter;
- Compatible with 1/2" DR. drive tools or 13/16" handles, capable of removing filters with a diameter of ≤102mm.

Item No.	Size	QTY
货号	规格	装箱数
07401	⌀54-116mm	30

Oil Filer Wrench
三爪机油格扳手（圆脚）

Cr-V



- The three jaws feature uniform and flexible bidirectional rotation, with high strength and resistance to deformation;
- Equipped with a specially designed gear mechanism for firmer clamping of filters, used for filter removal;
- Compatible with 3/8", 1/2" ratchet tools or 1/2" wrenches, as well as 1/2" DR. drive tools and 13/16" handles, capable of removing filters with a maximum diameter of 102mm.

Item No.	Size	QTY
货号	规格	装箱数
07402	⌀69-136mm	24

Belt Wrench
皮带式机油格扳手

Cr-V



- Forged from high-quality chrome-vanadium steel, with overall heat treatment;
- Specifically designed for the disassembly and assembly of automotive engine oil filters;
- Recommended working range: Φ80-120mm
- Belt Length: 500mm

Item No.	Size	QTY
货号	规格	装箱数
07404	9"/225mm	12/48

Belt Wrench
皮带式机油格扳手

Cr-V





- Forged from high-quality tool steel, with overall heat treatment, featuring high hardness and strong durability;
- The belt is made of multi-layer fiber material, with clear textures, good toughness, strong tensile strength and resistance to breakage;
- Specifically designed for the disassembly and assembly of automotive engine oil filters;
- Recommended working range: Φ90-130mm
- Belt Length: 800mm

Item No.	Size	QTY
货号	规格	装箱数
07417	12"/300mm	9

Chain Wrench
链条机油格扳手

Cr-V



- The clamp handles are forged from high-quality chrome-vanadium steel, with overall heat treatment and a bright chrome plating finish;
- Specifically designed for removing and installing round filters in automobiles and machinery, and can also be used to tighten round pipes;
- Easy to adjust for different sizes, making it a common tool in automotive repair and maintenance.
- Chain Length: 520mm

Item No.	Size	QTY
货号	规格	装箱数
07403	9"/225mm	15/60

Chain Wrench
链条扳手

Cr-V



- The clamp handles are forged from high-quality chrome-vanadium steel, with overall heat treatment and a bright chrome plating finish;
- Specifically designed for removing and installing round filters in automobiles and machinery, and can also be used to tighten round pipes;
- Easy to adjust for different sizes, making it a common tool in automotive repair and maintenance.

Item No.	Size	L mm	QTY
货号	规格	链长	装箱数
07413	12"(13pieces)	420	1/36
07414	15"(15pieces)	515	1/15
07415	24"(21pieces)	655	1/10

Pistonring Compressor
活塞环压缩器

BESTIR



- Steel band: high-strength spring steel, precision heat-treated, with ratchet lock;
- Main body: high-quality steel band (service life >2x ordinary ones), dedicated piston ring removal tool.

Item No.	Size	QTY
货号	规格	装箱数
07501	125X3"	1/60
07504	125X4"	1/60
07502	175X3"	1/60
07503	175X4"	1/60

Flexible Magnetic Pick Up Tool
可弯式磁性捡拾器

BESTIR





- Magnet head diameter: 10mm, with strong magnetic force;
- Total length: 460mm, flexible tube can be bent freely with good flexibility;
  Convenient for picking up iron fasteners in narrow and deep spaces.

Item No.	Size	QTY
货号	规格	装箱数
07601	26"/640mm	12/72

Tyre Inflator With Gauge
胎压表

BESTIR



- The gauge body is equipped with a high-grade rubber shell, wear-resistant, durable, with accurate reading and easy operation;
- Used to read tire pressure of cars, motorcycles, bicycles, etc., ensuring safe use of tires.

Item No.	Size	QTY
货号	规格	装箱数
07610	0-220PSI	10/30

4PCS Oil Seal Screwdriver Set
4件不锈钢油封起子

BESTIR

- The tool rod is made of high-quality stainless steel; The handle is made of PVC material, featuring good toughness, durability and comfortable grip;
- Mainly used in auto repair shops and workbenches to remove parts such as flat keys, O-rings, springs, suction rings and washers.

Item No.	Size	QTY
货号	规格	装箱数
95113	4PCS	12/180

Tyre Balancing Plier
轮胎平衡钳

BESTIR





- Precisely forged from high-quality alloy steel, with overall heat treatment;
- Used for disassembling and assembling automotive wheel hub weights, with integrated tapping and cutting functions (can tap to remove weights, and cut weights and soft metals).

Item No.	Size	QTY
货号	规格	装箱数
07514	240mm	10/40

Door Upholstery Remover
胶扣起子

BESTIR





- Made of high-quality tool steel, featuring high hardness and labor-saving, easy operation;
- The bit is magnetic, allowing easy absorption of screws, washers and other parts;
  Mainly used for fixing various automotive washers and disassembling/assembling automotive interior plastic rivets, etc.

Item No.	Size	QTY
货号	规格	装箱数
07512	6x120mm	12/144

Tire Opener
轮胎起子

BESTIR

Cr-V



- TPrecisely forged from CR-V chrome-vanadium steel;
- Treated with special heat treatment, sturdy and durable;
- Mainly used for prying out tires for maintenance purposes.

Item No.	Size	QTY
货号	规格	装箱数
07421	20"	20

Air Blower
精品吹尘枪

BESTIR



- High-quality Material: More durable and wear-resistant;
- Core Performance: Stronger wind, fine/dispersed/stable air flow easy to control, energy-saving and stable;
- Application Scenarios: For equipment cleaning and drying (e.g., after car washing), suitable for multiple industries.

Item No.	Size	QTY
货号	规格	装箱数
07621	Short Nozzle	10/50
07622	Long Nozzle	10/60


Air Blower
吹尘枪

BESTIR



- 304 Thickened Stainless Steel Tube: Rust-proof & durable;
- CNC Machined Connector: High precision, extended reinforced thread, good sealing;
- High-quality Silicone Seal Ring: Soft-elastic & fitted, durable no air leakage;
- Application Scenarios: For equipment cleaning and drying (e.g., after car washing), suitable for multiple industries.

Item No.	Size	QTY
货号	规格	装箱数
07623	255mm	12/120
07624	405mm	12/108



Oil Can
高压机油壶

BESTIR



- Oil Pump Assembly: High-precision stretched steel plate, piston-cylinder tight fit, fast oil output, high pressure, long life;
- Trigger: Good hand feeling, fulcrum not on gun rod, avoiding friction-induced breakage/falling off;
- Bottle Body: Precision-made high-strength steel plate, electrostatic powder coating (high-temp baked), high temp-resistant, good hand feeling, aesthetic, wear-resistant;
- Core Performance: New hydraulic tech (ultra-high pressure, lubricant range ≥5m), new hydraulic seal structure (good sealing, no oil leakage);
- Application: Suitable for various lubricating oils/greases.

Item No.	Size	QTY
货号	规格	装箱数
07240	180ml	10/120

Oil Can
透明高压机油壶

BESTIR



- Machine head: 100% new PA6 engineering plastic, oil-resistant, wear-resistant and impact-resistant;
- Bottle body: New PET/PA engineering plastic, environmentally friendly with high strength, oil-resistant and high transparency;
- Core performance: New hydraulic technology (high pressure, lubricant range ≥5m), new hydraulic seal structure (excellent sealing);
- Gun rod: Bendable (no breakage below 50°), convenient for corner lubrication;
- Application: Suitable for various lubricating oils and greases.

Item No.	Size	QTY
货号	规格	装箱数
07243	300ml	10/120

Oil Can
内抽式高压机油壶（硬管）

BESTIR



- Oil pump assembly: High-precision stretched steel plate, piston-cylinder tight fit, fast oil output, high pressure, long service life;
- Bottle body: Precision-made high-strength steel plate, electrostatic powder coating (high-temp baked), high temp-resistant, aesthetic and wear-resistant;
- Core performance: New hydraulic tech (ultra-high pressure, lubricant range ≥5m), new hydraulic seal structure (excellent sealing, no oil leakage);
- Application: Suitable for various lubricating oils and greases.

Item No.	Size	QTY
货号	规格	装箱数
07244	350ml	10/90

Oil Can
内抽式高压机油壶（硬管）

BESTIR



- Oil pump assembly: High-precision stretched steel plate, piston-cylinder tight fit, fast oil output, high pressure, long service life;
- Bottle body: Precision-made high-strength steel plate, electrostatic powder coating (high-temp baked), high temp-resistant, aesthetic and wear-resistant;
- Core performance: New hydraulic tech (ultra-high pressure, lubricant range ≥5m), new hydraulic seal structure (excellent sealing, no oil leakage);
- Application: Suitable for various lubricating oils and greases.

Item No.	Size	QTY
货号	规格	装箱数
07247	500ml	10/60

Window-type Grease Gun
省力视窗式黄油枪





TECHNICAL PARAMETERS:
Working Pressure: --------- 3600 PSI
Maximum Pressure: -------- 6000 PSI
Applicable Grease: ---------- 0-3# Bulk Grease
Feeding Method: ---------- Gear
Cylinder Configuration: ----- Dual Cylinder

- The nozzle is made of high-strength aluminum alloy through precision die-casting, with a thickened design for pressure resistance and drop-proof performance.
- Dual-plunger cylinder structure provides large oil output and higher working efficiency.
- Gear-driven piston design shortens the resistance arm, making greasing more labor-saving.
- The plastic-iron barrel features a small oil-viewing window to monitor the oil level inside, which not only enhances the gun's pressure resistance and durability but also allows real-time monitoring of remainingoil to prevent greasing delays.
- Suitable for lubricating large mechanical equipment such as heavy-duty trucks, bulldozers, and excavators.

Item No.	Size	QTY
货号	规格	装箱数
BE-457212	600cc	12

Double Cylinder Grease Gun
双缸黄油枪

Made in Taiwan


Dual-cylinder structure design



Operating Parameters:
Working Pressure: 3600 psi
Maximum Pressure: 6000 psi
Capacity: 600cc
Applicable Medium: 600cc bulk grease (0-3# grease)

- Dual-cylinder Design: Large oil output, high pressure, and higher oil injection efficiency.
- Gun Head Performance: Made of special alloy casting, with plunger and cylinder processed by high-precision grinding, featuring high fitting accuracy, wear resistance, durability and pressure resistance.
- Accessory Craftsmanship: Nozzle and oil pipe are precision-machined by CNC lathe; tapered pipe threads fit tightly to prevent oil leakage.
- Appearance & Grip: The cylinder is treated with bright paint baking; the handle and cylinder body are covered with oil-resistant rubber sleeves, ensuring anti-slip and comfort.
- Applicable Equipment: Mechanical equipment such as automobiles, trucks, ships, excavators and tractors.

Item No.	Size	QTY
货号	规格	装箱数
07202	600cc	12

Grease Gun Hose
手用黄油枪高压软管



- Made by cotton yarn winding and weaving process, with strong pressure resistance.
- Equipped with a coil spring to prevent oil pipe blockage and damage caused by crushing or folding.
- Burst Pressure: 10000psi

Item No.	Size	QTY
货号	规格	装箱数
07211	Ø10x300mm	5/25
07212	Ø10x400mm	5/20

Grease Gun
黄油枪

Made in Taiwan



Operating Parameters:
Working Pressure: 4500 psi
Maximum Pressure: 10000 psi
Capacity: 400cc
Applicable Medium: 400cc bulk grease (0-3# grease)

- Lance Head Performance: Made of special alloy casting, with high-precision grinding of the plunger and cylinder block, featuring high matching accuracy, wear resistance and pressure resistance.
- Accessory Craftsmanship: The nozzle, oil pipe and other components undergo CNC precision machining; the tapered pipe threads are tight, ensuring excellent sealing performance.
- Overall Design: The entire lance is treated with black electrophoresis. The handle is thickened (forged from high-quality carbon steel plate), enabling lightweight, efficient operation.
- Applicable Equipment: Mechanical equipment such as automobiles, trucks, ships, excavators and tractors.

Item No.	Size	QTY
货号	规格	装箱数
07201	400cc	16

Single Cylinder Grease Gun
单缸黄油枪

Made in Taiwan



Operating Parameters:
Working Pressure: 4500 psi
Maximum Pressure: 10000 psi
Capacity: 400cc
Applicable Medium: 400cc bulk grease (0-3# grease)

- Gun Head Performance: Cast from special alloy, with plunger and cylinder processed by high-precision grinding, featuring high fitting accuracy, wear resistance, durability and pressure resistance.
- Accessory Craftsmanship: Nozzle, oil pipe and other parts are precision-machined by CNC lathe; tapered pipe threads fit tightly for excellent sealing performance.
- Nozzle Configuration: All-steel nozzle equipped with Taiwan powder metallurgy valve core, featuring high hardness, wear resistance and durability.
- Handle Design: Equipped with anti-slip rubber sleeve, thickened (forged from high-quality carbon steel plate), enabling labor-saving and efficient operation.
- Applicable Equipment: Mechanical equipment such as automobiles, trucks, ships, excavators and tractors.

Item No.	Size	QTY
货号	规格	装箱数
07203	400cc	16

Double Cylinder Grease Gun
双缸黄油枪（黑胶套）



Operating Parameters:
Maximum Pressure: 10000 psi
Capacity: 800cc

- Oil Drum Feature: Yellow baked paint finish, wear-resistant and durable.
- Oil Delivery Design: Equipped with dual air release nozzles and self-locking structure for more convenient oil delivery.
- Applicable Equipment: Mechanical equipment such as automobiles, trucks, ships, excavators and tractors.

Item No.	Size	QTY
货号	规格	装箱数
07205	800cc	10

Grease Gun Nipple
全钢黄油枪枪嘴



- Check steel ball design with excellent sealing performance to prevent grease backflow;
- Unique powder metallurgy valve core, wear-resistant and durable.

Item No.	QTY
货号	装箱数
07215	25

Grease Gun Nipple
黄油枪枪嘴（防爆裂款）



- Check steel ball design with excellent sealing performance to prevent grease backflow;
- Electrophoretic coating process applied, providing excellent rust resistance.


Item No.	QTY
货号	装箱数
07216	20

Grease Gun Nipple
德式加长黄油枪枪嘴



- Check steel ball design with excellent sealing performance to prevent grease backflow.

Item No.	QTY
货号	装箱数
07217	25



PRODUCT FEATURES

BESTER self-locking quick connector is a new-generation product developed to match domestic usage scenarios. Parts are processed by precision CNC, with high precision, stable quality, good sealing, compact structure, light use and durability.

Male and female connectors are connected by a ball-lock structure, enabling simple and flexible operation. The core has a reliable opening and closing sealing device. When disconnected, the valve core closes automatically without leakage; when connected, it opens automatically to ensure smooth flow. This self-locking connector is more convenient to operate than ordinary ones.

Suitable for pipelines requiring frequent connection and disconnection, it allows quick assembly and disassembly without tools or pressure release, saving time and effort. It can also be used for various compressed gases.

Working pressure: 8 - 15kgf/cm²

Quick Connector
气动扳手快速接头



- Quick connector design, easy to use, greatly improving work efficiency;
- Made of high-quality steel with quick self-locking function;
- Multi-layer sealing at the interface, featuring good sealing performance and no air leakage.

Item No.	Size	QTY
货号	规格	装箱数
66298	1"	1/10

Self-locking Quick Connectors
二通自锁快速接头



- Industrial-grade quality with high pressure resistance, suitable for continuous operation and high-pressure mechanical installation work.

Item No.	Size	QTY
货号	规格	装箱数
66281	1/4"BSP	5/80

Quick Connector
气动扳手快速接头（带开关）



- Quick connector design, easy to use, greatly improving work efficiency;
- Made of high-quality steel with quick self-locking function;
- Multi-layer sealing at the interface, featuring good sealing performance and no air leakage.

Item No.	Size	QTY
货号	规格	装箱数
66299	1"	1/10

Self-locking Quick Connectors
三通自锁快速接头



- Industrial-grade quality with high pressure resistance, suitable for continuous operation and high-pressure mechanical installation work.

Item No.	Size	QTY
货号	规格	装箱数
66291	1/4"BSP	5/60

Self-locking Quick Connectors
自锁快速接头 (插芯)

BESTIR



Item No. 货号	Size 规格	MT Mt直径	QTY 装箱数
66241	PM20A	1/4"BSP	5/50/500
66242	PM30A	3/8"BSP	5/50/500
66243	PM40A	1/2"BSP	5/50/500

Self-locking Quick Connectors
自锁快速接头 (主体)

BESTIR



Item No. 货号	Size 规格	MT MT直径	QTY 装箱数
66201	SM20T	1/4"BSP	5/240
66202	SM30T	3/8"BSP	5/240
66203	SM40T	1/2"BSP	5/240

Self-locking Quick Connectors
自锁快速接头 (插芯)

BESTIR



Item No. 货号	Size 规格	FT FT直径	QTY 装箱数
66251	PF20A	1/4"BSP	5/50/500
66252	PF30A	3/8"BSP	5/50/500
66253	PF40A	1/2"BSP	5/50/500

Self-locking Quick Connectors
自锁快速接头 (主体)

BESTIR



Item No. 货号	Size 规格	FT FT直径	QTY 装箱数
66211	SF20T	1/4"BSP	5/240
66212	SF30T	3/8"BSP	5/240
66213	SF40T	1/2"BSP	5/240

Self-locking Quick Connectors
自锁快速接头 (插芯)

BESTIR



Item No. 货号	Size 规格	H H直径	QTY 装箱数
66261	PH20A	9mm	5/50/500
66262	PH30A	11mm	5/50/500
66263	PH40A	13mm	5/50/500

Self-locking Quick Connectors
自锁快速接头 (主体)

BESTIR



Item No. 货号	Size 规格	H H直径	QTY 装箱数
66221	SH20T	9mm	5/240
66222	SH30T	11mm	5/240
66223	SH40T	13mm	5/240

Self-locking Quick Connectors
自锁快速接头 (插芯)

BESTIR



Item No. 货号	Size 规格	H H直径	QTY 装箱数
66271	PP20A	5x8mm	5/50/500
66272	PP30A	6.5x10mm	5/50/500
66273	PP40A	8x12mm	5/50/500

Self-locking Quick Connectors
自锁快速接头 (主体)

BESTIR



Item No. 货号	Size 规格	H H直径	QTY 装箱数
66231	SP20T	5x8mm	5/240
66232	SP30T	6.5x10mm	5/240
66233	SP40T	8x12mm	5/240

Quick Connector
Matching Parameters of the Main Body and the Core



Sm20 + PM20: External thread diameter ~13mm, 2 - point external thread.
SM30 + PM30: External thread diameter ~16mm, 3 - point external thread.
SM40 + PM40: External thread diameter ~20mm, 4 - point external thread.



Sp10+PP10: For PU hoses with outer diameter 6mm, inner diameter 4mm.
SP20+PP20: For PU hoses with outer diameter 8mm, inner diameter 5mm.
SP30+PP30: For PU hoses with outer diameter 1mm, inner diameter 65mm.
SP40+PP40: For PU hoses with outer diameter 12mm, inner diameter 8mm.



Sh20 + PH20: For PU hoses with inner diameter 8 - 9mm.
SH30 + PH30: For PU hoses with inner diameter 10 - 11mm.
SH40 + PH40: For PU hoses with inner diameter 12 - 13mm.



Sf20 + PF20: Internal thread diameter ~13mm, 2 - point internal thread.
SF30 + PF30: Internal thread diameter ~16mm, 3 - point internal thread.
SF40 + PF40: Internal thread diameter ~20mm, 4 - point internal thread.

PU Tube
PU气管

BESTIR





Product Parameters:
- Operating Temp Range: -40℃～80℃ (non-chemical gas environment)
- Fluid Temp Range: -15℃～60℃ (non-freezing)
- Diameter Tolerance: ±0.15mm
- Working Pressure (normal temp): 6～10kg/cm²
- Burst Pressure (25℃): 18～30kg/cm² (instant burst)
- Hardness: 95A
- Tensile Strength: 400Kgf/cm²
- Ultimate Elongation: 490～590%
- Wear Resistance: 110kg/cm²
- Safety Factor (Burst Pressure:Long-term Working Pressure): 3:1
- Suitable Media: Non-corrosive air, oils

- Material & Appearance: Made of high physical plasticity polyurethane elastomer (TPU), transparent and bright with good resilience
- Core Performance: Excellent weather resistance, wear resistance and scratch resistance; high tensile strength and elongation; strong puncture resistance, tear resistance and impact resistance

Item No. 货号	Size(OD × ID × TL) 规格(外径x内径x总长)	QTY 装箱数
66350	4x2.5mmx200M(Transparent)	14
66353	6x4mmx200M(Transparent)	8
66354	6x4mmx200M(Orange-red)	8
66356	8x5.5mmx100M(Transparent)	8
66357	8x5.5mmx100M(Orange-red)	8
66358	8x5.5mmx100M(Blue)	8
66362	10x6.5mmx100M(Transparent)	6

Item No. 货号	Size(OD × ID × TL) 规格(外径x内径x总长)	QTY 装箱数
66363	10x6.5mmx100M(Orange-red)	6
66364	10x6.5mmx100M(Blue)	6
66365	12x8mmx100M(Transparent)	4
66366	12x8mmx100M(Orange-red)	4
66367	12x8mmx100M(Blue)	4
66368	14x10mmx100M(Transparent)	3
66371	16x12mmx100M(Transparent)	3

Spring Type PU Tube
弹簧型PU气管

BESTIR



Product Parameters:
- Operating Temp Range: -40℃～80℃ (non-chemical gas environment)
- Fluid Temp Range: -15℃～60℃ (non-freezing)
- Diameter Tolerance: ±0.15mm
- Working Pressure (normal temp): 6～10kg/cm²
- Burst Pressure (25℃): 18～30kg/cm² (instant burst)
- Hardness: 95A
- Tensile Strength: 400Kgf/cm²
- Ultimate Elongation: 490～590%
- Wear Resistance: 110kg/cm²
- Safety Factor (Burst Pressure:Long-term Working Pressure): 3:1
- Suitable Media: Non-corrosive air, oils

- Material & Appearance: Made of high physical plasticity polyurethane elastomer (TPU), transparent and bright with good resilience.
- Core Performance: Excellent weather resistance, wear resistance and scratch resistance; high tensile strength and elongation; strong puncture resistance, tear resistance and impact resistance.

Item No. 货号	Size(OD × ID × TL) 规格(外径x内径x总长)	QTY 装箱数
66374	8x5mmx6M(Orange-red)	100
66375	8x5mmx9M(Orange-red)	50
66376	8x5mmx12M(Orange-red)	40
66377	8x5mmx15M(Orange-red)	40

The Tool Book Air Hose Safety Precautions

1.Do not use in corrosive gas/liquid; using beyond specified temp shortens life, long-term high temp/pressure may cause burst.
2.Temp drop makes hose harden, elasticity decrease (normal material property); minimize folding in use.
3.Temp rise reduces hose pressure resistance; lower air pressure.
4.Use within allowable air pressure; overpressure may cause burst or major accidents.
5.Larger hose diameter = lower pressure resistance.
6.Use with air tanks, coolers, air filters to extend life.
7.Store hose in dry place, avoid direct sunlight.
8.Wear protective gear against accidents.

Autoloaded Air Hose Reel
自动伸缩卷管器

BESTIR

12M

Tube Material: **PU Yarn-reinforced Tube**
Working Pressure: **12 bar**
Burst Pressure: **65 bar**

- Automatic same-layer pipeline arrangement, anti-tangling.
- Steel main shaft, break-resistant and durable.
- 180° rotation, large working range, suitable for various workshops, flexibly mountable on walls/ceilings.
- Excellent telescopic design (built-in pawl, coil spring) for compact reel and tidier site.
- Made of high-toughness Taiwan-produced PU yarn-clad material + high-grade polyester reinforced thread, high pressure resistance.
- Equipped with mounting bracket, easy to move and disassemble.

Item No. 货号	Size 规格	QTY 装箱数
66302	12M	4

Input Pipe: Ø 6.5x10mm (inner/outer diameter) x 1.0m (length)
Output Pipe: Ø 6.5x10mm (inner/outer diameter) x 12m (length)
Output Pipe Connector Specification: 1/4" BSP



Output end connector

⚠ One-year warranty for the whole machine. Air hoses and quick connectors are consumables and not covered by the warranty.

Modular Crimping
4芯6芯8芯网络钳



(Wire stripper included)





- Knife body: Made of high-carbon steel, sturdy and durable.
- Handle: Made of PVC plastic, anti-slip and comfortable.
- Mainly used for wire insulation stripping, cutting, and crimping network cable & telephone wire terminals.

Item No.	Size	QTY
货号	规格	装箱数
01124	8"(4cores/6cores/8cores)	12/48


Sleeve-type Self-adjusting Crimping Pliers
套管式自调压接钳




01118(Square shape)



01119(Hexagonal shape)







- Die: Super-hard alloy forming; Pliers body: High-quality steel + oil-quenched heat treatment;
- Multi-module centripetal locking: No gap between terminal & module;
- Serrated crimping surface: More secure wiring;
- Special lever & ratchet design: Easy operation, obvious crimping effect;
- With pressure adjustment knob & ratchet release button: Prevents jamming;
- Crimpable terminal types: Tube-type, pin-type, European-style sleeve terminals.

Item No.	Size	QTY
货号	压接范围	装箱数
01118	0.25-10mm²	3/12
01119	0.25-6mm²	3/12

Automatic Vise Withstripping
日式自动剥线钳





Type A





Type B





Type C

- Plier head: Zinc alloy die-cast one-piece molding, sturdy and durable;
- Blade: High-quality high-carbon steel + overall heat treatment, sharp for wire stripping;
- Wire stripping hole: CNC wire-cutting process, high precision, no damage to wire core;
- Handle: Two-color ergonomic design, thickened & reinforced, anti-slip and comfortable.

Item No.	Size	QTY
货号	规格	装箱数
01218	Type A: 0.5/1.2/1.6/2.0mm	6/48
01219	Type B: 0.5/1.2/1.6/2.0/2.6/3.2mm	6/48
01220	Type C: 2.0/2.6/3.2/4.0mm	6/48

Automatic Vise Withstripping
日式自动剥线钳



Type A　Type B　Type C

- Blade Edge: Made of high-quality steel + high-frequency heat treatment, sharp and fast for wire stripping;
- Automatic Insulation Stripping Design: High precision, fast stripping;
- Adjustable Wire Gauge Rod: Enables setting of stripping length.

Item No.	Size	QTY
货号	规格	装箱数
01201	Type A: 0.5/1.2/1.6/2.0mm	6/48
01202	Type B: 0.5/1.2/1.6/2.0/2.6/3.2mm	6/48
01203	Type C: 2.0/2.6/3.2/4.0mm	6/48

Multifunctional Wire Stripper
多功能剥线钳









Wire Stripping Range: 0.2~6mm²
Wire Cutting Range: ≤6mm²

- High-quality tool steel + overall heat treatment: Fast and accurate wire stripping;
- Two-color ergonomic handle: Anti-slip and comfortable;
- No need to adjust stripping force: Suitable for wires ≤6mm² (flexible, solid, stranded wires, etc.);
- Multi-function: Wire stripping, cutting, and terminal crimping.

Item No.	Size	QTY
货号	规格	装箱数
01217	220mm	6/54

Multifunctional Wire Stripper
多功能剥线钳



Wire Stripping Range:
0.2~6mm²/24-10AWG



- Plier head: Bat-shaped jaw + tension-type locking adjustment, non-slip, no damage to wire core;
- Blade: Alloy die steel + wire-cutting processing, high precision, sharp cutting, flat cut;
- Handle: Two-color ergonomic design, anti-slip and comfortable;
- Functions: Multi-purpose (wire cutting, stripping, terminal crimping), supports multi-wire simultaneous stripping and middle-section stripping;
- Extra: Plastic guide ruler on jaw (adjustable stripping length), ideal for electrical work, electronic maintenance, electrical engineering.

Item No.	Size	QTY
货号	规格	装箱数
01213	8"/200mm	6/48

Electrician Scissor
六合一电工钳







Wire Stripping Range: 2.5-8mm²
Wire Cross-Sectional Area: ≤6mm²
Crimping Range: 0.5-1.0mm², 1.0-1.5mm², 1.5-2.0mm²



- High-quality tool steel + overall heat treatment + full-automatic CNC precision grinding:
- Sturdy and durable;
- Functions: Integrates 6 functions (clamping, twisting, wire stripping, cutting, repairing, crimping);
- Handle: Ergonomic TPR material, anti-slip and comfortable.

Item No.	Size	QTY
货号	规格	装箱数
03618	8"/200mm	6/36

Auto Wire Stripper
鸭咀式多用剥线钳





Applicable Wires:
Single-strand wires or
flat cables with diameter 0.5-6mm




- Plier body: Steel bar + reinforced nylon glass fiber, lightweight and durable;
- Function: Automatically adjusts stripped wire diameter without damaging copper conductors;
- Stripping length: Equipped with fixed stator, adjustable within 2–20mm;
- Cutting depth can be easily adjusted via the dial according to the thickness of the wire insulation layer;
- Core uses: Wire stripping and cutting, fast and convenient;
- Caution: Cannot cut materials such as polytetrafluoroethylene (PTFE) and asbestos.

Item No.	QTY
货号	装箱数
01212	10/60

Wire Stripper Plier
剥线钳（削皮款）

BESTIR

65Mn





Wire Stripping Range:
Ø0.6~2.6mm²

- BMaterial & Craftsmanship: High-quality 65Mn precision forging + overall heat treatment, sturdy and durable;
- Grinding Mouth: Full-automatic high precision, no easy damage to wire core;
- AMulti-functions: Chip removal, wire stripping, wire cutting, terminal crimping;
- Application Scenarios: Electrical work maintenance, telecommunication wire stripping.

Item No.	Size	QTY
货号	规格	装箱数
01215A	7"/175mm	12/120

Wire Stripper Plier
多功能剥线钳

BESTIR

65Mn



Wire Stripping Range: Ø0.8~2.6mm
Crimping Range: 2.5-6mm

- BMaterial & Craftsmanship: High-quality 65Mn precision forging + overall heat treatment, sturdy and durable;
- Grinding Mouth: Full-automatic high precision, no easy damage to wire core;
- Multi-functions: Wire stripping, wire cutting, terminal crimping;
- Application Scenarios: Electrical work maintenance, telecommunication wire stripping.

Item No.	Size	QTY
货号	规格	装箱数
01216	7"/175mm	10/100

Electrician Knife
直咀电工刀

BESTIR



- Blade: Stamped from special steel, good toughness, rust-resistant and durable;
- Handle: Imported rosewood material, sturdy and wear-resistant.

Item No.	QTY
货号	装箱数
03521	12/144

5 In 1 Convertible Electrical Pliers
五合一可换头电工钳剪套装

BESTIR



1.Combination Pliers
Cutting Capacity:
Copper wire ≤ Φ4mm
Iron wire ≤ 3mm
45# mild steel ≤ Φ2.2mm



2.Wire Strippers
Wire Stripping Capacity:
Bare wire core diameter ≤ Φ2.8mm,Copper and aluminum wires with wire core cross-sectional area ≤ 6mm²



3.Cable Cutters
Wire Stripping Range:
Cable sheath diameter ≤ Φ12mm
Cutting Range:
Copper and aluminum cables with wire core number and cross-sectional area ≤ 4 cores × 6mm²



4.Sheet Metal Shears
Cutting Capacity:
Bare wire core diameter ≤ Φ1.5mm, Copper and aluminum wires with wire cross-sectional area ≤ 6mm², Plastic plate thickness ≤ 1.5mm, Stainless steel plate thickness ≤ 0.3mm



5.Crimping Pliers
Crimping Range:
22 - 10AWG





1. Open the handle and pinch the head tightly.



2. Then you can take out the head for replacement.

- BMaterial & Craftsmanship: High-quality 65Mn precision forging + overall heat treatment, sturdy and durable;
- Grinding Mouth: Full-automatic high precision, no easy damage to wire core;
- Multi-functions: Wire stripping, wire cutting, terminal crimping;
- Application Scenarios: Electrical work maintenance, telecommunication wire stripping.

Item No.	Size	QTY
货号	规格	装箱数
96402	5-in-1	1/20

Electrician Knife
小弯电工刀

BESTIR



- Blade: Stamped from special steel, good toughness, rust-resistant and durable;
- Handle: Imported rosewood material, sturdy and wear-resistant.

Item No.	QTY
货号	装箱数
03522	12/144

Network Test Tool Sets
网线测试仪组套

BESTIR

Product Configuration:
1PC - 3-in-1 Network Cable Crimping Pliers
1PC - 2-in-1 Plug Wire and Wire Stripping Knife
1PC - Network Tester
1PC - 9V Battery
4PCS - Telephone Crystal Heads
4PCS - Network Cable Crystal Heads





(1) Strip the insulation of the network cable.



(2) Install the network cable socket (reverse side).



(4) Crimp the crystal head.



(3) Install the network cable socket (front side).



(5) Use a tester to check if the network cable is connected.

- This tool set includes common tools such as a network tester, crimping pliers, and wire stripping & inserting knife, enabling quick and efficient completion of daily operations like network testing and RJ45 crystal head crimping..

Item No.	QTY
货号	装箱数
92201	12

The Tool Book

Network Cable Wiring Methods and Application Scenarios

There are two standard wiring methods for twisted - pair cables of network cables: 568A and 568B.
Twisted - pair cables are used for star - shaped network wiring and connect devices through RJ - 45 crystal heads at both ends.
The standard wiring method ensures the symmetry of the cable joint layout and cancels out the interference between cables.
With the tail of the crystal head facing down, the ports from left to right are 1 - 8.

568A Wire Sequence:
568B Wire Sequence:
- 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 -

Straight - through cable: Both ends are wired according to the T568B wire sequence.
Crossover cable: One end is wired according to T568A and the other end according to the T568B wire sequence.
Situations:
(1) Peer - to - peer network (direct interconnection of network cards of two computers): Use a crossover cable, and the wiring methods at both ends are different.
(2) Network card and switch (or HUB): Use a straight - through cable, and the wiring methods at both ends are the same.
(3) Cascading of switch and switch (or HUB): Use a crossover cable, and the wiring methods at both ends are different.

Cable Tester
网线测试仪

BESTIR



Product Specifications:
Test Cables: RJ11, RJ45
Power Supply: DC 9V Stacked Battery
Power Consumption: 25mA
Dimension: 10.5×10×2.6 mm
Weight: 200g

Item No.	QTY
货号	装箱数
01131	12/96

I. Functions
1. Can test twisted - pair wires No.1 - 8 and G wire one by one (pair by pair), and can determine wrong wiring, short circuit, and open circuit conditions.
2. Switch "ON" is for normal test speed, and "S" is for slow test speed.

II. Twisted - Pair Wire Test
Turn on the power, insert the network cable plugs into the main tester and remote tester respectively, and the host indicator lights flash sequentially from 1 to G.
Examples:
- Main tester: 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - G
- Remote tester:
  - RJ45: 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - G
  - RJ12: 1 - 2 - 3 - 4 - 5 - 6 ------
  - RJ11: 1 - 2 - 3 - 4 --------

Abnormal Wiring Display:
1. If a certain wire (such as wire No.3) is open - circuited, the corresponding No.3 lights on both the main and remote testers do not light up.
2. If multiple wires are not connected, the corresponding lights do not light up; when the number of connected network wires is less than 2, all lights do not light up.
3. If the two ends of the network cable are out of order (such as wires No.2 and No.4 are out of order):
   - Main tester: 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - G
   - Remote test end: 1 - 4 - 3 - 2 - 5 - 6 - 7 - 8 - G
4. 2 wires short - circuited: The corresponding lights on the main tester do not light up, and the corresponding 2 wires' lights on the remote test end light up dimly; 3 or more wires short - circuited: All lights corresponding to the short - circuited wire numbers do not light up.

III. Test of Distribution Frame and Wall Socket Module
2 matching jumpers (such as 110P4 - RJ45) are needed to lead to the tester.

IV. Coaxial Cable Test
When the cable is normal, the BNC lights at both ends flash green at the same time.

■ Use of Master and Remote Devices
MASTER is the control instrument and can be fixed to connect to one end of the network cable; REMOTE is taken to the other end of the network cable for connection.

Electric Soldering Iron
电烙铁

BESTIR



- It is composed of a high-strength temperature-resistant plastic handle, a stainless steel shell, and high-quality heating elements;
- It features fast heating, high welding efficiency, is not easy to be affected by moisture and leakage, and has low temperature rise of the handle;
- The high-quality soldering tip enables reliable welding, easy tinning, and strong corrosion resistance;
- It is an electronic maintenance and soldering tool.

Item No.	Size	QTY
货号	规格	装箱数
14301	30W	8/96
14302	40W	8/96
14303	60W	8/96

Electric Soldering Iron
外热式弯头电烙铁

BESTIR



- It is composed of a high-strength temperature-resistant plastic handle, a stainless steel shell, and high-quality heating elements;
- It features fast heating, high welding efficiency, is not easy to be affected by moisture and leakage, and has low temperature rise of the handle;
- It has a high-purity red copper soldering tip, enabling reliable welding, easy tinning, and strong corrosion resistance;
- It is an electronic maintenance and soldering tool.

Item No.	Size	QTY
货号	规格	装箱数
14314	80W	8/48
14315	100W	8/48
14316	150W	8/48
14317	200W	6/24
14318	300W	6/24



Electric Soldering Iron
外热式电烙铁

BESTIR



- It is composed of a high-strength temperature-resistant plastic handle, a stainless steel shell, and high-quality heating elements;
- It features fast heating, moisture resistance and leakage prevention, and low temperature rise of the handle;
- It has a high-purity red copper soldering tip, enabling reliable welding, easy tinning, and strong corrosion resistance;
- It is an electronic maintenance and soldering tool.

Item No.	Size	QTY
货号	规格	装箱数
14311	30W	8/96
14312	40W	8/96
14313	60W	8/96

Electric Soldering Bit
外热式弯头电烙铁头

BESTIR



- The soldering tip is made of high-purity red copper, with a chrome-plated surface and pre-coated high-temperature tin on the head;
- It enables stable and reliable welding, features easy tinning and strong corrosion resistance, and has a solder joint service life of up to 30,000 times.

Item No.	Size	QTY
货号	规格	装箱数
14344	80W	1/20
14345	100W	1/20
14346	150W	1/20
14347	200W	1/10
14348	300W	1/10

Electric Soldering Bit
外热式电烙铁头

BESTIR



- The soldering tip is made of high-purity red copper, with a chrome-plated surface and pre-coated high-temperature tin on the head;
- It enables stable and reliable welding, features easy tinning and strong corrosion resistance, and has a solder joint service life of up to 30,000 times.

Item No.	Size	QTY
货号	规格	装箱数
14341	30W	10/50
14342	40W	10/50
14343	60W	10/50

Electric Soldering Bit
精品电烙铁烙铁头

BESTIR



- The soldering tip is made of a high-purity red copper head, with the surface first chrome-plated and then black-plated;
- The head is pre-coated with lead-free high-temperature tin, ensuring reliable welding, easy tinning and strong corrosion resistance. It has a solder joint service life of up to 30,000 times and high overall strength.

Item No.	Size	QTY
货号	规格	装箱数
14351	30W	10/50
14352	40W	10/50
14353	60W	10/50

Hot Melt Glue Gun
高温热熔胶枪

BESTIR



- Core Configuration: Uses high-tech ceramic PTC thermistors as heating elements;
- Performance Advantages: Fast heating, accurate temperature control, and can work normally with AC/DC power between 100V and 240V;
- Practical Features: Uniform and fast glue discharge, long service life, with built-in safety fuse;
- Safety Parameters: Electrical insulation strength withstands 3750V per minute without breakdown; voltage resistance is 330V for 3 minutes.

Item No.	Size	QTY
货号	规格	装箱数
14212	20W	24/96

Hot Melt Glue Gun
恒温型热熔胶枪

BESTIR



- Core Configuration: Uses high-tech ceramic PTC thermistors as heating elements;
- Performance Advantages: Fast heating, accurate temperature control, and can work normally with AC/DC power between 100V and 240V;
- Practical Features: Uniform and fast glue discharge, long service life, with built-in safety fuse;
- Safety Parameters: Electrical insulation strength withstands 3750V per minute without breakdown; voltage resistance is 330V for 3 minutes.

Item No.	Size	QTY
货号	规格	装箱数
14231	40W	12/36
14232	60W	12/36
14233	80W	12/36
14234	100W	12/36
14235	60/100W (Adjustable)	12/36

Hot Melt Glue Gun
高温型热熔胶枪

BESTIR




- Core Configuration: Uses high-tech ceramic PTC thermistors as heating elements;
- Performance Advantages: Fast heating, accurate temperature control, and can work normally with AC/DC power between 100V and 240V;
- Practical Features: Uniform and fast glue discharge, long service life, with built-in safety fuse;
- Safety Parameters: Electrical insulation strength withstands 3750V per minute without breakdown; voltage resistance is 330V for 3 minutes.

Item No.	Size	QTY
货号	规格	装箱数
14222	60W	12/36
14223	80W	12/36
14224	100W	12/36
14225	60/100W (Adjustable)	12/36

The Tool Book

Common Faults and Troubleshooting of Hot Melt Glue Guns

1. Basic Description: A hot melt glue gun consists of a heating core (thermistor), a glue stick feeding device (trigger system), and an outer shell. It is considered normal if the indicator light is on, the nozzle is hot, and the trigger works.
2. Issues Related to Glue Sticks:
   - Requirements for High-Quality Glue Sticks: Moderate hardness, transparent, and diameter conforming to the standard (Φ10.8-Φ11.5mm).
   - Impact of Poor-Quality Glue Sticks: Prone to insufficient feeding force, local over-expansion of the glue stick, or blockage of the nozzle by impurities, eventually leading to "no glue discharge despite heating".
   - Solutions: Replace with high-quality glue sticks or clean the nozzle (most such faults are caused by poor-quality glue sticks).
3. Indicator Light Not On and No Heating:
   - Possible Causes: Internal wire joints/switch are unsoldered or loose; built-in fuse is burned out.
   - Solutions: Open the device for inspection, re-solder/fix the wire joints/switch, or replace the fuse with the same specification (professional operation recommended, power off before operation).
4. Operation Taboo: Do not pull out the glue stick from the rear of the gun when the glue gun is in use or just after use (not cooled down).



Hot Air Gun
热风枪（标准款/两档风速）



- Air Volume:
  2-speed (250L-500L/Min)

⚠ Twarranty: 3 months, motor warranty 1 month (heating wires as consumables not covered).

Item No. 货号	Size 规格	Temp.(°C) 温度(°C)	QTY 装箱数
14601	1600W	100-590	10

Hot Air Gun
热风枪（两档风速/可调温）



- Air Volume:
  2-speed (250L-500L/Min)
- Temperature:
  Adjustable (100°C-650°C)

⚠ Twarranty: 3 months, motor warranty 1 month (heating wires as consumables not covered).

Item No. 货号	Size 规格	Temp.(°C) 温度(°C)	QTY 装箱数
14611	1600W	100-590	10
14612	2000W	100-650	10

Hot Air Gun
热风枪（数显/两档风速/可调温）




Temperature Display


- Air Volume:
  2-speed (250L-500L/Min)
- Temperature: Visual Display
  Adjustable (100°C-650°C)

⚠ Twarranty: 3 months, motor warranty 1 month (heating wires as consumables not covered).

Item No. 货号	Size 规格	Temp.(°C) 温度(°C)	QTY 装箱数
14621	1600W	100-590	10
14622	2000W	100-650	10







The Tool Book

Safety Specifications for Heat Guns

I. Usage Safety

1. Do not leave the heat gun unattended after startup; unplug power when leaving temporarily.
2. Use in dry environments first; in humid areas, stand on dry surfaces and wear insulated shoes.
3. Keep a safe distance between air outlet and the object; do not set to max temperature. Blocked air outlet during long continuous use causes internal heat buildup and hot air backflow, damaging the gun or parts (see Figure 3).
4. Do not touch the hot galvanized iron tube or point at human body (max temp 600°C, industrial tool, not hair care tool).
5. Do not blow heat-sensitive objects; prohibit use near flammable/explosive/toxic solvents.
6. Do not block air inlet or galvanized iron tube outlet; cut power immediately if motor stops (no hot air).

II. Shutdown & Storage

1. Shutdown: Set thermostat to lowest gear, switch to OFF after motor runs for 20 seconds.
2. Stand upright with air outlet (galvanized iron tube head) up (see Figure 2); no flat/upside-down placement.
3. Store only after internal air cools (see Figure 1) and galvanized iron tube cools (to avoid part damage and service life reduction).

III. Important Warnings

1. S1. Max temp around air jet is 600°C; follow manual to prevent burns and fires.
2. No self-disassembly/repair; send to dealer or manufacturer for faults.

Hot Air Gun
热风枪（数显调温/延时关机）



- Air Volume:
  2-speed (250L-500L/Min)
- Temperature: Visual Display
  Adjustable (100°C-650°C)
- The fan shuts down with a 20-second delay, which better protects the heating core and extends the device's service life.

⚠ Twarranty: 3 months, motor warranty 1 month (heating wires as consumables not covered).

Item No. 货号	Size 规格	Temp.(°C) 温度(°C)	QTY 装箱数
14631	1600W	100-590	10
14632	2000W	100-650	10

Plastic Welding Torch
塑料焊枪



Output Power: 700W
Voltage: 220V - 240V
Temperature: 100°C - 600°C
(Stepless Temperature Regulation)
Air Flow: 50, 300 Liters/Minute, Two - speed Wind
Function: Cold Air, Hot Air
Weight: 580g





- High welding strength, fast speed and easy operation;
- Suitable for on-site welding of plastic sheets, pipes and films (e.g., PVC/PE/PP/PVDF);
- Ideal tool for plastic welding of electroplating tanks, chemical storage tanks and plastic pipes.

⚠ Twarranty: 3 months, motor warranty 1 month (heating wires as consumables not covered).

Item No. 货号	Size 规格	QTY 装箱数
14702	700W	10

Plastic Welding Torch
分体塑料焊枪

Product Parameters
Working Mode: Split Type
Rated Voltage: 220V
Rated Frequency: 50Hz
Rated Power: 1000W
Air Pressure: 2800Pa
Temperature Adjustment Range: 40-550°C
(Stepless Temperature Regulation)
Air Volume: 3 m^3/h
Insulation Mode: ⊡





Imported Motor
Continuous operation up to 1000 hours, with a service life 2.5 times that of ordinary motors.



High-Quality Heating Wire
Longer service life, faster heat accumulation, and better performance.

- Split-type design + double insulation, safe and reliable;
- Ready to use by connecting to 220V AC power, flexible and easy to operate;
- Adjustable heating power, suitable for welding temperature requirements of different plastics and welding rods;
- Compatible with plastic welding rods with cross-sectional area ≤ 6mm²;
- Suitable for plastic welding, repair, dust and moisture removal of instruments, motor drying; ideal tool for chemical plastic manufacturing.

⚠ Twarranty: 3 months, motor warranty 1 month (heating wires as consumables not covered).

Item No. 货号	Size 规格	QTY 装箱数
14703	1000W	1/8

Electronic Constant Temperature Hot Melt Machine
电子恒温热熔器



14251 Ø（20、25、32）mm



14252 Ø（20、25、32、40、50、63）mm

Ambient Temperature: -20°C - 50°C
Relative Humidity: 45% - 95%
Rated Power: 900W ± 10%
Rated Voltage: 220V ± 10%
Heating Head Temperature: 260 ± 5°C
Applicable Scope: PPR, PE


Operation Demonstration


1.Check if the die head is intact


2.Fix the die head with screws


3.Reinforce the die head with an Allen wrench


4.Cut the PP - R pipe vertically with an aluminum - plastic shear, keeping the cut flat


5.Insert the pipe and fitting vertically into the hot melt machine head for heating


6.After heating, pull out the pipe and connect it quickly, hold until there is a uniform welding ring on the joint surface


7.Equipped with a corner welding head at the front, convenient for corner pipe welding

- Electronic thermostat design, automatic constant temperature (no adjustment needed), easy to use;
- Thickened pure aluminum heating plate with mirror fine polishing, fast heat conduction;
- Heat fusion die head: unique non-stick plastic high-temperature coating + thickened design, long service life;
- 3C-certified power cord (compliant with national standards), safe, durable and reliable;
- Suitable for pipeline laying, plumbing installation, pipeline maintenance and other industries.

Item No. 货号	Size 规格	QTY 装箱数
14251	Ø20-32mm	10
14252	Ø20-63mm	10

PVC Electrical Insulation Tape
电气绝缘胶带

RoHS COMPLIANT





- Made of lead-free PVC flame-retardant material, the product is ROHS compliant.
- Features: flame-retardant, moisture-proof, wear-resistant, anti-aging, acid and alkali resistant, and good ductility.
- Temperature rating: 0-80°C; Voltage rating: ≤600V

Item No. 货号	Size 规格	QTY 装箱数
09913	0.15mmx18mmx15yd(BK)	10/250
09914	0.15mmx18mmx15yd(R)	10/250
09915	0.15mmx18mmx15yd(Y)	10/250
09916	0.15mmx18mmx15yd(BL)	10/250
09917	0.15mmx18mmx15yd(G)	10/250



Electronics Forceps
不锈钢电子镊（弯头）



- Made of high-grade 304 stainless steel, with excellent toughness and elasticity;
- Surface treated with fine polishing, sandblasting and matte finishing;
- Widely used in medical treatment, electronic device assembly & maintenance, beauty, etc.

Item No. 货号	Size 规格	QTY 装箱数
03531	125mm	50/500

Electronics Forceps
不锈钢电子镊（微尖头）



- Made of high-grade 304 stainless steel, with excellent toughness and elasticity;
- Surface treated with fine polishing, sandblasting and matte finishing;
- Widely used in medical treatment, electronic device assembly & maintenance, beauty, etc.


Item No. 货号	Size 规格	QTY 装箱数
03532	125mm	50/500

Electronics Forceps
不锈钢电子镊（尖头）



- Made of high-grade 304 stainless steel, with excellent toughness and elasticity;
- Surface treated with fine polishing, sandblasting and matte finishing;
- Widely used in medical treatment, electronic device assembly & maintenance, beauty, etc.

Item No. 货号	Size 规格	QTY 装箱数
03533	125mm	50/500



Electronics Forceps
防静电镊子（尖头）



- Stainless steel material, refined with black electroplated surface; non-magnetic, acid and corrosion resistant; tip with special treatment for high hardness, durable and temperature resistant, soft elasticity and good hand feel;
- Widely used in processing and installation of electrostatic-sensitive components, as well as scenarios like laboratories, hospitals, microelectronics, watches, cleanrooms, etc.

Item No. 货号	Size 规格	QTY 装箱数
03543	125mm	50/500

3PCS Stainless Electrow Tweezers Set
3件套不锈钢电子镊



- Made of high-grade 304 stainless steel, with excellent toughness and elasticity;
- Surface treated with fine polishing, sandblasting and matte finishing;
- Widely used in medical treatment, electronic device assembly & maintenance, beauty, etc.

Item No. 货号	Size 规格	QTY 装箱数
96121	3PCS	40/400

Digital Multimeters
数字万用表



Product Parameters
Power Supply: 6F22 9V
LCD Size: 62mm×40mm
Body Color: Yellow + Black
Body Weight: 310g
Body Size: 185mm×90mm×48mm
Standard Accessories: Battery, Test Leads
Standard Inner Packaging: Color Box, Instruction Manual, Warranty Card

- Equipped with a high-performance MCU processor, this 3 1/2-digit digital multimeter features stable performance and reliable quality;
- LCD display ensures clear readings, intuitive viewing and easy operation;
- With backlight and lighting functions; supports auto power-off and full-range wrong-range protection;
- Measurable parameters: DC voltage, AC voltage (true RMS for sine waves), DC/AC current, capacitance, square wave, resistance, diode, continuity; includes non-contact voltage detection, live wire detection, unit symbol display, data hold and full-range overload protection functions.

Item No. 货号	QTY 装箱数
38636	24

Technical Index	Range	Basic Accuracy
DC Voltage (V)	200mV	(0.8% reading + 10 digits)
	2V/20V/200V	(0.5% reading + 5 digits)
	1000V	(0.8% reading + 5 digits)
AC Voltage (V)	2V/20V	(0.8% reading + 5 digits)
	200V/750V	(1.2% reading + 3 digits)
DC Current (A)	20mA/200mA	(1.5% reading + 2 digits)
	20A	(2.5% reading + 10 digits)
AC Current (A)	20mA/200mA	(1.5% reading + 2 digits)
	20A	(2.5% reading + 10 digits)
Resistance (Ω)	200Ω	(1.0% reading + 5 digits)
	2KΩ/20KΩ/200KΩ	(0.8% reading + 3 digits)
	2MΩ	(1.2% reading + 5 digits
	20MΩ	(2.0% reading + 5 digits)
	200MΩ	(4.0% reading + 20 digits)
Frequency (Hz)	1.999Hz/19.99Hz/199.9Hz/1.999kHz/ 19.99kHz/199.9kHz/1.999MHz	(1.0% reading + 3 digits)
Square Wave Test	50Hz/100Hz/200Hz/300Hz/400Hz/500Hz/600Hz /700Hz/800Hz/900Hz/1000Hz/2KHz/4KHz/5KHz	(3.0% reading + 5 digits)

Detailed Functions			
Live/Neutral Wire Test	√	Low Voltage Display	√
Continuity Buzzer	√	Transistor/Triode Test	√
Data Hold	√	Diode	√
Auto Power Off	√	T-RMS (True Root Mean Square)	√
NCV (Non-Contact Voltage Tester)	√	Operation Mode	Manual
Backlight	√	Display	2000counts LCD Display
Function Protection	√	Maximum Display Value	1999

One-year free warranty. Batteries and test leads are consumables and excluded.

Digital Multimeters
数字万用表（测温款）



Product Parameters
Power Supply: 6F22 9V
LCD Size: 62mm×40mm
Body Color: Yellow + Black
Body Weight: 310g
Body Size: 185mm×90mm×48mm
Standard Accessories: Battery, Test Leads
Standard Inner Packaging: Color Box, Instruction Manual, Warranty Card

- Equipped with a high-performance MCU processor, this 3 1/2-digit digital multimeter features stable performance and reliable quality;
- LCD display ensures clear readings, intuitive viewing and easy operation;
- With backlight and lighting functions; supports auto power-off and full-range wrong-range protection;
- Measurable parameters: DC voltage, AC voltage (true RMS for sine waves), DC/AC current, capacitance, square wave, resistance, diode, continuity, temperature; includes non-contact voltage detection, live wire detection, unit symbol display, data hold and full-range overload protection functions

Item No. 货号	QTY 装箱数
38637	24

Technical Index	Range	Basic Accuracy
DC Voltage (V)	200mV	(0.8% reading + 10 digits)
	2V/20V/200V	(0.5% reading + 5 digits)
	1000V	(0.8% reading + 5 digits)
AC Voltage (V)	2V/20V	(0.8% reading + 5 digits)
	200V/750V	(1.2% reading + 3 digits)
DC Current (A)	20mA/200mA	(1.5% reading + 2 digits)
	20A	(2.5% reading + 10 digits)
AC Current (A)	20mA/200mA	(1.5% reading + 2 digits)
	20A	(2.5% reading + 10 digits)
Resistance (Ω)	200Ω	(1.0% reading + 5 digits)
	2KΩ/20KΩ/200KΩ	(0.8% reading + 3 digits)
	2MΩ	(1.2% reading + 5 digits
	20MΩ	(2.0% reading + 5 digits)
	200MΩ	(4.0% reading + 20 digits)
Frequency (Hz)	1.999Hz/19.99Hz/199.9Hz/1.999kHz/ 19.99kHz/199.9kHz/1.999MHz	(1.0% reading + 3 digits)
Capacitance	19.99nF/199.9nF /1.999uF/19.99uF/199.9F /1.999mF/19.99mF	(3.0% reading + 5 digits) (4.0% reading + 10 digits)
Temperature	-20°C-300°C	±(1.0% reading + 4 digits)
	301°C-1000°C	±(1.9% reading + 5 digits)

Detailed Functions			
Live/Neutral Wire Test	√	Low Voltage Display	√
Continuity Buzzer	√	Transistor/Triode Test	√
Data Hold	√	Diode	√
Auto Power Off	√	T-RMS (True Root Mean Square)	√
NCV (Non-Contact Voltage Tester)	√	Operation Mode	Manual
Backlight	√	Display	2000counts LCD Display
Function Protection	√	Maximum Display Value	1999

One-year free warranty. Batteries and test leads are consumables and excluded.

Digital Multimeters
数字钳式万用表

BESTIR



Product Parameters
Power Supply: AAA 1.5V × 3 Batteries
LCD Size: 38mm × 28mm
Body Color: Yellow + Gray-Black
Body Weight: 230g
Body Size: 208mm × 73mm × 38mm
Maximum Jaw Opening Size: 36mm
Standard Accessories: Batteries, Test Leads
Standard Inner Packaging: Color Box, Instruction Manual, Warranty Card

- The overall circuit is centered on a large-scale integrated circuit dual-integral A/D converter, with a full-range overload protection circuit. It is a 3 1/2-digit digital clamp multimeter with stable performance and high reliability.
- The product has backlight, lighting function and auto power-off, and is equipped with fully sheathed protective test leads, with a maximum display value of 1999.
- It adopts a double-open jaw with a maximum opening size of 36mm, suitable for a wider range of measurement targets.
- It can measure AC current, DC voltage, AC voltage, resistance, diodes and continuity.

Item No.	QTY
货号	装箱数
38638	30

Technical Index	Range	Basic Accuracy
DC Voltage (V)	200mV/2V/20V/200V	(8% reading + 2 digits)
	600V	(1.0% reading + 2 digits)
AC Voltage (V)	200mV/2V/20V/200V	(1.0% reading + 10 digits)
	600V	(1.2% reading + 10 digits)
AC Current (A)	2A	(3.5% reading + 20 digits)
	20A	(3.0% reading + 10 digits)
	200A	(2.5% reading + 10 digits)
	600A	(1.5% reading + 10 digits)
Resistance (Ω)	200/2K/20K/200K/2M	(1.2% reading + 2 digits)
	20M	(2.0% reading + 5 digits)

Detailed Functions			
Continuity Buzzer	√	Flashlight Function	√
Data Hold	√	Low Voltage Display	√
Auto Power Off	√	Diode	√
NCV (Non-Contact Voltage Tester)	√	T-RMS (True Root Mean Square)	√
Backlight	√	Operation Mode	Manual
Function Protection	√	Maximum Display Value	1999

⚠ One-year free warranty. Batteries and test leads are consumables and excluded.

Digital Multimeters
数字钳式万用表（测温款）

BESTIR



Product Parameters
Power Supply: AAA 1.5V × 3 Batteries
LCD Size: 38mm × 28mm
Body Color: Yellow + Gray-Black
Body Weight: 240g
Body Size: 208mm × 73mm × 38mm
Maximum Jaw Opening Size: 36mm
Standard Accessories: Batteries, Test Leads
Standard Inner Packaging: Color Box, Instruction Manual, Warranty Card

- The overall circuit is centered on a large-scale integrated circuit dual-integral A/D converter, equipped with a full-range overload protection circuit. It is a 3 1/2-digit digital clamp multimeter with stable performance and high reliability.
- The product features backlight, lighting function and auto power-off, and is matched with fully sheathed protective test leads, with a maximum display value of 5999.
- It adopts a double-open jaw with a maximum opening size of 36mm, suitable for a wider range of measurement targets.
- It can measure AC current, DC voltage, AC voltage, resistance, capacitance, temperature, diodes and continuity.

Item No.	QTY
货号	装箱数
38639	30

Technical Index	Range	Basic Accuracy
DC Voltage (V)	600mV/6V/60V/600V	(1.0% reading + 5 digits)
AC Voltage (V)	6V/60V	(1.0% reading + 5 digits)
	600V	(1.2% reading + 5 digits)
AC Current (A)	6A/60A/600A	(2.5% reading + 10 digits)
Resistance (Ω)	600/6K/60K/600K	(0.8% reading + 3 digits)
	6M	(1.2% reading + 3 digits)
	60M	(2.0% reading + 5 digits)
Frequency (Hz)	99.99Hz/999.9Hz/9.999KHz	(0.5% reading + 3 digits)
Capacitance	9.999nF/99.99nF/999.9nF/9.999mF /99.99mF/999.9mF	(3.0% reading + 5 digits)
	9.999mF/99.99mF	(5.0% reading + 5 digits)
Temperature	-5°C-300°C	±(1.0% reading + 4 digits)
	301°C-1000°C	±(1.9% reading + 5 digits)

Detailed Functions			
Continuity Buzzer	√	Low Voltage Display	√
Data Hold	√	Diode	√
Auto Power Off	√	T-RMS (True Root Mean Square)	√
NCV (Non-Contact Voltage Tester)	√	Operation Mode	Manual / Auto
Backlight	√	Duty Cycle	0.1-99.9%
Function Protection	√	Maximum Display Value	5999
Flashlight Function	√		

⚠ One-year free warranty. Batteries and test leads are consumables and excluded.

Digital Multimeters
数字钳式万用表

BESTIR



Product Parameters
Power Supply: AAA 1.5V × 3 Batteries
LCD Size: 38mm × 28mm
Body Color: Yellow + Gray-Black
Body Weight: 240g
Body Size: 208mm × 73mm × 38mm
Maximum Jaw Opening Size: 36mm
Standard Accessories: Batteries, Test Leads
Standard Inner Packaging: Color Box, Instruction Manual, Warranty Card

- The overall circuit is centered on a large-scale integrated circuit dual-integral A/D converter, equipped with a full-range overload protection circuit. It is a 3 1/2-digit digital clamp multimeter with stable performance and high reliability.
- The product features backlight, lighting function and auto power-off, and is matched with fully sheathed protective test leads, with a maximum display value of 5999.
- It adopts a double-open jaw with a maximum opening size of 36mm, suitable for a wider range of measurement targets.
- It can measure DC current, AC current, DC voltage, AC voltage, resistance, capacitance, temperature, diodes and continuity.

Item No.	QTY
货号	装箱数
38640	30

Technical Index	Range	Basic Accuracy
DC Voltage (V)	6V/60V/600V	(1.0% reading + 5 digits)
AC Voltage (V)	6V/60V	(1.0% reading + 5 digits)
	600V	(1.2% reading + 5 digits)
AC Current (A)	60A/600A	
DC Current (A)	60A/600A	(2.0% reading + 8 digits)
Inrush Current	60A/600A	(5% reading + 60 digits)
Resistance (Ω)	600/6K/60K/600K	(0.8% reading + 3 digits)
	6M	(1.2% reading + 3 digits)
Frequency (Hz)	99.99Hz/999.9Hz/9.999KHz	(1.5% reading + 5 digits)
Capacitance	9.999nF/99.99nF/999.9nF/9.999mF /99.99mF/999.9mF	(3.0% reading + 5 digits)
	9.999mF/99.99mF	(5.0% reading + 5 digits)
Temperature	-5°C-300°C	±(1.0% reading + 4 digits)
	301°C-1000°C	±(1.9% reading + 5 digits)

Detailed Functions			
Continuity Buzzer	√	Low Voltage Display	√
Data Hold	√	Diode	√
Auto Power Off	√	T-RMS (True Root Mean Square)	√
Backlight	√	Operation Mode	Manual / Auto
Function Protection	√	Duty Cycle	0.1-99.9%
Flashlight Function	√	Maximum Display Value	5999

⚠ One-year free warranty. Batteries and test leads are consumables and excluded.

Intelligent Multimeter
智能万用表

BESTIR



Product Parameters
Power Supply: 6F22 9V
LCD Size: 45mm × 28mm
Body Color: Yellow + Black
Body Weight: 200g
Body Size: 148mm × 68mm × 46mm
Standard Accessories: Batteries, Test Leads
Standard Inner Packaging: Color Box, Instruction Manual, Warranty Card

- Equipped with a high-performance MCU processor, this 3 1/2-digit digital multimeter delivers stable performance and reliable quality;
- The LCD display ensures clear and intuitive reading, with easy operation;
- Comes with backlight, lighting function and auto power-off function;
- Features an intelligent user-friendly design: no need to switch ranges, as it can automatically identify AC/DC voltage and resistance, making it easy for beginners to use.

Item No.	QTY
货号	装箱数
38641	40

Technical Index	Range	Basic Accuracy
DC Voltage (V)	2V/20V	(0.5% reading + 5 digits)
	200V/600V	(0.8% reading + 5 digits)
AC Voltage (V)	2V/20V	(0.8% reading + 3 digits)
	200V/600V	(1.0% reading + 10 digits)
Resistance (Ω)	2000Ω/20KΩ/200KΩ	(1.2% reading + 3 digits)
	2MΩ/20MΩ	(2.0% reading + 5 digits)

Detailed Functions			
Continuity Buzzer	√	Function Protection	√
Data Hold	√	Operation Mode	Auto
Auto Power Off	√	Display	2000counts LCD Display
NCV (Non-Contact Voltage Tester)	√	Maximum Display Value	1999
Backlight	√		

⚠ One-year free warranty. Batteries and test leads are consumables and excluded.

Digital Multimeters
数字万用表

BESTIR



Product Parameters
Power Supply: 6F22 9V
LCD Size: 45mm × 28mm
Body Color: Yellow + Black
Body Weight: 200g
Body Size: 148mm × 68mm × 46mm
Standard Accessories: Batteries, Test Leads
Standard Inner Packaging: Color Box, Instruction Manual, Warranty Card

- Equipped with a high-performance MCU processor, this 3 1/2-digit digital multimeter features stable performance and reliable quality;
- LCD display design ensures clear and intuitive reading, with easy operation;
- Comes with backlight, lighting function and full-range wrong-range protection;
- Measurable parameters: DC voltage, AC voltage (true RMS for sine waves), DC/AC current, capacitance, resistance, diode,continuity; includes non-contact voltage detection, live wire detection and data hold functions.

Item No.	QTY
货号	装箱数
38642	40

Technical Index	Range	Basic Accuracy
DC Voltage (V)	200mV	(0.5% reading + 8 digits)
	20V	(0.5% reading + 5 digits)
	600V	(0.8% reading + 5 digits)
AC Voltage (V)	2V/20V	(0.8% reading + 3 digits)
	600V	(1.0% reading + 10 digits)
DC Current (A)	20mA/200mA	(1.0% reading + 5 digits)
	10A	(2.0% reading + 10 digits)
AC Current (A)	20mA/200mA	(1.2% reading + 5 digits)
	10A	(2.5% reading + 10 digits)
Resistance (Ω)	2KΩ/200KΩ	(0.8% reading + 3 digits)
	20MΩ	(2.0% reading + 5 digits)
Frequency (Hz)	200F	(4.0% reading + 3digits)
Capacitance	10Hz-2KHz	

Detailed Functions			
Continuity Buzzer	√	Transistor/Triode Test	√
Data Hold	√	Diode	√
Auto Power Off	√	T-RMS (True Root Mean Square)	√
NCV (Non-Contact Voltage Tester)	√	Operation Mode	Auto
Backlight	√	Display	2000counts LCD Display
Function Protection	√	Maximum Display Value	1999
Low Voltage Display	√		

⚠ One-year free warranty. Batteries and test leads are consumables and excluded.

Infrared Thermometer
测温枪（大彩屏）


BESTIR



- Large-screen color LCD display with backlight for clear reading;
- Multi-point positioning and high-precision sensor ensure accuracy and reliability;
- Suitable for metallurgy, manufacturing, industry, electric power and other industries.

Item	Parameter
Measuring Range	-50°C ~ 600°C(-58°F ~ 1112°F)
Measuring Accuracy	≥100°C ±2% , ≤100°C ±2°C
Distance-to-Spot Ratio (D:S)	12:1
Emissivity	Adjustable from 0.1 to 1.0
Display Resolution	0.1°C or 0.1°F
Response Spectrum	8-14um
LCD Display	Color Display
Laser	12-point circular laser dots, Power ＜1mW, Wavelength 630-670nm, Laser Class II
Response Time	0.5 Seconds
High/Low Temperature Alarm	√
Auto Power-Off	√
Data Storage / Data Hold	√
Power Supply	9V 6F22 Battery
Operating Temperature Range	0°C ~ 50°C
Storage Temperature Range	-10°C ~ 60°C
Dimensions	163mmX100mmX52mm
Net Weight	168g (Battery Not Included)

Distance-to-Spot Ratio 12:1
As the distance between the thermometer and the measured object increases, the measurement area increases accordingly.



Item No.	QTY
货号	装箱数
38613	6/36

⚠ One-year free warranty. Batteries and test leads are consumables and excluded.

Laser Distance Meter
激光测距仪

BESTIR



- This product can measure distance, area and volume, and also enable indirect measurement using the Pythagorean theorem;
- It is lightweight and portable, with accurate measurement, simple operation and fast convenience;
- Widely used in construction, decoration, transportation, landscape architecture, water conservancy, electric power and other industries.

Item No.	Size	QTY
货号	规格	装箱数
01390	40M	20/80
01397	50M	20/80
01398	70M	20/80
01399	100M	20/80

Item	01397	01398	01399	01390
Measurement Range	0.05~50m	0.05~70m	0.05~100m	0.05~40m
Measurement Accuracy	±(2mm + D×1/100000)			±(3mm +D×5/100000)
Continuous Measurement	✓			
Area/Volume Measurement	✓			
Pythagorean Measurement	✓			
Addition/Subtraction Measurement	✓			
Area/Volume Addition/Subtraction	✓			
Maximum/Minimum Value	✓			
Self-Calibration	✓			
Sound Prompt	✓			
Laser Class	II			
Laser Type	Class 2, 630 - 670nm, < 1mW			
Number of Stored Records	99 records			
Automatic Laser Shutdown	20 seconds			
Automatic Power Off	150 seconds			
Battery Life	8000 times			
Storage Temperature	-20°C~60°C			
Operating Temperature	-0°C~40°C			
Storage Humidity	20%~80%RH			
Battery Parameters	1.5V 2xAAA			
Dimensions	112x50x25mm			104x48x25mm

⚠ One-year free warranty. Batteries and test leads are consumables and excluded.

Laser Level
激光投线仪

BESTIR

Product Parameters:
> Horizontal Accuracy: ±1.5mm/7m
> Vertical Accuracy: ±1.5mm/7m
> Automatic Leveling Time: ≤5s
> Emission Angle: 120°
> Laser Wavelength: 515nm
> Laser Class: Below 1mW (Class 2)
> Power Supply: Lithium Battery
> Operating Temperature: -10°C ~ +45°C
> Storage Temperature: -20°C ~ +70°C


- LED Green Laser: High brightness, long range, and clear light spot;
- Magnetic Damping Technology: Enables fast compensation and automatic leveling, It auto
- -levels when the device tilts within ±3°, and automatically alarms when exceeding the range;
- Base: Precisely cast from aviation aluminum alloy, featuring stability, shock resistance and drop
- resistance. It can rotate 360° and is equipped with a fine-tuning knob for quick target alignment;
- Battery: Large-capacity lithium battery for long battery life.

Item No.	Size	QTY
货号	规格	装箱数
01361	1V1H (Two-Wire)	1/10
01362	2V1H (Three-Wire)	1/10
01363	4V1H (Five-Wire)	1/10




⚠ Three-Month Repair Service.


Two-Line Schematic Diagram
Including 1 vertical line, 1 horizontal line, and 2 enhancement points



Three-Line Schematic Diagram
Including 2 vertical lines, 1 horizontal line, 1 downward pointing point, and 3 enhancement points



Five-Line Schematic Diagram
Including 4 vertical lines, 1 horizontal line, 1 downward pointing point, and 5 enhancement points




Laser Level
激光水平仪（贴地款）

BESTIR

30mW Laser | CALSS II Class | ±1mm/7m Accuracy | ±3° Auto-Level | 7mm Wall Dist.





Floor Leveler Light Emission Schematic

Item	Parameter
Light Source	30mW Green Light
Laser Safety Class	calss II
Laser Wavelength	515nm
Accuracy	±1mm/7m
Wall Distance	7mm
Operating Temperature	-15°C ~ +65°C
Storage Temperature	-20°C ~ +70°C
Working Range (Radius)	10M
Auto-Leveling Angle	±3
Oblique Line Function (Tilt Mode)	Yes
Remote Control Transmitting Distance	10M
Power Supply (Lithium Battery)	2400mAh
Working Time	2.5h
Charging Time	2.5h（5V2A）
Attachment	Instruction Manual ×1, Lithium Battery ×2, Charger ×1, Lifting Platform ×1, Remote Control ×1, Portable Plastic Case ×1

- Adopts LED high-brightness green light source, with long range and high clarity;
- Intelligent system control: The device automatically levels when tilted within ±3°, and sounds a beep alarm when exceeding the range;
- Supports setting 360° vertical lines, horizontal lines and oblique lines, with remote control function, suitable for long-distance construction;
- IP54 waterproof and dustproof rating;
- Compatible with 360° brackets, lifting platforms and wall-mounted brackets to expand application scenarios. It can be used for floor-mounted, wall-mounted and ceiling-mounted line marking, with wide applications.

Three-Month Repair Service.


Item No. 货号	Size 规格	QTY 装箱数
01364	8V4H (12-Line)	1/10

Laser Level
激光水平仪（贴墙款）

BESTIR

30mW Laser | CALSS II Class | ±1mm/7m Accuracy | ±3° Auto-Level | 7mm Wall Dist.





Floor Leveler Light Emission Schematic

Item	Parameter
Light Source	30mW Green Light
Laser Safety Class	calss II
Laser Wavelength	515nm
Accuracy	±1mm/7m
Wall Distance	7mm
Operating Temperature	-15°C ~ +65°C
Storage Temperature	-20°C ~ +70°C
Working Range (Radius)	10M
Auto-Leveling Angle	±3
Oblique Line Function (Tilt Mode)	Yes
Remote Control Transmitting Distance	10M
Power Supply (Lithium Battery)	2400mAh
Working Time	2.5h
Charging Time	2.5h（5V2A）
Attachment	Instruction Manual ×1, Lithium Battery ×2, Charger ×1, Adapter ×1, Wall-Mounted Bracket ×1, Remote Control ×1, 3-Leg Fine-Tuning Rotating Base ×1, Portable Plastic Case ×1

- Adopts LED high-brightness green light source, with long range and high clarity;
- Intelligent system control: The device automatically levels when tilted within ±3°, and sounds a beep alarm when exceeding the range;
- Supports setting 360° vertical lines, horizontal lines and oblique lines, with remote control function, suitable for long-distance construction;
- IP54 waterproof and dustproof rating;
- Compatible with 360° brackets, lifting platforms and wall-mounted brackets to expand application scenarios. It can be used for floor-mounted, wall-mounted and ceiling-mounted line marking, with wide applications.

Three-Month Repair Service.

Item No. 货号	Size 规格	QTY 装箱数
01365	8V4H (12-Line)	1/10





Fibre Handle Claw Hammer
纤维柄羊角锤



- Made of high-quality carbon steel with precision forging and high-frequency heat treatment, featuring high hardness and impact resistance;
- The hammer head surface is finely polished, ensuring rust resistance and durability;
- High-strength rubber-plastic fiber handle, lightweight, anti-slip and shock-absorbing;
- The tip of the hammer head is used for nail pulling.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02108	0.25Kg	287	6/48
02109	0.5Kg	335	6/36
02110	0.75Kg	337	6/24

Machinist's Hammer
纤维柄钳工锤



- Made of high-quality carbon steel with precision forging and high-frequency heat treatment, featuring high hardness and impact resistance;
- The hammer head surface is treated with black frosted spray coating technology, ensuring rust resistance and durability;
- High-strength rubber-plastic fiber handle, lightweight, anti-slip and shock-absorbing.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02156	0.2Kg	266	6/48
02157	0.3Kg	285	6/36
02158	0.5Kg	330	6/24

Fibre Handle Ball Hammer
纤维柄圆头锤



- Made of high-quality carbon steel with precision forging and high-frequency heat treatment, featuring high hardness and impact resistance;
- The hammer head surface is finely polished, ensuring rust resistance and durability;
- High-strength rubber-plastic fiber handle, lightweight, anti-slip and shock-absorbing.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02171	0.5P	285	6/72
02172	1P	315	6/36
02173	1.5P	340	6/24
02174	2P	370	6/18
02175	2.5P	371	6/18
02176	3P	371	6/12

Fibre Handle Octagonal Hammer
纤维柄八角锤



- Made of high-quality carbon steel with precision forging and high-frequency heat treatment, featuring high hardness and impact resistance;
- The hammer head surface is treated with black frosted spray coating technology, ensuring rust resistance and durability;
- High-strength rubber-plastic fiber handle, lightweight, anti-slip and shock-absorbing;
- Suitable for striking large-volume or relatively hard objects.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02522	2LB	340	6/24
02523	3LB	370	6/12
02524	4LB	371	6/12



Claw Hammer
不锈钢柄强磁羊角锤（方头）

Square Head Straight End Style



- Made of high-quality high-carbon steel, with the hammer head finely polished;
- Strong magnetic double nail slot design, capable of adsorbing nails of different lengths;
- Diamond-shaped anti-slip striking surface, preventing slippage;
- Double V-slot nail-pulling design, suitable for both large and small nails;
- Stainless steel plastic-coated handle, featuring high strength, rust resistance and durability.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02123	10oz	390	6/36
02124	13oz	390	6/36

Claw Hammer
不锈钢柄强磁羊角锤（圆头）

Round Head Curved End Style



- Made of high-quality high-carbon steel, with the hammer head finely polished;
- Strong magnetic double nail slot design, capable of adsorbing nails of different lengths;
- Diamond-shaped anti-slip striking surface, preventing slippage;
- Double V-slot nail-pulling design, suitable for both large and small nails;
- Stainless steel plastic-coated handle, featuring high strength, rust resistance and durability.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02125	10oz	390	6/36
02126	13oz	390	6/36



Claw Hammer
纤维柄强磁羊角锤（方头）

Square Head Straight End Style



- Made of high-quality high-carbon steel, with the hammer head finely polished;
- Strong magnetic double nail slot design, capable of adsorbing nails of different lengths;
- Diamond-shaped anti-slip striking surface, preventing slippage;
- Double V-slot nail-pulling design, suitable for both large and small nails;
- Glass fiber plastic-coated handle, featuring good elasticity, anti-slip and shock-absorbing properties.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02104	10oz	365	6/36
02105	13oz	396	6/36

Claw Hammer
纤维柄强磁羊角锤（圆头）


Round Head Curved End Style



- Made of high-quality high-carbon steel, with the hammer head finely polished;
- Strong magnetic double nail slot design, capable of adsorbing nails of different lengths;
- Diamond-shaped anti-slip striking surface, preventing slippage;
- Double V-slot nail-pulling design, suitable for both large and small nails;
- Glass fiber plastic-coated handle, featuring good elasticity, anti-slip and shock-absorbing properties.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02106	10oz	360	6/36
02107	13oz	398	6/36

Claw Hammer
铁柄羊角锤



- Hammer head: Forged from high-quality high-carbon steel; Iron handle: Tubular structure, treated with chrome plating and fine polishing;
- The hammer head and iron handle are connected via a special inlay process, featuring excellent anti-loosening performance, safe and reliable;
- High-quality iron handle with high-quality plastic covering on the grip part, anti-slip and comfortable to hold.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02121	0.25kg	258	6/48

Finishing Hammer
安装锤



- Hammer body: Forged from high-quality carbon steel, with high strength;
- Hammer head: Made of polyurethane material, soft and translucent;
- Moderate hardness, no deformation or cracking when striking;
- Replaceable hammer head, featuring impact resistance, oil resistance, anti-slip and flame retardancy.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
02301	Ø 25	250	12/108
02302	Ø 30	255	12/72
02303	Ø 35	280	12/60
02304	Ø 40	300	6/48

Punch & Chisel
胶柄八角钢扁凿

Cr-V






- Chisel body: Forged from high-quality alloy steel CR-V, with high strength and good toughness;
- Overall heat treatment: The head undergoes special heat treatment, with hardness up to
- HRC53-60, and the tail is tempered;
- Chisel surface: Treated with yellow spray coating for corrosion resistance;
- Anti-slip rubber handle design ensures work safety;
- Suitable for fitter work, mold manufacturing, mechanical processing and maintenance, etc.

Item No. 货号	Size 规格	QTY 装箱数
09230	22x16x250mm	4
09231	22x16x300mm	4
09232	26x18x350mm	4
09241	16x300mm(Pointed Chisel)	4

Wood Chisel
黄黑柄木工凿

Cr-V



- Professional-grade wood chisel, made of chrome vanadium steel, sharp and durable;
- Specifically used for making mortise holes in wooden structures.

Item No. 货号	Size 规格	L mm 总长	QTY 装箱数
09323	3/8"(10mm)	255	6/60
09324	1/2"(13mm)	255	6/60
09325	5/8"(16mm)	265	6/60
09326	3/4"(19mm)	265	6/60
09327	7/8"(22mm)	265	6/60
09328	1"(25mm)	265	6/60
09329	1-1/4"(32mm)	270	6/60
09330	1-1/2"(38mm)	270	6/60

Punch & Chisel
钢扁凿

Cr-V



- Forged from high-quality alloy steel CR-V, featuring high strength and good toughness;
- Overall heat treatment: the head undergoes special heat treatment (hardness up to HRC53-60), and the tail is tempered;
- The chisel surface is coated with golden baking paint, and the head is polished;
  Mainly used in mechanical maintenance, installation, and industries such as construction and auto repair, suitable for operations like slotting, welding slag removal, shaping and carving.

Item No. 货号	Size 规格	QTY 装箱数
09250	17x11x150mm	10
09251	17x11x175mm	10
09252	20x12x200mm	10
09253	23x13x250mm	10
09254	23x13x300mm	5

Punch & Chisel
八角钢扁凿

Cr-V



- Forged from high-quality chrome vanadium steel, with high strength and good toughness;
- Overall heat treatment, with the head undergoing special heat treatment and hardness reaching up to HRC53-60;
- Suitable for fitter work, mold manufacturing, mechanical processing and maintenance, etc.

Item No. 货号	Size 规格(长×径宽×凿宽)	QTY 装箱数
09210	165x11x10mm	10/120
09211	178x12.7x12.7mm	10/120
09212	203x15.7x15.7mm	6/60
09213	203x19x19mm	5/40
09214	228x19x22.2mm	5/40
09215	254x19x22.2mm	6/36
09216	254x22.2x25.4mm	5/30
09217	300x19x22.2mm	4/24

Hollow Punch
工具钢皮带冲





Conveyor Belt Punching



Engine Belt Punching



Leather Product Punching

- Made of high-quality tool steel, with overall heat treatment;
- Knurled design, anti-slip and durable;
- Suitable for operations such as leather punching, experimental punching, and professional punching.

Item No. 货号	Size 规格	QTY 装箱数
07905	3mm	10/60
07906	4mm	10/60
07907	5mm	8/48
07908	6mm	8/48
07909	7mm	8/40
07910	8mm	8/40
07911	9mm	6/24
07912	10mm	6/24
07913	11mm	5/15
07914	12mm	5/15
07915	13mm	5/15
07916	14mm	5/15
07917	15mm	4/8
07918	16mm	4/8
07919	17mm	4/8
07920	18mm	3/6
07921	19mm	3/6
07922	20mm	3/6
07924	22mm	2/4
07925	23mm	2/4
07926	24mm	2/4
07927	25mm	2/4

Hollow Punch Sets
皮带冲组套



- Made of high-quality tool steel, with overall heat treatment;
- Knurled design, anti-slip and durable;
- Suitable for operations such as leather punching, experimental punching, and professional punching.

Item No. 货号	Size 规格	QTY 装箱数
93463	12PCS	6Sets
93464	15PCS	4Sets

12 PCS, Hole Dia. Specs.
(3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 19)mm
15 PCS, Hole Dia. Specs.
(3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16, 19, 22, 25)mm

Letter Punch
数字钢号码



- Made of high-quality alloy steel, subjected to special quenching, with a hardness of HRC60±2, featuring high hardness, good toughness, and sturdiness & durability.

Item No. 货号	Size 规格	QTY 装箱数
07801	3MM	100
07802	4MM	100
07803	5MM	100
07804	6MM	60
07805	8MM	30
07806	10MM	24

Letter Punch
字母钢号码



- Made of high-quality alloy steel, subjected to special quenching, with a hardness of HRC60±2, featuring high hardness, good toughness, and sturdiness & durability.

Item No. 货号	Size 规格	QTY 装箱数
07811	3MM	30
07812	4MM	30
07813	5MM	30
07814	6MM	20
07815	8MM	10
07816	10MM	8

Letter Punch
五角星钢号码



- Made of high-quality alloy steel, subjected to special quenching, with a hardness of HRC60±2, featuring high hardness, good toughness, and sturdiness & durability.

Item No. 货号	Size 规格	QTY 装箱数
07821	3MM	27
07822	4MM	27
07823	5MM	27
07824	6MM	27
07825	8MM	27
07826	10MM	27





Horizontal Hydraulic Jack
重型卧式液压千斤顶（汽修专用）

BESTIR

CAPACITY 3T





Maximum Height: 465mm



Minimum Height: 83mm

- Large hydraulic double-cylinder design, good sealing performance, enabling fast lifting and lowering;
- Made of thickened plates, stable and durable;
- Minimum height 83mm, maximum height 465mm, with a large stroke range;
- Equipped with an overload protection device, which automatically activates when exceeding the rated pressure;
- Suitable for 4S shops, light vehicle repair shops, tire shops, etc.

Item No.	Size	QTY
货号	规格	装箱数
09823	3T	1

Split-Unit Hydraulic Puller
分体式液压拉马

BESTIR



- Split-type hydraulic puller, more suitable for operation in special working spaces, labor-saving and convenient;
- The ejector rod undergoes special heat treatment for long-term durability;
- The pulling claws can be adjusted freely in height, and the three-jaw and two-jaw can be disassembled and replaced as needed.

Warranty coverage for 3 months from the date of purchase.

Item No.	Size	QTY
货号	规格	装箱数
08601	5T	1
08602	10T	1
08603	20T	1
08604	30T	1
08605	50T	1

Integral Unit Hydraulic Puller
整体式液压拉马

BESTIR



- SNew-type Hydraulic Puller, labor-saving and easy to operate;
- The ejector rod undergoes special heat treatment for long-term durability;
- The pulling claws can be adjusted freely in height, and the three-jaw and two-jaw can be disassembled and replaced as needed.

Warranty coverage for 3 months from the date of purchase.

Item No.	Size	QTY
货号	规格	装箱数
08611	5T	2
08612	10T	2
08613	15T	2
08614	20T	2
08615	30T	1
08616	50T	1

The Tool Book

Perf. Params of Integral & Split Hydraulic Pullers

Model & Spec.	5T	10T	15T	20T	30T	50T
Safe Load (T)	5	10	15	20	30	50
Eff. Stroke of Shaft (mm)	50	50	50	75	80	80
Max. Longitudinal Pull Dist. (mm)	140	160	200	200	250	350
Max. Transverse Pull Dia. (mm)	200	250	350	350	400	500

Hydraulic Steel-bar Tongs Model
液压钳



Model:	Crimping Module Specification
YYQ-120	(10,16,25,35,50,70,95,120)mm²
YYQ-240	(16,25,35,50,70,95,120,150,185,240)mm²
YYQ-300	(16,25,35,50,70,95,120,150,185,240,300)mm²

- Crimping module made of special steel, sturdy and durable, stable in operation, and easy to use;
- Widely used in industries such as electric power, communications, petroleum, chemical engineering, mining, metallurgy, etc., with fast crimping speed;
- Hydraulic Oil: 32# Hydraulic Oil


Warranty coverage for 3 months from the date of purchase.

Item No.	Size	Max. Pressure	QTY
货号	规格	最大压力	装箱数
09701	YYQ-120	12T	4
09702	YYQ-240	16T	4
09703	YYQ-300	16T	4

Hydraulic Steel-bar Tongs Model
液压钢筋钳

12Cr-Mo-V





Note: ~1mm gap when two blades closed, designed to avoid blade collision damage.

- The blade edge is made of 12Cr-Mo-V alloy steel, ensuring sturdiness and durability;
- Featuring excellent shearing effect, easy operation, and safe stability, it is an optimal tool for shearing steel bars with a hardness below HRC30;
- Widely used in industries such as electric power, communications, petroleum, chemical engineering, mining, and metallurgy;
- Hydraulic Oil: 32# Hydraulic Oil

Warranty coverage for 3 months from the date of purchase.

Item No.	Size	Shear Rge.	Max. Pressure	QTY
货号	规格	剪切范围	最大压力	装箱数
09801	CPC-12A	4~12mm	6Mpa	1/5
09802	CPC-16A	4~16mm	8Mpa	1/4
09803	CPC-20A	4~20mm	14Mpa	1/2

Hydraulic Punch Dirver
液压开孔器



Product Parameters

Model	Punch Die Config.(Ømm)	Sheet Thk. Cap.
SYK-8	22, 27, 34, 43, 49, 60	4mm
SYK-15	63, 76, 80, 89, 100, 114	3mm

- This product is used for punching holes in iron plates of a certain thickness.
- It is often applied to punch holes for buttons on the installation panels of distribution cabinets in power distribution systems, and is also widely used in thin-plate punching operations in other industrial and mining enterprises, featuring convenience, flexibility and precision.

Warranty coverage for 3 months from the date of purchase.

Item No.	Size	QTY
货号	规格	装箱数
93501	SYK-8	2
93502	SYK-15	1

Liquefied Gas Blowtorch
液化气喷火枪（单开关型）



Standard - equipped 2 - meter National Standard LPG Pipe.


(Single-switch Type)

- Air guide tube and nozzle are both made of stainless steel, sturdy and durable;
- LPG blowtorch uses LPG as fuel, a heating & welding tool. When used correctly, it reaches 1300°C, with low cost, safety, convenience, no pollution and stable performance;
- Suitable for metal welding, mechanical part heat treatment (quenching), foundry, asphalt melting, drying, meat hair removal, plastic melting, wood product baking, granite surface treatment, etc.

Item No.	Size	Total Len.	QTY
货号	规格	总长	装箱数
09562	Model 30	400mm	20
09563	Model 35	520mm	20
09564	Model 50	690mm	20

Cutting Torch
射吸式割炬（双色柄）





- Main body: fully brass precision-forged, surface fine-polished, safe and reliable in performance;
- Cutting torch uses separate switches to adjust gas flow, enabling safer operation;
- Handle: PP-TPR dual-material design, comfortable grip and good anti-slip effect;
- Welded parts adopt high-frequency ultrasonic technology, ensuring welding reliability;
- Standard equipped with No.2 acetylene cutting nozzle.

3-Month Warranty.

Item No.	Size	QTY
货号	规格	装箱数
09515	Model G01-30	15
09516	Model G01-100	15

Liquefied Gas Blowtorch
液化气喷火枪（双开关型）





Standard - equipped 2 - meter National Standard LPG Pipe.

(Dual-switch Type)

Dual-Switch Operation:
Slightly open the upper switch to ignite with a small gas flow; keep the upper switch till after ignition, and adjust the flame size with the lower switch.

- Air guide tube and nozzle are both made of stainless steel, sturdy and durable;
- LPG blowtorch uses LPG as fuel, a heating & welding tool. When used correctly, it reaches 1300°C, with low cost, safety, convenience, no pollution and stable performance;
- Suitable for metal welding, mechanical part heat treatment (quenching), foundry, asphalt melting, drying, meat hair removal, plastic melting, wood product baking, granite surface treatment, etc.

Item No.	Size	Total Len.	QTY
货号	规格	总长	装箱数
09565	Model 30	400mm	20
09566	Model 35	520mm	20
09567	Model 50	690mm	20

Welding Torch
射吸式焊炬（双色柄）



- Dual-color handle design: aesthetic & ergonomic;
- Full brass main body: valve-nozzle fit with high precision, good sealing, no gas leakage;
- High-frequency ultrasonic welding for nozzle-body & nozzle-tip: safe & reliable;
- Std. equipped with No.2 C_2 H_2 cutting nozzle.

3-Month Warranty.

Item No.	Size	QTY
货号	规格	装箱数
09505	Model H01-6	20

Acetylene Cutting Torch
30/100型乙炔割嘴



(Packaging Method)

Item No.	Size	QTY
货号	规格	装箱数
09541	G01-30-1#	5/300
09542	G01-30-2#	5/300
09543	G01-30-3#	5/300
09544	G01-100-1#	5/300
09545	G01-100-2#	5/300
09546	G01-100-3#	5/300

Propane Cutting Torch
30/100型丙烷割嘴



(Packaging Method)

Item No.	Size	QTY
货号	规格	装箱数
09551	G07-30-1#	5/300
09552	G07-30-2#	5/300
09553	G07-30-3#	5/300
09554	G07-100-1#	5/300
09555	G07-100-2#	5/300
09556	G07-100-3#	5/300

Oxygen Hose
氧气管



- Adopts special engineering bonding process of imported natural rubber and woven yarn mesh; no separation or delamination between inner & outer layers of the tube, featuring flexibility, light weight, high pressure resistance and good aging resistance;
- Produced in accordance with national standard GB2550; imported rubber with machine -woven yarn mesh, offering high pressure resistance, stable quality, aging & corrosion resistance;
- Burst pressure ≥ 60kg.

3-Month Warranty.

Item No.	Size	QTY
货号	规格	装箱数
09603	∅8x30M	3
09604	∅10x30M	3

Acetylene Hose
乙炔管



- Adopts special engineering bonding process of imported natural rubber and woven yarn mesh; no separation or delamination between inner & outer layers of the tube, featuring flexibility, light weight, high pressure resistance and good aging resistance;
- Produced in accordance with national standard GB2550; imported rubber with machine -woven yarn mesh, offering high pressure resistance, stable quality, aging & corrosion resistance;
- Burst pressure ≥ 60kg.

3-Month Warranty.

Item No.	Size	QTY
货号	规格	装箱数
09613	∅8x30M	3
09614	∅10x30M	3

Acetylene Regulator
乙炔减压器



Rated Input Pressure: 1.6MPa
Rated Output Pressure: 0.15MPa

- Valve body: thickened cast iron construction, good sealing performance and high pressure resistance;
- Large gauge body: clear reading, safe and stable;
- Air inlet nozzle: built-in precision brass filter screen to prevent impurities from entering and maintain unobstruction.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09422	12

Propane Regulator
丙烷减压器



Rated Input Pressure: 1.6MPa
Rated Output Pressure: 0.15MPa

- Valve body: thickened cast iron construction, good sealing performance and high pressure resistance;
- Large gauge body: clear reading, safe and stable;
- Air inlet nozzle: built-in precision brass filter screen to prevent impurities from entering and maintain unobstruction.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09423	12

Argon Regulator
氩气减压器



Rated Input Pressure: 15MPa
Rated Output Pressure: 0.15MPa
Output Flow: 1~25L/min

- Valve body: thickened cast iron construction, good sealing performance and high pressure resistance;
- Large gauge body: clear reading, safe and stable;
- Air inlet nozzle: built-in precision brass filter screen to prevent impurities from entering and maintain unobstruction.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09424	12

Carbon Dioxide Regulator
二氧化碳减压器（电加热）

CE



Rated Input Pressure: 15MPa
Rated Output Pressure: 0.3MPa
Output Flow: 0~25L/min
Power Input: AC 36V
(Connect to MIG welder 36V PS)
Power Cord Length: 1.2M

3-Month Warranty.

- Overall composite material construction: compact structure, good sealing;
- Air inlet nozzle with built-in precision brass filter screen: prevents impurities entry for unobstructed flow;
- Constant temperature heating: prevents pipeline freezing, maintains smooth gas flow;
- Suitable for CO_2 and CO_2 mixed gas shielded welding.

Item No.	QTY
货号	装箱数
09425	12

Oxygen Regulator
氧气减压器



Rated Input Pressure: 15MPa
Rated Output Pressure: 1.25MPa

- Made of new composite material, stable pressure;
- Overall compact structure, good sealing.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09401	12

Acetylene Regulator
乙炔减压器



Rated Input Pressure: 1.6MPa
Rated Output Pressure: 0.15MPa

- Made of new composite material, stable pressure;
- Overall compact structure, good sealing.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09402	12

Propane Regulator
丙烷减压器



Rated Input Pressure: 1.6MPa
Rated Output Pressure: 0.15MPa

- Made of new composite material, stable pressure;
- Overall compact structure, good sealing.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09403	12

Argon Regulator
氩气减压器



Rated Input Pressure: 15MPa
Output Flow: 1~25L/min

- Main body: special alloy steel material, with soft rubber sleeve;
- Overall compact structure, good sealing performance.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09404	12

Oxygen Regulator
大阀体氧气减压器



Rated Input Pressure: 15MPa
Rated Output Pressure: 1.25MPa

- Enlarged valve body (full brass forged, overall thickened): large flow, stable pressure;
  Complies with latest European standards, with pressure regulation limit device;
- Overall compact structure, good sealing.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09411	6

Acetylene Regulator
大阀体乙炔减压器



Rated Input Pressure: 1.6MPa
Rated Output Pressure: 0.15MPa

- Enlarged valve body (full brass forged, overall thickened): large flow, stable pressure;
  Complies with latest European standards, with pressure regulation limit device;
- Overall compact structure, good sealing.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09412	6

Carbon Dioxide/Argon Regulator
大阀体氩气 / 二氧化碳减压器



Rated Input Pressure: 15MPa
Output Flow: 1~25L/min

- EMainly used for argon pressure reduction: large valve body, good sealing, durable;
- Also applicable for CO_2 pressure reduction in agricultural plant cultivation, chemical, food & other industries.

3-Month Warranty.

Item No.	QTY
货号	装箱数
09413	6



Welding Electrode Holder
电焊钳（吸塑装/普通款）

(Blister Pack/ Standard Model)



- Conductor: thickened pure copper casting, large conductive area, good performance; Patented structure: built-in heat-insulating insulation board, exposed screws not in
- direct contact with conductor, preventing accidental sparking & scalding (long-term use), safer operation;
- Applicable scenarios: short continuous welding (general maintenance, water & electricity decoration, etc.);
- Plier body: extended & thickened design, comfortable grip, reduces fatigue; Usage: for intermittent welding.

3-Month Warranty.

Item No.	Size	QTY
货号	规格	装箱数
14123	500-600	5/40

Electric Welding Helmet
半自动电焊面罩

- Large internal space: good heat dissipation, excellent face protection;
- Material: heat-resistant & impact-resistant;
- Eyepiece: up-down sliding design, one-hand operation (while holding mask) for quick & efficient on/off;
- Applicable scenarios: short-time/small-scale welding (e.g., general repair, building water & electricity construction & other low-frequency/low-intensity operations).



Item No.	QTY
货号	装箱数
14153	40

Welding Electrode Holder
防烫电焊钳（吸塑装）

(Blister Pack)



- Conductor: pure red copper plate (extra-long & thick), with latest anti-rotation screw crimping structure, easy & stable wiring;
- Handles: high-molecular insulating/heat-insulating material, conductor-handle heat insulation to prevent scalding (long-term use);
- Applicable scenarios: continuous welding in shipyards, sheet metal factories & other industries;
- Design: thickened & weighted, long service life.

3-Month Warranty.

Item No.	Size	QTY
货号	规格	装箱数
14121	600A	5/40
14122	800	5/40

Electric Welding Helmet
手持式电焊面罩



- Material: new polyethylene, good flexibility, drop-resistant & anti-cracking;
- Features: lightweight, clear vision, easy operation;
- Applicable scenarios: long continuous welding (e.g., sheet metal, shipbuilding, heavy equipment & other high-frequency/high-intensity welding).

Item No.	QTY
货号	装箱数
14151	60

Industrial Gloves
工业手套



- Material: Imported Cow Split Leather;
- Features: Wear-resistant, anti-slip, high -temperature resistant, puncture-resistant, sweat-absorbent & breathable, remains soft under low temperature;
- Application: Suitable for various industrial scenarios, ideal for handling & assembly.

Item No.	Size	QTY
货号	规格	装箱数
14161	10.5"	12/120

Welding Gloves
焊接手套（短款）

(Short Style)



- Material: Imported Cow Split Leather;
- Features: Wear-resistant, anti-slip, high -temperature resistant, puncture-resistant, sweat-absorbent & breathable, remains soft under low temperature;
- Application: Suitable for TIG welding, oxy-welding & other precision welding, oil-contaminated industrial assembly, auto repair (tire replacement); essential for drivers.

Item No.	Size	QTY
货号	规格	装箱数
14162	10"	12/144

Welding Electrode Holder
电焊钳（彩盒装/普通款）

(Color Box Pack / Standard Model)



- Conductor: pure brass forged;
- Handle: high-quality insulating resin, good heat insulation, temperature-resistant & anti-drop;
- Applicable scenarios: short-time/low-intensity welding (small workpieces, hand DIY, general maintenance).

3-Month Warranty.

Item No.	Size	QTY
货号	规格	装箱数
14124	300A	50

Electric Welding Helmet
头戴式电焊面罩



- Material: new polyethylene, good flexibility, drop-resistant & anti-cracking;
- Features: lightweight, clear vision, easy operation;
- Applicable scenarios: long continuous welding (e.g., sheet metal, shipbuilding, heavy equipment & other high-frequency/high-intensity welding).

Item No.	QTY
货号	装箱数
14152	30

Welding Gloves
焊接手套（单层长款）

(Single-Layer Long Style)



- Material: Imported Cow Split Leather;
- Features: Wear-resistant, anti-slip, high -temperature resistant, puncture-resistant, sweat-absorbent & breathable, remains soft under low temperature;
- Application: For Electric Welding (Flat Position).

Item No.	Size	QTY
货号	规格	装箱数
14163	14"	12/72

Welding Gloves
焊接手套（双层长款）

(Double-Layer Long Style)



- Material: Imported Cow Split Leather;
- Features: Wear-resistant, anti-slip, high -temperature resistant, puncture-resistant, sweat-absorbent & breathable, remains soft under low temperature;
- Design: Full inner lining (enhances heat insulation & comfort); double-layer palm leather (more heat-resistant, wear-resistant & durable); Application: For high-temp welding (electric welding overhead position, CO_2 welding, etc.).

Item No.	Size	QTY
货号	规格	装箱数
14164	14"	12/72





Stainless Steel Flower Shears
不锈钢花枝剪（弯咀）

BESTIR



- Material: High-quality stainless steel, blade surface fine polished;
- Craftsmanship: Integral forging, blade edge special heat treatment (hardness HRC50-54), strong shearing force;
- Application: Suitable for gardening, orchard, farm & home garden, used for pruning & fruit picking.

Item No.	Size	QTY
货号	规格	装箱数
03307	8"/200mm	6/60

Flower Twig Clippers
仿古铜柄花枝剪

BESTIR



- Blade: High-quality 65Mn manganese steel, blade edge high-frequency quenching + overall heat treatment, strong shearing force, durable;
- Handle: Antique brass finish, high-quality electroplating + lacquer coating, non-fading;
- Application: Suitable for gardening, orchard, farm & home garden, used for pruning & fruit picking.

Item No.	Size	QTY
货号	规格	装箱数
03304	8"/200mm	6/60

Flower Twig Clippers
仿铜柄花枝剪

BESTIR



- Blade: High-quality 65Mn manganese steel, blade edge high-frequency quenching + overall heat treatment, strong shearing force, durable;
- Handle: ACopper-imitated finish, high-quality electroplating + lacquer coating, non-fading;
- Application: Suitable for gardening, orchard, farm & home garden, used for pruning & fruit picking.

Item No.	Size	QTY
货号	规格	装箱数
03305	8"/200mm	6/60

Lopping Shears
省力粗枝剪

BESTIR





- Blade: Special non-stick coating (labor-saving, anti-rust); original double-arc design (greatly improves shearing force);
- Grip: Premium material, ergonomic design (soft & comfortable, elastic shock absorption →reduces fatigue, protects wrist).

Item No.	Size	QTY
货号	规格	装箱数
03326	29"/730mm	6/12



Plastic 8 Pattern Nozzle
八功能水枪



- Pull Rod Material: Aluminum alloy;
- Function： Rotatable head, adjustable to eight water patterns;
- Gun Body Material: New ABS + High-elastic TPR two-shot injection molding.

Item No.	QTY
货号	装箱数
03353	12/48

Plastic 5 Pattern Nozzle
五功能水枪



- Gun Body: Made of new engineering materials;
- Function: Rotatable head, adjustable to 5 water patterns.

Item No.	QTY
货号	装箱数
03351	12/48

Zinc Alloy Spray Gun
锌合金水枪



- Gun Body Structure: Zinc alloy inner core, engineering plastic ABS shell, aluminum alloy pull rod;
- Craftsmanship: High-elastic TPR two-shot injection molding.

Item No.	QTY
货号	装箱数
03354	12/48

Plastic 6 Pattern Nozzle
六功能水枪



- Gun Body Material: New ABS + High-elastic TPR two-shot injection molding;
- Function: Rotatable head, adjustable to six water patterns.

Item No.	QTY
货号	装箱数
03352	12/48

Hose Nozzle Connectors Set
4件水枪接头组套



Item No.	QTY
货号	装箱数
03359	6

Hedge Shears
高锰钢整篱剪



- Main Body: One-piece forging with 65Mn steel, overall quenching & tempering (HRC26-32);
- Blade Edge: Wave-shaped design, high-frequency heat treatment (hardness HRC50±2);
- Handle: Black non-slip rubber-coated sleeve, durable & comfortable.

Item No.	Size	QTY
货号	规格	装箱数
03321	21"/525mm	12/24

Hedge Shears
铝合金整篱剪



- Main Body: One-piece forging with 65Mn steel, overall quenching & tempering (HRC26-32);
- Blade Edge: Wave-shaped design, high-frequency heat treatment (hardness HRC50±2);
- Adjustment Part: Yellow hexagon screw knob, easy tightness adjustment;
- Handle: Telescopic design, black non-slip rubber-coated, convenient & durable.

Item No.	Size	QTY
货号	规格	装箱数
03322	24"/600mm	6/12

Hedge Shears
伸缩整篱剪



Telescopic Handle Design

- Main Body: One-piece forging with 65Mn steel, overall quenching & tempering (HRC26-32);
- Blade Edge: High-frequency heat treatment, hardness HRC50±2, strong shearing force;
- Adjustment Part: Yellow hexagon screw knob, easy tightness adjustment;
- Handle: Telescopic design, black non-slip rubber-coated, convenient & durable.

Item No.	Size	QTY
货号	规格	装箱数
03323	35"/875mm	6/12

Telescopic High-Altitude Pruner
铝合金伸缩高空剪





Scissors: Cuts high-altitude branches (diameter ≤25mm)



Saw Blade: Cuts high-altitude thick branches (diameter 30-100mm)

- Blade: High-quality 65Mn manganese steel, professional heat treatment + precision CNC machining (cuts branches ≤25mm in diameter);
- Saw Blade: Refined manganese steel (optional, easy to assemble/disassemble), cuts high-altitude thick branches (saws 30-100mm in diameter);
- Telescopic Tube: Optional lengths available, cuts 5m-high branches on the ground (convenient and fast);
- Target Users: Fruit farmers, villa gardening/forestry/urban greening workers (commonly used tool).

Item No.	Size	QTY
货号	规格	装箱数
03331	3M	24

Garden Saw
园林锯（直刃款）



- Saw Blade: 75CR1 Alloy Steel (high hardness, good toughness); 3-side ground teeth + secondary high-frequency heat treatment (sharp, labor-saving);
- Handle: Soft plastic non-slip, curved palm-fit (easy to apply force); Blade Holder: High-quality carbon steel (sturdy, non-falling); Application: Garden plants sawing & trimming.

Item No.	Size	QTY
货号	规格	装箱数
03454	350mm	6/36

Garden Saw
园林锯（弯刃款）



- Saw Blade: 75CR1 Alloy Steel (high hardness, good toughness); 3-side ground teeth + secondary high-frequency heat treatment (sharp, labor-saving);
- Handle: Soft plastic non-slip, curved palm-fit (easy to apply force); Blade Holder: High-quality carbon steel (sturdy, non-falling); Application: Garden plants sawing & trimming.

Item No.	Size	QTY
货号	规格	装箱数
03459	350mm	6/36

Hand Panel Saw
手板锯

65Mn





- Saw Blade: High-quality 65Mn manganese steel, Teflon-coated surface (durable);
- Saw Teeth: Automatic CNC tapering + 3-side grinding (sharp, fast cutting);
- Handle: Dual-color rubber coating (non-slip, comfortable);
- Applicable Materials: Natural wood, composite wood, plywood, wall panels, PVC pipes.

Item No.	Size	QTY
货号	规格	装箱数
03441	14"/350mm	6/48
03442	16"/400mm	6/48
03443	18"/450mm	6/48
03444	20"/500mm	6/48

Folding Saw
折叠锯

65Mn



- Saw Blade: High-quality 65Mn manganese steel, overall heat treatment + blade edge high-frequency quenching (durable);
- Saw Teeth: Automatic CNC tapering + 3-side grinding (sharp, fast cutting);
- Handle: Dual-color rubber coating (non-slip, comfortable);
- Applicable Materials: Natural wood, composite wood, plywood, wall panels, PVC pipes.

Item No.	Size	QTY
货号	规格	装箱数
03455	180mm	6/48

Folding Saw
折叠锯

65Mn



- Saw Blade: High-quality 65Mn manganese steel, overall heat treatment + blade edge high-frequency quenching (durable);
- Saw Teeth: Automatic CNC tapering + 3-side grinding (sharp, fast cutting);
- Handle: Dual-color rubber coating (non-slip, comfortable);
- Applicable Materials: Natural wood, composite wood, plywood, wall panels, PVC pipes.

Item No.	Size	QTY
货号	规格	装箱数
03456	210mm	6/48

Fibre Handle Axe
纤维柄斧头



- Blade Body: High-quality carbon steel precision forging + blade edge high-frequency heat treatment (sharp, labor-saving);
- Surface: Black frosted spray coating (rust-proof); Handle: High-strength rubber fiber (non-slip, shockproof, sturdy & durable);
- Application: Pruning branches, splitting wood, bamboo and other plants.

Item No.	Size	L mm	QTY
货号	规格	总长	装箱数
02512	600g	367	6/24



Anti-rust Lubricant
多用途防锈润滑剂




- Core Functions: Strong penetrating lubrication (quickly penetrates rusted parts, aids restoration/disassembly).
- Surface film-forming (isolates moisture to prevent rust, long-lasting lubrication & rust
- protection).
- Industrial Use: Clean/lubricate parts, penetrate & loosen rusted components.
- Automotive Use: Clean body/engine compartment parts, lubricate door/seat rails.
- Household Use: Lubricate cabinet hinges, rails, lock holes, bicycle chains.

Item No.	Size	QTY
货号	规格	装箱数
04801	500mL	24

Bolt Loosening Agent
工业级螺栓松动剂



- Core Functions: Deep penetration to loosen rust; lubricate parts to eliminate friction noise; spray and polish with sandpaper/scouring pad on low-substrate-requirement areas (accelerate rust removal).
- Application Scenarios: Rusty bolts/parts in vehicles/ships/factories/equipment rooms/ homes (rust release); remove paste, asphalt, engine oil from autos/ships/machines; lubricate & prevent rust for metal doors/windows/rails/hinges.

Item No.	Size	QTY
货号	规格	装箱数
04802	450mL	24

Carburetor Cleaner
工业级化油器清洗剂




- High-quality raw material formulation, strong penetration & dissolution.
- Quickly penetrates equipment, thoroughly decomposes and cleans oil, grease, dust; improves working condition, enhances combustion force.
- Clean carburetors (internal oil, lead deposits, carbon deposits, dust).
- Clean auto/mechanical/equipment parts (surface & internal oil, grease).

Item No.	Size	QTY
货号	规格	装箱数
04804	450mL	24

Stick Remover
多用途除胶剂




- Core Features: Quickly dissolves and penetrates adhesive (spray & wipe to remove glue); neutral solution (no surface corrosion).
- Application Scenarios: Surfaces of car bodies, windows, cured paint, marble, tiles, glass, metals, etc. (removes labels, self-adhesive, transparent tape).

Item No.	Size	QTY
货号	规格	装箱数
04803	450mL	24

Heavy Duty Degreaser
工业级油污清洗剂

Int'l Std:GB 38508-2020
VOC Environmental Std




- Ingredients & Advantages: Petroleum alkane light distillate solvent, alcohols, etc. (free of formaldehyde dimethyl acetal, methanol, toluene and benzene series); new national standard formula, better cleaning power than traditional cleaners.
- Compliance: Meets GB 38508-2020 "Limit of Volatile Organic Compounds Content in Cleaners" and the latest VOC environmental standards.
- Application Scenarios: ① Clean mechanical/equipment/tool parts (surface & internal oil, grease, dust); ② Clean auto body, glass, tire rims, engines and tile surfaces (various oils and greases).

Item No.	Size	QTY
货号	规格	装箱数
04805	500mL	24

Butter Spray
黄油喷剂



- Main Ingredients & Content: Base Grease (30-50%), Solvent Oil, LPG.
- Core Features: Lubrication + waterproof, strong lubrication & rust resistance; high temperature resistance up to 200℃， no caking at low temperature; uniform spraying, forming a thick protective film after drying (good usability, no sagging at nozzle).
- Application Scenarios: Auto hinges, gears; door/window rails, rolling shutters, pulleys; cables, guide rails (lubrication, rust prevention, moisture prevention).

Item No.	Size	QTY
货号	规格	装箱数
04806	450mL	24

Nylon Cable Ties
尼龙扎带（国标）



- Made of PA6 eco-friendly polymer material, with high impact resistance and good toughness; meets RoHS environmental standards; complies with National Standard QB/T 4494, full quantity, cold-resistant and durable, with guaranteed performance and quality.
- Mainly used for light fixing and temporary strapping scenarios: civil fields such as home appliance cable organization, interior decoration wiring, data cable storage; low-load scenarios such as short-term engineering protective net fixing and gardening support strapping.
- Nylon cable ties can maintain excellent mechanical properties in humid environments, but should avoid long-term exposure to the sun or high-temperature environments to prevent performance impact.

Item No.	Size	QTY
货号	规格	装箱数
04811	3x100mm	10/100 Packs(250g approx. 885Pcs/Pack)
04813	3x150mm	10/100 Packs(250g approx. 548Pcs/Pack)
04814	3x200mm	10/100 Packs(250g approx. 426Pcs/Pack)
04822	4x150mm	10/100 Packs(250g approx. 354Pcs/Pack)
04823	4x200mm	10/100 Packs(250g approx. 274Pcs/Pack)
04824	4x250mm	10/100 Packs(250g approx. 219Pcs/Pack)
04825	4x300mm	10/100 Packs(250g approx. 181Pcs/Pack)
04831	5x200mm	10/100 Packs(250g approx. 190Pcs/Pack)
04832	5x250mm	10/100 Packs(250g approx. 146Pcs/Pack)
04833	5x300mm	10/100 Packs(250g approx. 121Pcs/Pack)
04834	5x350mm	10/100 Packs(250g approx. 95Pcs/Pack)
04835	5x400mm	10/100 Packs(250g approx. 80Pcs/Pack)
04837	5x500mm	10/100 Packs(250g approx. 63Pcs/Pack)
04842	8x250mm	10/100 Packs(250g approx. 76Pcs/Pack)
04843	8x300mm	10/100 Packs(250g approx. 65Pcs/Pack)
04845	8x400mm	10/100 Packs(250g approx. 51Pcs/Pack)
04846	8x500mm	10/100 Packs(250g approx. 39Pcs/Pack)
04847	8x600mm	10/100 Packs(250g approx. 32Pcs/Pack)



Angle Grinder
角向磨光机（侧开关）

BESTIR



Slim body + side switch

- This machine is suitable for regular grinding and cutting!
- Thin handle + side switch design, more convenient to use;
- Aluminum alloy gearbox + high-strength plastic body, sturdy and durable;
- High-precision forged, high-temperature quenched gears, stable transmission and wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
P0112	S1M-BE12-100S	10

Product Parameters:
Disc Diameter ： 100mm
Input Power ： 750W
Rated Voltage ： 220V~
No Load Speed ： 11000r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Angle Grinder
角向磨光机（后开关）

BESTIR



Slim body + rear switch

- This machine is suitable for regular grinding and cutting!
- Thin handle + rear switch design, dust-proof and durable;
- Aluminum alloy gearbox + high-strength plastic body, sturdy and durable;
- High-precision forged, high-temperature quenched gears, stable transmission and wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
P0113	S1M-BE13-100	10

Product Parameters:
Disc Diameter ： 100mm
Input Power ： 750W
Rated Voltage ： 220V~
No Load Speed ： 11000r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Angle Grinder
角向磨光机（侧开关）

BESTIR



All-purpose + side switch

- Suitable for high-intensity grinding, cutting and grooving!
- Maximum load power up to 1500W, large torque and strong overload resistance;
- Aluminum alloy gearbox + slim body + front side switch design, supports one-handed operation, dust-proof and durable;
- High-precision forged, high-temperature quenched gears, stable transmission, sturdy and wear-resistant;Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
BE-620201	S1M-BE07-100(国标)	10
BE-620201E	S1M-BE07-100(欧标)	10

Product Parameters:
Disc Diameter ： 100mm
Input Power ： 880W
Rated Voltage ： 220V~
No Load Speed ： 11000r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Angle Grinder
角向磨光机（后开关）

BESTIR



All-purpose + rear switch

- Suitable for high-intensity grinding, cutting and grooving!
- Maximum load power up to 1500W, large torque and strong overload resistance;
- Aluminum alloy gearbox + slim body + rear switch design, dust-proof & durable;
- High-precision forged, high-temperature quenched gears, stable transmission, sturdy and wear-resistant;Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
BE-620202	S1M-BE08-100国标)	10
BE-620202E	S1M-BE08-100(欧标)	10

Product Parameters:
Disc Diameter ： 100mm
Input Power ： 880W
Rated Voltage ： 220V~
No Load Speed ： 11000r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Angle Grinder
角向磨光机（后开关）

BESTIR



Slim body + rear switch

- This machine is suitable for regular grinding and cutting!
- Thin handle + rear switch design, dust-proof and durable;
- Aluminum alloy gearbox + high-strength plastic body, sturdy and durable;
- High-precision forged, high-temperature quenched gears, stable transmission and wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
BE-620203	S1M-BE13-100(国标)	10
BE-620203E	S1M-BE13-100(欧标)	10

Product Parameters:
Disc Diameter ： 100mm
Input Power ： 750W
Rated Voltage ： 220V~
No Load Speed ： 11000r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes



Angle Grinder
角向磨光机（150型）



Model 150 + High Power

- This machine is suitable for regular grinding, cutting and grooving!
- Actual power up to 1600W, large torque and strong overload resistance;
- Aluminum alloy gearbox + high-strength plastic body, sturdy and durable;
- High-precision forged, high-temperature quenched gears, stable transmission and wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
P0105A	S1M-BE05-150	4

Product Parameters:
Disc Diameter ： 150mm
Input Power ： 1300W
Rated Voltage ： 220V~
No Load Speed ： 8500r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Angle Grinder
角向磨光机（125型）



Model 125 + High Power

- This machine is suitable for regular grinding, cutting and grooving!
- Maximum load power up to 1600W, large torque and strong overload resistance;
- Aluminum alloy gearbox + high-strength plastic body, sturdy and durable;
- High-precision forged, high-temperature quenched gears, stable transmission and wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
P0109A	S1M-BE09-125	10

Product Parameters:
Disc Diameter ： 150mm
Input Power ： 1300W
Rated Voltage ： 220V~
No Load Speed ： 8500r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Electric Drill
电钻（450W）



- High-precision self-locking drill chuck, accurate & easy drilling;
- Stepless speed regulation + forward/reverse switch, easy operation;
- Soft rubber-wrapped handle, anti-slip & comfortable;
- High-precision forged, high-temperature quenched gears, sturdy & wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, long motor life;
- Suitable for drilling in steel and wood!

Item No. 货号	Size 规格	QTY 装箱数
BE-620204	J1Z-BE01-10A (国标)	10
BE-620204E	J1Z-BE01-10A (欧标)	10

Product Parameters:
Drill Capacity : 10mm
No Load Speed : 0-2800r/min
Input Power : 450W
Rated Frequency : 50Hz
Rated Voltage : 220V~



Angle Grinder
角向磨光机（侧开关）



All-purpose + side switch

- Suitable for high-intensity grinding, cutting and grooving!
- Maximum load power up to 1500W, large torque and strong overload resistance;
- Aluminum alloy gearbox + slim body + front side switch design, supports one-handed operation, dust-proof and durable;
- High-precision forged, high-temperature quenched gears, stable transmission, sturdy and wear-resistant;Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
P0107	S1M-BE07-100	10

Product Parameters:
Disc Diameter ： 100mm
Input Power ： 880W
Rated Voltage ： 220V~
No Load Speed ： 11000r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Angle Grinder
角向磨光机（后开关）



All-purpose + rear switch

- Suitable for high-intensity grinding, cutting and grooving!
- Maximum load power up to 1500W, large torque and strong overload resistance;
- Aluminum alloy gearbox + slim body + rear switch design, dust-proof & durable;
- High-precision forged, high-temperature quenched gears, stable transmission, sturdy and wear-resistant;Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life.

Item No. 货号	Size 规格	QTY 装箱数
P0108	S1M-BE08-115	10

Product Parameters:
Disc Diameter ： 100mm
Input Power ： 880W
Rated Voltage ： 220V~
No Load Speed ： 11000r / min
Rated Frequency ： 50Hz



Free Gift
1 Pair of Original Carbon Brushes

Electric Drill
电钻（450W）



- High-precision self-locking drill chuck, accurate & easy drilling;
- Stepless speed regulation + forward/reverse switch, easy operation;
- Soft rubber-wrapped handle, anti-slip & comfortable;
- High-precision forged, high-temperature quenched gears, sturdy & wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, long motor life;
- Suitable for drilling in steel and wood!

Item No. 货号	Size 规格	QTY 装箱数
P0201	J1Z-BE01-10A	10

Product Parameters:
Drill Capacity : 10mm
No Load Speed : 0-2800r/min
Input Power : 450W
Rated Frequency : 50Hz
Rated Voltage : 220V~

Electric Drill
电钻（710W）



- 710W high-power motor, powerful & professional;
- High-precision self-locking drill chuck, accurate & convenient drilling;
- Stepless speed regulation + forward/reverse switch, flexible operation;
- High-precision forged, high-temperature quenched gears, sturdy & wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, long-lasting motor;
- Suitable for drilling in steel and wood!

Item No. 货号	Size 规格	QTY 装箱数
P0202	J1Z-BE02-10A	10

Product Parameters:
Drill Capacity : 10mm
No Load Speed : 0-3000r/min
Input Power : 7100W
Rated Frequency : 50Hz
Rated Voltage : 220V~



Electric Drill
电钻（750W）



- 750W high-power motor (2-speed reduction, powerful function);
- 13mm high-precision hand-tight drill chuck (accurate drilling, larger range);
- Stepless speed regulation + forward/reverse switch, convenient & quick;
- High-precision forged, high-temperature quenched gears, sturdy & wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, long-lasting motor;
- Suitable for high-intensity drilling, hole opening in steel and wood!

Item No. 货号	Size 规格	QTY 装箱数
P0204	J1Z-BE04-13	10

Product Parameters:
Drill Capacity : 13mm
No Load Speed : 0-1300r/min
Input Power : 750W
Rated Frequency : 50Hz
Rated Voltage : 220V~

Electric Hammer
电锤



- 1200W powerful motor for high drilling efficiency;
- Dual-function operation - easily switch between drilling and hammering modes;
- Shock-absorbing handle reduces operator fatigue;Precision-forged gears with high-temperature quenching ensure smooth transmission and durable performance;
- Large cylinder design delivers stronger impact force;
- High-quality silicon steel and heat-resistant enameled copper wire for extended motor life;
- Ideal for concrete drilling and demolition work

Item No. 货号	Size 规格	QTY 装箱数
BE-620101	1200W (国标)	4
BE-620101E	1200W (欧标)	4

TECHNICAL SPECIFICATIONS / 技术参数
Input Power / 额定输入功率： 1200W
No Load Speed / 空载转速： 900r / min
Impact Frequency / 冲击频率: 4500/min
Rated Voltage / 额定电压： 220V~
Rated Frequency / 额定频率： 50Hz
Impact Energy / 冲击能量： 5.5J

Electric Breaker
电镐



- 1300W powerful high-efficiency motor for superior demolition performance;
- Shock-absorbing handle reduces operator fatigue;
- Aerodynamic design with 35mm large cylinder & impact hammer for greater force and durability;
- Precision-forged gears with high-temperature quenching ensure smooth transmission and wear resistance;
- Custom commutator, specially designed carbon brushes, high-quality silicon steel, and heat-resistant enameled copper wire for extended motor life;
- Ideal for concrete demolition.

Item No. 货号	Size 规格	QTY 装箱数
BE-620103	1300W (国标)	3
BE-620103E	1300W (欧标)	3

TECHNICAL SPECIFICATIONS / 技术参数
Input Power / 额定输入功率： 1300W
Impact Frequency / 冲击频率: 3500/min
Rated Voltage / 额定电压： 220V~
Rated Frequency / 额定频率： 50Hz
Impact Energy / 冲击能量： 25J

Electric Drill
电钻（1200W）



- 1200W high-power motor, powerful function;
- 16mm high-precision metal drill chuck, accurate & convenient drilling;
- Aluminum alloy gearbox + body, paired with high-precision forged, high-temperature quenched gears, sturdy & durable;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, long-lasting motor;
- Suitable for drilling in steel, wood and mixing!

Item No. 货号	Size 规格	QTY 装箱数
BE-620205	J1Z-BE03-16(国标)	5
BE-620205E	J1Z-BE03-16(欧标)	5

Product Parameters:
Drill Capacity : 16mm
No Load Speed : 0-1000r/min
Input Power : 1200W
Rated Frequency : 50Hz
Rated Voltage : 220V~

Electric Drill
电钻（1200W）



- 1200W high-power motor, powerful function;
- 16mm high-precision metal drill chuck, accurate & convenient drilling;
- Aluminum alloy gearbox + body, paired with high-precision forged, high-temperature quenched gears, sturdy & durable;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, long-lasting motor;
- Suitable for drilling in steel, wood and mixing!

Item No. 货号	Size 规格	QTY 装箱数
P0203	J1Z-BE03-16	5

Product Parameters:
Drill Capacity : 16mm
No Load Speed : 0-1000r/min
Input Power : 1200W
Rated Frequency : 50Hz
Rated Voltage : 220V~

Electric Hammer
电锤



- 1300W powerful motor for high drilling efficiency;
- Dual-function operation - easily switch between drilling and hammering modes;
- Shock-absorbing handle reduces operator fatigue;Precision-forged gears with high-temperature quenching ensure smooth transmission and durable performance;
- Large cylinder design delivers stronger impact force;
- High-quality silicon steel and heat-resistant enameled copper wire for extended motor life;
- Ideal for concrete drilling and demolition work

Item No. 货号	Size 规格	QTY 装箱数
BE-620102	1300W (国标)	4
BE-620102E	1300W (欧标)	4

TECHNICAL SPECIFICATIONS / 技术参数
Input Power / 额定输入功率： 1300W
No Load Speed / 空载转速： 1050r / min
Impact Frequency / 冲击频率: 4700/min
Rated Voltage / 额定电压： 220V~
Rated Frequency / 额定频率： 50Hz
Impact Energy / 冲击能量： 6J



Electric Breaker
电镐



INPUT POWER 1300 W

LARGE CYLINDER 37 mm

- 1300W powerful high-efficiency motor for superior demolition performance;
- Shock-absorbing handle reduces operator fatigue;
- Aerodynamic design with 37mm large cylinder & impact hammer for greater force and durability;
- Precision-forged gears with high-temperature quenching ensure smooth transmission and wear resistance;
- Custom commutator, specially designed carbon brushes, high-quality silicon steel, and heat-resistant enameled copper wire for extended motor life;
- Ideal for concrete demolition.

Item No. 货号	Size 规格	QTY 装箱数
BE-620104	1300W (国标)	3
BE-620104E	1300W (欧标)	3

TECHNICAL SPECIFICATIONS / 技术参数

Input Power / 额定输入功率： ---------- 1300W
Impact Frequency / 冲击频率: ---------- 3700/min
Rated Voltage / 额定电压： ---------- 220V~
Rated Frequency / 额定频率： ---------- 50Hz
Impact Energy / 冲击能量： ---------- 34J

Electric Breaker
重型电镐

INPUT POWER 1300 W



- 1300W high-power efficient motor delivers higher chipping efficiency;
- Full coverage large thumb switch design effectively reduces fatigue;
- Rear-mounted switch with rubber-coated handle for comfort, durability, and easy
- maintenance;
  Unique aerodynamic design with high-precision mirror-ground striking hammer for
- greater impact force and reduced recoil;
- Brush holder with spring-loaded design ensures balanced pressure and protects the motor;
  D-shaped soft rubber auxiliary handle with 360-degree adjustability for fatigue relief and
- better control;
  High-precision forged and high-temperature quenched gears for smooth transmission,
- strength, and wear resistance;
  Customized commutator, specially designed carbon brushes, high-quality silicon steel
- laminations, and high-temperature-resistant enameled copper wire for longer motor life.
  Suitable for concrete breaking!

Item No. 货号	Size 规格	QTY 装箱数
BE-620105	1300W (国标)	1
BE-620105E	1300W (欧标)	1

TECHNICAL SPECIFICATIONS / 技术参数

Input Power / 额定输入功率： ---------- 1300W
Impact Frequency / 冲击频率: ---------- 1850/min
Rated Voltage / 额定电压： ---------- 220V~
Rated Frequency / 额定频率： ---------- 50Hz
Impact Energy / 冲击能量： ---------- 55J

Marble Cutter
石材切割机（110型）





- 1230W powerful motor, high cutting efficiency;
- Waterproof & dustproof design, more durable;
- Aluminum alloy gearbox + high-strength plastic body, sturdy & durable;
- High-precision forged, high-temperature quenched gears, stable transmission & wear-resistant;Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life;
- Suitable for stone, wood cutting processing!

Item No. 货号	Size 规格	QTY 装箱数
P0401	Z1E-BE01-110	6

Product Parameters:

Disc Diameter : 110mm
No Load Speed : 13000r/min
Input Power : 1240W
Rated Frequency : 50Hz
Rated Voltage : 220V~



Rotary Hammer
三功能轻型电锤（800W/3J）



- 950W powerful motor, higher drilling efficiency;
- 3 functions switch freely, convenient & quick;
- Aerodynamic design + high-precision cylinder & hammer, strong impact & more durable;
- High-precision forged, high-temperature quenched gears, stable transmission & wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, long-lasting motor;
- Suitable for concrete drilling!

Item No. 货号	Size 规格	QTY 装箱数
BE-620301	Z1C-BE02-28 (国标)	5
BE-620301E	Z1C-BE02-28 (欧标)	5

Product Parameters:

Rated Input Power : 800W
No-load Speed : 0-1150 rpm
Impact Times : 0-5100 bpm
Impact Energy Per Stroke : 3J
Optimum Drilling Range : 6-20mm

Concrete: 28mm
Steel: 13mm
Wood: 30mm

Rotary Hammer
三功能轻型电锤（950W/3.2J）



- 950W powerful motor, higher drilling efficiency;
- 3 functions switch freely, convenient & quick;
- Aerodynamic design + high-precision cylinder & hammer, strong impact & more durable;
- High-precision forged, high-temperature quenched gears, stable transmission & wear-resistant;
- Custom commutator, special carbon brush, high-quality silicon steel sheet, long-lasting motor;
- Suitable for concrete drilling!

Item No. 货号	Size 规格	QTY 装箱数
P0607	Z1C-BE02-28	5

Product Parameters:

Rated Input Power : 950W
No-load Speed : 0-1150 rpm
Impact Times : 0-5100 bpm
Impact Energy Per Stroke : 3.2J
Optimum Drilling Range : 6-20mm

Concrete: 28mm
Steel: 13mm
Wood: 30mm

Portable Cut-off
型材切割机（355型）



- 2200W super powerful motor, higher cutting efficiency;
- Thickened metal base plate, non-deformable & high load-bearing capacity;
- Aluminum alloy gearbox + body, more sturdy & durable;
- High-precision forged, high-temperature quenched gears, stable transmission & wear-resistant;Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life;
- Suitable for cutting processing of steel, stainless steel and profiles!

Item No. 货号	Size 规格	QTY 装箱数
BE-620206	J1G-BE01-355 (国标)	1
BE-620206E	J1G-BE01-355 (欧标)	1

Product Parameters:

Disc Diameter : 355mm
No Load Speed : 3900r/min
Input Power : 2200W
Rated Frequency : 50Hz
Rated Voltage : 220V~

Portable Cut-off
型材切割机（355型）



- 2450W super powerful motor, higher cutting efficiency;
- Thickened metal base plate, non-deformable & high load-bearing capacity;
- Aluminum alloy gearbox + body, more sturdy & durable;
- High-precision forged, high-temperature quenched gears, stable transmission & wear-resistant;Custom commutator, special carbon brush, high-quality silicon steel sheet, high-temperature resistant enameled wire, longer motor life;
- Suitable for cutting processing of steel, stainless steel and profiles!

Item No. 货号	Size 规格	QTY 装箱数
P0301A	J1G-BE01-355	1

Product Parameters:

Disc Diameter : 355mm
No Load Speed : 3900r/min
Input Power : 2450W
Rated Frequency : 50Hz
Rated Voltage : 220V~

Miter Saw
锯铝机（255型）

BESTIR



- 1900W super powerful motor, high cutting efficiency;
- ±45° bevel cut lock + thickened aluminum alloy base, gearbox + high-strength plastic body, accurate & sturdy;
- Natural rubber drive belt, wear-resistant & non-breakable;
- Aluminum alloy horizontal scale baffle + workpiece clamping device, clear size, stable & accurate cutting;
- Anti-self-locking protection switch + widened cover, safety protection;
- Custom commutator, special carbon brush, etc., long motor life;
- Suitable for aluminum cutting.

Item No.	Size	QTY
货号	规格	装箱数
P0504	J1X-BE01-255	1

Product Parameters:
Disc Diameter : 255mm
No Load Speed : 5000r/min
Input Power : 1900W
Rated Frequency : 50Hz
Rated Voltage : 220V~

Wall Sander
墙面打磨机（短款）

BESTIR

Putty Wall Sanding



- 850W powerful motor + 6-speed high-quality governor, high sanding efficiency;
- External switch + high-strength plastic body/switch housing + dustproof design, easy maintenance, tough & durable;
- Adjustable air inlet + integrated exhaust gear heat dissipation, controllable dust suction
- & durable;
  4m long cable + 360° rotating spring sanding disc, wide sanding range, easy internal/
- external corner operation;
- 12V high-quality LED ring light + high-quality transformer rectifier, sanding without
- obstacles in dark, ensures LED durability;
  Custom commutator, special carbon brush, etc., long motor life;
  Suitable for putty wall sanding.

Item No.	Size	QTY
货号	规格	装箱数
P1002	S1F-BE01-180	4

Product Parameters:
Input Power : 850W
No Load Speed : 1500~2500r/min
Rated Frequency : 50/60Hz
Rated Voltage : 220~240V
Configuration Size : Ø180mm

Electeic Sander
平板砂光机

BESTIR

Wood
Sanding
Polishing



- 320W powerful motor, higher sanding efficiency; Custom commutator, special carbon brush, etc., long motor life;
- Thumb switch + dual-hand pressing grip design, easy operation, comfortable & durable, fatigue relief;
- Carbon brush holder + 8-column + top cover design, protects rotor commutator, resists strong vibration, quick maintenance;
- Imported material sponge pad + simple sandpaper clamp design, wear-resistant & practical, easy clamping;
- Suitable for wood sanding and polishing.

Item No.	Size	QTY
货号	规格	装箱数
P0506	S1B-BE02-180X90	12

Product Parameters:
Input Power : 320W
No Load Speed : 14000r/min
Rated Frequency : 50/60Hz
Rated Voltage : 220~240V
Size : 180x90mm

Electric Trimmer
修边机

BESTIR

Wood
Trimming
Grooving



- 550W high-speed motor, higher trimming efficiency;
  Custom commutator, special carbon brush, etc., long motor life;
- High-current switch with dustproof design + high-strength plastic body with straight slot design, durable & easy maintenance;
- Integrated clamping kit (4-side cotter pins), more concentric clamping;
  One-click lifting transparent cover, convenient & quick operation;
- Rotor spindle with special heat treatment + front dustproof design, anti-slip, bearing protection;
- Suitable for wood trimming and grooving.

Item No.	Size	QTY
货号	规格	装箱数
P0508	M1P-BE01-6	8

Product Parameters:
Input Power : 320W
No Load Speed : 14000r/min
Rated Frequency : 50/60Hz
Rated Voltage : 220~240V
Size : 180x90mm



Cordless Brushless Drill
无刷锂电双速电钻

BESTIR

OUTPUT VOLTAGE 16 V
MAXIMUM TORQUE 40 N.m
BRUSHLESS MOTOR



APPLICATIONS:
WOOD DRILLING | METAL DRILLING | TILE DRILLING | FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 10mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 40N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
BE-610101	16V	10

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 16V
Battery Capacity ---------- 1.5Ah
No-Load Speed ------- 0-420r/min,0-1500r/min
Chuck Size ---------- 10mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 40N.m(max)

INCLUDES: 2 Battery Packs & 1 Charger



Cordless Brushless Drill
无刷锂电双速电钻

BESTIR

OUTPUT VOLTAGE 20v
MAXIMUM TORQUE 40 N.m
BRUSHLESS MOTOR



APPLICATIONS:
WOOD DRILLING | METAL DRILLING | TILE DRILLING | FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 10mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 40N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
BE-610102	20V	8

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 20V
Battery Capacity ---------- 2.0Ah
No-Load Speed ------- 0-450r/min,0-1550r/min
Chuck Size ---------- 10mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 40N.m(max)

INCLUDES: 2 Battery Packs & 1 Charger



Cordless Brushless Drill
无刷锂电双速电钻

OUTPUT VOLTAGE 16V | MAXIMUM TORQUE 50N.m | BRUSHLESS MOTOR





APPLICATIONS:
WOOD DRILLING | METAL DRILLING | | TILE DRILLING |
FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 13mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 50N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
BE-610201	16V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 16V
Battery Capacity ---------- 2.0Ah
No-Load Speed ------- 0-500r/min,0-1600r/min
Chuck Size ---------- 13mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 50N.m(max)



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Drill
无刷锂电双速电钻

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 50N.m | BRUSHLESS MOTOR





APPLICATIONS:
WOOD DRILLING | METAL DRILLING | | TILE DRILLING |
FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 13mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 50N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
BE-610202	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 2.0Ah
No-Load Speed ------- 0-600r/min,0-1950r/min
Chuck Size ---------- 13mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 50N.m(max)



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Drill
无刷锂电双速电钻

OUTPUT VOLTAGE 16V | MAXIMUM TORQUE 60N.m | BRUSHLESS MOTOR



Comes with a Tool Waist Pouch



APPLICATIONS:
WOOD DRILLING | METAL DRILLING | | TILE DRILLING |
FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 13mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 60N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
P0941	16V	10

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 16V
Battery Capacity ---------- 2.0Ah
No-Load Speed ------- 0-500r/min,0-2000r/min
Chuck Size ---------- 13mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 60N.m(max)

Cordless Brushless Drill
无刷锂电双速电钻

OUTPUT VOLTAGE 20V | MAXIMUM TORQUE 60N.m | BRUSHLESS MOTOR



APPLICATIONS:
WOOD DRILLING | METAL DRILLING | | TILE DRILLING |
FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 13mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 60N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
P0942	20V	10

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 20V
Battery Capacity ---------- 2.0Ah
No-Load Speed ------- 0-500r/min,0-2000r/min
Chuck Size ---------- 13mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 60N.m(max)

Cordless Brushless Drill
无刷锂电双速电钻

OUTPUT VOLTAGE 16V | MAXIMUM TORQUE 50N.m | BRUSHLESS MOTOR





APPLICATIONS:
WOOD DRILLING | METAL DRILLING | | TILE DRILLING |
FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 10mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 50N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
P0951	16V	10

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 16V
Battery Capacity ---------- 2.0Ah
No-Load Speed ------- 0-500r/min,0-1600r/min
Chuck Size ---------- 13mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 50N.m(max)



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Drill
无刷锂电双速电钻

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 50N.m | BRUSHLESS MOTOR





APPLICATIONS:
WOOD DRILLING | METAL DRILLING | | TILE DRILLING |
FURNITURE INSTALLATION & DISASSEMBLY |

KEY FEATURES:
- 10mm heavy-duty chuck ensures secure bit clamping with virtually no slippage;
- Dual-range speed shifting (mechanical) for optimal adaptation across materials;
- 20+1 position torque control collar ;
- Maximum torque output: 50N·m ;
- High-efficiency task lighting with LED;
- Premium-grade battery cells deliver extended runtime.

Item No.	Size	QTY
货号	规格	装箱数
P0952	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 2.0Ah
No-Load Speed ------- 0-600r/min,0-1950r/min
Chuck Size ---------- 13mm
Torque Settings ---------- 20+1
Maximum Torque ---------- 50N.m(max)



INCLUDES: 2 Battery Packs & 1 Charger



Cordless Brushless Screwdriver
无刷锂电起子机

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 220N.m | BRUSHLESS MOTOR





APPLICATIONS:
Curtain Wall Construction | Auto Maintenance |
Building Decoration | Equipment Maintenance |

KEY FEATURES:
- Brushless motor (220N.m torque) + gearbox impact structure, more efficient than traditional drills;
- Multi-speed adjustment, suitable for precision/regular/heavy-duty work;
- Lightweight wireless design, flexible operation in narrow spaces;
- Low-noise stable operation, energy-saving LED lighting, long lithium battery life.

Item No.	Size	QTY
货号	规格	装箱数
P0953	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 2.0Ah
No-Load Speed ---------- 800r/1350/1900/2400 3000/3500r /min
Maximum Torque ----------220N.m



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Hammer
无刷锂电电锤

BESTIR

OUTPUT VOLTAGE 21V | IMPACT ENERGY 2.8J | BRUSHLESS MOTOR



SDS PLUS
Note: This machine's drive head is compatible with round-shank hammer drill bits.

APPLICATIONS:
STONE DRILLING | BRICK WALL DRILLING | CONCRETE DRILLING | CONSTRUCTION WORK

KEY FEATURES:
- Switch freely between hammer drills, rotary hammers, and drills–saving time and effort;
- Brushless motor delivers explosive power;
- Precision large-bore cylinder for strong durability and higher efficiency;
- Smart chip with overload protection to prevent hand injuries;
- High-quality lithium battery for long-lasting performance.

Item No.	Size	QTY
货号	规格	装箱数
BE-610208	21V	4

TECHNICAL SPECIFICATIONS
Battery Voltage---------- 21V
Battery Capacity---------- 6.0Ah
No-Load Speed---------- 0~1650r/min
Impact Rate---------- 0~5500BPM
Impact Energy ---------- 2.8J
Chuck---------- SDS PLUS
Max. Drilling Capacity (Wood)---------- 35mm
Max. Drilling Capacity (Steel)----------13mm
Max. Drilling Capacity (Concrete) -------22mm



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Grinder Angle
无刷锂电角磨机

BESTIR

OUTPUT VOLTAGE 21V | MAX NO-LOAD SPEED 8600 r/min | BRUSHLESS MOTOR



APPLICATIONS:
WOOD CUTTING | METAL CUTTING | TILE GRINDING | CAR POLISHING

KEY FEATURES:
- Brushless motor, powerful performance;
- Fully metal protective cover, safe and reliable;
- 3D circulating cooling system, stays cool for long-lasting cutting;
- Cuts, grinds, and polishes all in one machine;
- Slim and compact design, ergonomic grip, lightweight and portable.

Item No.	Size	QTY
货号	规格	装箱数
BE-610206	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 4.0Ah
No-Load Speed ------- 4300/5700/8600 r/min
Wheel Diameter---------- 100mm
Shaft specifications: ---------- M10



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Hammer
无刷锂电电锤

BESTIR

OUTPUT VOLTAGE 20V | IMPACT ENERGY 1.7J | BRUSHLESS MOTOR



APPLICATIONS:
STONE DRILLING | BRICK WALL DRILLING | CONCRETE DRILLING | CONSTRUCTION WORK

KEY FEATURES:
- Switch freely between hammer drills, rotary hammers, and drills–saving time and effort;
- Brushless motor delivers explosive power;
- Precision large-bore cylinder for strong durability and higher efficiency;
- Smart chip with overload protection to prevent hand injuries;
- High-quality lithium battery for long-lasting performance.

Item No.	Size	QTY
货号	规格	装箱数
P0944	20V	5

TECHNICAL SPECIFICATIONS
Battery Voltage---------- 20V
Battery Capacity---------- 4.0Ah
No-Load Speed---------- 0~1400r/min
Impact Rate---------- 0~4500BPM
Impact Energy ---------- 1.7J
Chuck---------- SDS PLUS
Max. Drilling Capacity (Wood)---------- 35mm
Max. Drilling Capacity (Steel)----------13mm
Max. Drilling Capacity (Concrete) -------22mm

SDS PLUS
Note: This machine's drive head is compatible with round-shank hammer drill bits.



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Grinder Angle
无刷锂电角磨机

BESTIR

OUTPUT VOLTAGE 20V | MAX NO-LOAD SPEED 9000 r/min | BRUSHLESS MOTOR



APPLICATIONS:
WOOD CUTTING | METAL CUTTING | TILE GRINDING | CAR POLISHING

KEY FEATURES:
- Brushless motor, powerful performance;
- Fully metal protective cover, safe and reliable;
- 3D circulating cooling system, stays cool for long-lasting cutting;
- Cuts, grinds, and polishes all in one machine;
- Slim and compact design, ergonomic grip, lightweight and portable.

Item No.	Size	QTY
货号	规格	装箱数
P0945	20V	5

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 20V
Battery Capacity ---------- 4.0Ah
No-Load Speed ---------- 9000 r/min
Wheel Diameter---------- 100mm
Shaft specifications: ---------- M10

INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Grinder Angle
无刷锂电角磨机

BESTIR

OUTPUT VOLTAGE 21V | MAX NO-LOAD SPEED 8600 r/min | BRUSHLESS MOTOR



APPLICATIONS:
WOOD CUTTING | METAL CUTTING | TILE GRINDING | CAR POLISHING


KEY FEATURES:
- Brushless motor, powerful performance;
- Fully metal protective cover, safe and reliable;
- 3D circulating cooling system, stays cool for long-lasting cutting;
- Cuts, grinds, and polishes all in one machine;
- Slim and compact design, ergonomic grip, lightweight and portable.

Item No.	Size	QTY
货号	规格	装箱数
P0956	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 4.0Ah
No-Load Speed ------- 4300/5700/8600 r/min
Wheel Diameter---------- 100mm
Shaft specifications: ---------- M10



INCLUDES: 2 Battery Packs & 1 Charger



Cordless Brushless Ratchet Wrench
无刷锂电棘轮扳手

BESTIR

APPLICATIONS:
| Wedding Setup
| Pipeline Maintenance
| Machinery & Auto Maintenance
| Truss-Specific

KEY FEATURES:
- Stepless speed regulation, allowing adjustable speed as desired;
- High-efficiency brushless motor for long battery life;
- Quick-release chuck for easy socket replacement;
- Slim body, enabling one-handed grip;
- Rubberized handle, anti-slip and durable.



11-Piece 1/2" Socket Accessory Kit:



Item No.	Size	QTY
货号	规格	装箱数
P0946	20V	5

Product Configuration
1/2" Mirror 6-point Socket: (10, 11, 12, 13, 14, 15, 16, 17) mm
1/2" to 1/4" Adapter;
1/2" to 3/8" Adapter
1/2" Extension Bar (75mm)

INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Impact Wrench
无刷锂电冲击扳手

BESTIR



APPLICATIONS:
ALUMINUM FILM FIXING AND REMOVAL |
AUTO REPAIR | FIREFIGHTING | STEEL STRUCTURE

KEY FEATURES:
- Brushless motor, high efficiency and energy-saving;
- High speed and high torque;
- One-key forward/reverse rotation, reverse auto-stop;
- Compact and lightweight, comfortable to operate.

Item No.	Size	QTY
货号	规格	装箱数
P0947	20V	5

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 20V
Battery Capacity ---------- 4.0Ah
1st Gear Speed ---------- 0-2300r/min
Maximum Torque ---------- 380N.m
Impact Rate----------0~3100BPM
Shaft specifications: ---------- 1/2"

INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Impact Wrench
无刷锂电冲击扳手

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 380 N.m | BRUSHLESS MOTOR



APPLICATIONS:
ALUMINUM FILM FIXING AND REMOVAL | AUTO REPAIR | FIREFIGHTING | STEEL STRUCTURE

KEY FEATURES:
- Brushless motor, high efficiency and energy-saving;
- High speed and high torque;
- One-key forward/reverse rotation, reverse auto-stop;
- Compact and lightweight, comfortable to operate.

Item No.	Size	QTY
货号	规格	装箱数
BE-610204	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 4.0Ah
No-Load Speed ------- 0-2100r/min,0-2600r/min
Maximum Torque ---------- 380N.m(max)
Shaft specifications: ---------- 1/2"



INCLUDES: 2 Battery Packs & 1 Charger & 1 Socket

Cordless Brushless Impact Wrench
无刷锂电冲击扳手

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 500 N.m | BRUSHLESS MOTOR



APPLICATIONS:
ALUMINUM FILM FIXING AND REMOVAL | AUTO REPAIR | FIREFIGHTING | STEEL STRUCTURE

KEY FEATURES:
- Brushless motor, high efficiency and energy-saving;
- High speed and high torque;
- One-key forward/reverse rotation, reverse auto-stop;
- Compact and lightweight, comfortable to operate.

Item No.	Size	QTY
货号	规格	装箱数
BE-610205	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 4.0Ah
No-Load Speed ------- 1700/2000/2300 r/min
Maximum Torque ---------- 500N.m(max)
Shaft specifications: ---------- 1/2"



INCLUDES: 2 Battery Packs & 1 Charger & 1 Socket

Cordless Brushless Impact Wrench
无刷锂电冲击扳手

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 380 N.m | BRUSHLESS MOTOR



APPLICATIONS:
ALUMINUM FILM FIXING AND REMOVAL |
AUTO REPAIR | FIREFIGHTING | STEEL STRUCTURE

KEY FEATURES:
- Brushless motor, high efficiency and energy-saving;
- High speed and high torque;
- One-key forward/reverse rotation, reverse auto-stop;
- Compact and lightweight, comfortable to operate.

Item No.	Size	QTY
货号	规格	装箱数
P0954	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 4.0Ah
No-Load Speed ------- 0-2100r/min,0-2600r/min
Maximum Torque ---------- 380N.m(max)
Shaft specifications: ---------- 1/2"



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Impact Wrench
无刷锂电冲击扳手

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 500 N.m | BRUSHLESS MOTOR



APPLICATIONS:
ALUMINUM FILM FIXING AND REMOVAL |
AUTO REPAIR | FIREFIGHTING | STEEL STRUCTURE

KEY FEATURES:
- Brushless motor, high efficiency and energy-saving;
- High speed and high torque;
- One-key forward/reverse rotation, reverse auto-stop;
- Compact and lightweight, comfortable to operate.

Item No.	Size	QTY
货号	规格	装箱数
P0955	21V	6

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 4.0Ah
No-Load Speed ---------- 1700/2000/2300r/min
Maximum Torque ---------- 500N.m(max)
Shaft specifications: ---------- 1/2"



INCLUDES: 2 Battery Packs & 1 Charger

Cordless Brushless Impact Wrench
无刷锂电冲击扳手

OUTPUT VOLTAGE 21V | MAXIMUM TORQUE 1000 N.m | BRUSHLESS MOTOR



APPLICATIONS:
ALUMINUM FILM FIXING AND REMOVAL | AUTO REPAIR | FIREFIGHTING | STEEL STRUCTURE

KEY FEATURES:
- Brushless motor, high efficiency and energy-saving;
- High speed and high torque;
- One-key forward/reverse rotation, reverse auto-stop;
- Compact and lightweight, comfortable to operate.

Item No.	Size	QTY
货号	规格	装箱数
BE-610207	21V	4

TECHNICAL SPECIFICATIONS
Output Voltage ---------- 21V
Battery Capacity ---------- 6.0Ah
No-Load Speed ------- 1230/1620/1930 r/min
Maximum Torque ---------- 1000N.m(max)
Shaft specifications: ---------- 1/2"



INCLUDES: 2 Battery Packs & 1 Charger & 1 Socket



Cordless Grease Gun
锂电黄油枪（拉杆款）



Trolley Style

KEY FEATURES:
- Stable oil injection ensures smooth output; Large oil injection volume, strong and continuous balanced power;
- Plastic box packaging for easy carrying, convenient and labor-saving to store in vehicles;
- Flexible use, oil can be injected at any position accessible to the oil nozzle;
- Added relief valve to extend service life;
- Suitable for lubrication scenarios in construction, engineering machinery, electric power, mining, metallurgy, auto maintenance and other industries.

Item No.	Size	QTY
货号	规格	装箱数
P0931	21V	6

TECHNICAL SPECIFICATIONS
Battery: 21V/1.5Ah
Battery Charging Input: 220V 50Hz
Battery Charging Time: 2h
Maximum Hose Pressure: 10000PSI
Operating Temperature: -20℃ ~ 50℃
Oil Output per Shot: 140-160g
Operating Current: 5A-25A
Oil Storage Capacity of Transparent Tube: 600CC
Suitable for 0-3# Bulk Grease

INCLUDES: 2 Battery Packs & 1 Charger

Cordless Grease Gun
锂电黄油枪（拉链款）



Zipper Style

KEY FEATURES:
- Stable oil injection ensures smooth output; Large oil injection volume, strong and continuous balanced power;
- Plastic box packaging for easy carrying, convenient and labor-saving to store in vehicles;
- Flexible use, oil can be injected at any position accessible to the oil nozzle;
- Added relief valve to extend service life;
- Suitable for lubrication scenarios in construction, engineering machinery, electric power, mining, metallurgy, auto maintenance and other industries.

Item No.	Size	QTY
货号	规格	装箱数
P0932	21V	6

TECHNICAL SPECIFICATIONS
Battery: 21V/1.5Ah
Battery Charging Input: 220V 50Hz
Battery Charging Time: 2h
Maximum Hose Pressure: 10000PSI
Operating Temperature: -20℃ ~ 50℃
Oil Output per Shot: 140-160g
Operating Current: 5A-25A
Oil Storage Capacity of Transparent Tube: 600CC
Suitable for 0-3# Bulk Grease

INCLUDES: 2 Battery Packs & 1 Charger



1/2" Air Impact Wrench
12.5mm迷你型气动冲击扳手（560N.m）

BESTIR

1/2" PRO GRADE



KEY FEATURES:
- Dual-hammer impact structure, delivering stable and powerful performance with long service life;
- Iron front shell protects the tool and ensures safe operation;
- Suitable for maintenance in 4S shops, tire stores, as well as for engines, agricultural machinery, etc.

Item No.	Size	QTY
货号	规格	装箱数
P3005	1/2"(560N.m)	6

TECHNICAL SPECIFICATIONS
- Square Drive Size: 1/2" (12.5mm)
- No-Load Speed: 9800RPM
- Max Torque Output: 560N.m
- Air Inlet Thread: 1/4"
- Screw Tightening Capacity: M14
- Working Pressure: 6-8kg/cm²
- Recommended Hose Inner Diameter: 10mm
- Exhaust Type: Bottom Exhaust
- Net Weight: 1.6kg

1/2" Air Impact Wrench
12.5mm复合材料气动冲击扳手（1500N.m）

BESTIR

1/2" PRO GRADE



KEY FEATURES:
- Annular dual-hammer impact structure for more powerful power output;
- Made of composite materials, lightweight, easy to operate with one hand;
- Double-layer rubberized handle, good shock resistance, reducing operational fatigue.

Item No.	Size	QTY
货号	规格	装箱数
P3006	1/2"(1500N.m)	6

TECHNICAL SPECIFICATIONS
- Square Drive Size: 1/2" (12.5mm)
- No-Load Speed: 8000RPM
- Max Torque Output: 1500N.m
- Air Inlet Thread: 1/4"
- Screw Tightening Capacity: M18
- Working Pressure: 6-8kg/cm²
- Recommended Hose Inner Diameter: 10mm
- Exhaust Type: Bottom Exhaust
- Net Weight: 2kg

1/2" Air Impact Wrench
12.5mm气动冲击扳手（660N.m）

BESTIR

1/2" PRO GRADE



KEY FEATURES:
- Dual-hammer impact structure, delivering stable and powerful performance with long service life;
- Iron front shell protects the tool and ensures safe operation;
- Suitable for maintenance in 4S shops, tire stores, as well as for engines, agricultural machinery, etc.

Item No.	Size	QTY
货号	规格	装箱数
P3001	1/2"(660N.m)	6

TECHNICAL SPECIFICATIONS
- Square Drive Size: 1/2" (12.5mm)
- No-Load Speed: 8100RPM
- Max Torque Output: 660N.m
- Air Inlet Thread: 1/4"
- Screw Tightening Capacity: M16
- Working Pressure: 6-8kg/cm²
- Recommended Hose Inner Diameter: 10mm
- Exhaust Type: Front Exhaust
- Net Weight: 2.6kg

1/2" Air Impact Wrench
12.5mm气动冲击扳手（760N.m）

BESTIR

1/2" PRO GRADE



KEY FEATURES:
- Dual-hammer impact structure, delivering stable and powerful performance with long service life;
- Iron front shell protects the tool and ensures safe operation;
- Suitable for maintenance in 4S shops, tire stores, as well as for engines, agricultural machinery, etc.

Item No.	Size	QTY
货号	规格	装箱数
P3002	1/2"(760N.m)	6

TECHNICAL SPECIFICATIONS
- Square Drive Size: 1/2" (12.5mm)
- No-Load Speed: 8400RPM
- Max Torque Output: 760N.m
- Air Inlet Thread: 1/4"
- Screw Tightening Capacity: M18
- Working Pressure: 6-8kg/cm²
- Recommended Hose Inner Diameter: 10mm
- Exhaust Type: Bottom Exhaust
- Net Weight: 2.8kg

1/2" Air Impact Wrench
12.5mm复合材料气动冲击扳手（850N.m）

BESTIR

1/2" PRO GRADE



KEY FEATURES:
- Annular dual-hammer impact structure for more powerful power output;
- Made of composite materials, lightweight, easy to operate with one hand;
- Double-layer rubberized handle, good shock resistance, reducing operational fatigue.

Item No.	Size	QTY
货号	规格	装箱数
P3007	1/2"(850N.m)	6

TECHNICAL SPECIFICATIONS
- Square Drive Size: 1/2" (12.5mm)
- No-Load Speed: 10000RPM
- Max Torque Output: 850N.m
- Air Inlet Thread: 1/4"
- Screw Tightening Capacity: M16
- Working Pressure: 6-8kg/cm²
- Recommended Hose Inner Diameter: 10mm
- Exhaust Type: Bottom Exhaust
- Net Weight: 1.37kg

3/4" Air Impact Wrench
19mm复合材料气动冲击扳手（850N.m）

BESTIR

3/4" PRO GRADE



KEY FEATURES:
- Annular dual-hammer impact structure for more powerful power output;
- Made of composite materials, lightweight, easy to operate with one hand;
- Double-layer rubberized handle, good shock resistance, reducing operational fatigue.

Item No.	Size	QTY
货号	规格	装箱数
P3013	3/4"(2000N.m)	4

TECHNICAL SPECIFICATIONS
- Square Drive Size: 3/4" (19mm)
- No-Load Speed: 5500RPM
- Max Torque Output: 2000N.m
- Air Inlet Thread: 1/2"
- Screw Tightening Capacity: M24
- Working Pressure: 6-8kg/cm²
- Recommended Hose Inner Diameter: 13mm
- Exhaust Type: Bottom Exhaust
- Net Weight: 3.85kg



3/4" Air Impact Wrench
19mm气动冲击扳手（1800N.m）

BESTIR

3/4" PRO GRADE



KEY FEATURES:
- Heavy-duty dual-hammer impact structure, delivering powerful performance with
- adjustable torque;
- Transmission parts undergo quenching and tempering heat treatment, featuring good wear resistance and long service life;
  Widely applicable to the maintenance of automobiles, engines, construction machinery, agricultural vehicles and general industrial use.

Item No.	Size	QTY
货号	规格	装箱数
P3011	3/4"(1800N.m)	4

TECHNICAL SPECIFICATIONS

Square Drive Size: 3/4" (19mm)
No-Load Speed: 5000RPM
Max Torque Output: 1800N.m
Air Inlet Thread: 1/2"
Screw Tightening Capacity: M30

Working Pressure: 6-8kg/cm²
Recommended Hose Inner Diameter: 13mm
Exhaust Type: Front Exhaust
Net Weight: 6.8kg

1" Air Impact Wrench
25mm气动冲击扳手（3300N.m）

BESTIR

1" PRO GRADE



KEY FEATURES:
- Transmission parts are made of high-nickel alloy steel, processed by CNC precision machining and quenching-tempering heat treatment, with excellent wear resistance;
- Heavy-duty impact structure, delivering powerful torque output;
- Imported dual-bearing design for long service life;
- Ergonomically designed grip enhances operator comfort;
- Suitable for truck and bus tire disassembly/assembly, pipe pile factory operations and other fields.

Item No.	Size	QTY
货号	规格	装箱数
P3021	1"(3300N.m)	1

TECHNICAL SPECIFICATIONS

Square Drive Size: 1" (25mm)
No-Load Speed: 3900RPM
Max Torque Output: 3300N.m
Air Inlet Thread: 1/2"
Screw Tightening Capacity: M38

Working Pressure: 8-10kg/cm²
Recommended Hose Inner Diameter: 13mm
Exhaust Type: Side Exhaust
Net Weight: 13.4kg

1" Air Impact Wrench
25mm气动冲击扳手（1900N.m）

BESTIR

3/4" PRO GRADE



KEY FEATURES:
- Transmission parts are made of high-nickel alloy steel, processed by CNC precision machining and quenching-tempering heat treatment, with excellent wear resistance;
- Heavy-duty impact structure, delivering powerful torque output;
- Imported dual-bearing design for long service life;
- Ergonomically designed grip enhances operator comfort;
- Suitable for truck and bus tire disassembly/assembly, pipe pile factory operations and other fields.

Item No.	Size	QTY
货号	规格	装箱数
P3023	1"(1900N.m)	1

TECHNICAL SPECIFICATIONS

Square Drive Size: 1" (25mm)
No-Load Speed: 6000RPM
Max Torque Output: 1900N.m
Air Inlet Thread: 1/2"
Screw Tightening Capacity: M30

Working Pressure: 8-10kg/cm²
Recommended Hose Inner Diameter: 13mm
Exhaust Type: Bottom Exhaust
Net Weight: 7.6kg

1" Air Impact Wrench
25mm气动冲击扳手（6200N.m）

BESTIR

1" PRO GRADE



KEY FEATURES:
- Transmission parts are made of high-nickel alloy steel, processed by CNC precision machining and quenching-tempering heat treatment, with excellent wear resistance;
- Heavy-duty impact structure, delivering powerful torque output;
- Imported dual-bearing design for long service life;
- Ergonomically designed grip enhances operator comfort;
- Suitable for truck and bus tire disassembly/assembly, pipe pile factory operations and other fields.

Item No.	Size	QTY
货号	规格	装箱数
P3022	1"(6200N.m)	1

TECHNICAL SPECIFICATIONS

Square Drive Size: 1" (25mm)
No-Load Speed: 2800RPM
Max Torque Output: 6200N.m
Air Inlet Thread: 1/2"
Screw Tightening Capacity: M55

Working Pressure: 8-10kg/cm²
Recommended Hose Inner Diameter: 13mm
Exhaust Type: Side Exhaust
Net Weight: 17kg

1" Air Impact Wrench
25mm复合材料气动冲击扳手（5000N.m）

BESTIR

1" PRO GRADE



KEY FEATURES:
- Made of composite materials, lightweight to reduce operational fatigue;
  Transmission parts are crafted from high-nickel alloy steel, undergoing CNC precision
- machining and quenching-tempering heat treatment for excellent wear resistance;
- Heavy-duty impact structure with a high-performance design, ensuring long service life;
- Ergonomically designed grip enhances operator comfort;
- Suitable for bolt disassembly and assembly of heavy machinery.

Item No.	Size	QTY
货号	规格	装箱数
P3024	1"(5000N.m)	1

TECHNICAL SPECIFICATIONS

Square Drive Size: 1" (25.4mm)
No-Load Speed: 4000RPM
Max Torque Output: 5000N.m
Air Inlet Thread: 1/2"
Screw Tightening Capacity: M40

Working Pressure: 8-10kg/cm²
Recommended Hose Inner Diameter: 13mm
Exhaust Type: Side Exhaust
Net Weight: 12.9kg

The Tool Book

Correct Usage Methods of Pneumatic Tools

Connect the air pipe, set the air pressure to the specified range, then follow the steps below



1.Yingzhiyin pneumatic wrench joint has blue sealant; wrap Teflon tape for other joints without it.



2.Screw the joint into the gun body, then tighten it clockwise with an adjustable wrench.



3.(If the pipeline has no lubrication device) Add 2-3 drops of air impact wrench oil before and after each use. (Caution: Never add engine oil! It will cause jamming and insufficient output torque!)



4.Connect the air pipe with a quick connector.




5.Press the trigger and let the pneumatic wrench run idle for a moment.



6.After confirming normal test operation, you can start working.

Special Note:

① Install an oil-water separator in the air supply system to prevent moisture from causing rust and jamming.
② Add an appropriate amount of special air impact wrench oil before and after use for lubrication and rust prevention.





Straight Shank Pneumatic Screwdriver
直柄式气动螺丝刀

BESTIR

PRO GRADE



KEY FEATURES:

- CNC precision machining ensures minimal error, high assembly precision and stable output.
- Transmission shaft and hammer block made of Taiwan Ni-Cr-Mo alloy steel, l ightweight with high torque.
- Suitable for self-tapping screws below 5.0 or nuts below M5; ideal for thin plates, maintenance, small-scale production and DIY.

Item No.	Size	QTY
货号	规格	装箱数
P3101	5H (30N.m)	25

TECHNICAL SPECIFICATIONS

Screw Tightening Capacity: M5
No-load Speed: 12000 rpm
Maximum Torque: 30 N.m
Inner Diameter of Air Hose: 6.35mm
Air Inlet Thread: 1/4"
Striking Structure: Double Hammers
Working Air Pressure: 6Kg/cm²
Net Weight: 750g

Straight Shank Pneumatic Screwdriver
直柄式气动螺丝刀

BESTIR

PRO GRADE



KEY FEATURES:

- CNC precision machining ensures minimal error, high component assembly precision and stable output.
- Transmission shaft and hammer block are made of Taiwan Ni-Cr-Mo alloy steel, featuring high torque and good impact resistance.
- Application range: Self-tapping screws below 6.0 or nuts below M8; suitable for thin plates, maintenance and medium-sized production.

Item No.	Size	QTY
货号	规格	装箱数
P3102	8H (50N.m)	25

TECHNICAL SPECIFICATIONS

Screw Tightening Capacity: M8
No-load Speed: 10000 rpm
Maximum Torque: 50 N.m
Inner Diameter of Air Hose: 6.35mm
Air Inlet Thread: 1/4"
Striking Structure: Double Hammers
Working Air Pressure: 6Kg/cm²
Net Weight: 1050g

Straight Shank Pneumatic Screwdriver
直柄式气动螺丝刀

BESTIR

PRO GRADE



KEY FEATURES:

- CNC precision machining ensures minimal error, high component assembly precision and stable output.
- Transmission shaft and striking mechanism are made of Taiwan high-carbon Ni-Cr-Mo alloy steel, featuring high torque, good impact resistance and long service life.
- 360° adjustable exhaust port.
- Application range: Self-tapping screws below 6.0 or nuts below M8; suitable for woodworking, continuous operation and large-scale production lines.

Item No.	Size	QTY
货号	规格	装箱数
P3104	8H (50N.m)	25

TECHNICAL SPECIFICATIONS

Screw Tightening Capacity: M8
No-load Speed: 10000 rpm
Maximum Torque: 50 N.m
Inner Diameter of Air Hose: 6.35mm
Air Inlet Thread: 1/4"
Striking Structure: Double Hammers
Working Air Pressure: 6Kg/cm²
Net Weight: 1050g

Pneumatic Riveting Gun
气动拉铆枪

BESTIR

PRO GRADE



P3301
Aluminum Nail



P3302
Aluminum Nail (Self-Suction)



P3303
Stainless Steel Nail



P3304
Stainless Steel Nail (Self-Suction)

KEY FEATURES:

- Available in self-priming and non-self-priming types: the self-priming type can automatically a bsorb rivets and collect waste rivet stems, while the non-self-priming type requires manual rivet placement and waste rivet stem dumping.
- Lightweight design with a compact body: adopts an engineering plastic main body paired with an aviation aluminum alloy cylinder block, featuring high strength and light weight to reduce operational fatigue.
- Equipped with alloy steel jaw plates: treated with hardening and thickening, ensuring strong gripping force and long service life.
- Convenient maintenance: the knurled gun head conduit allows easy disassembly and assembly, and the jaw plate guide sleeve supports tool-free maintenance.
- Efficient operation: enables one-time rivet pulling and forming for fast and efficient work.

TECHNICAL SPECIFICATIONS

Rivet range: 2.4-4.8mm (aluminum/stainless steel rivets)
Nozzles: 2.4/3.2/4.0/4.8mm Stroke: 19mm
Drive medium: Dried & filtered compressed air
Working pressure: 5.5-8kgf/cm²; 6-8kgf/cm² (self-priming)

Item No.	Size	QTY
货号	规格	装箱数
P3301	Aluminum Nail	6
P3302	Aluminum Nail (Self-Suction)	6
P3303	Stainless Steel Nail	6
P3304	Stainless Steel Nail (Self-Suction)	6



Pneumatic Polishing Machine
气动打磨机(自动吸尘)

BESTIR



(Comes with one air hose)

KEY FEATURES:
- Precision die-cast aluminum alloy housing: high strength, not easy to deform.
- Adopting imported bearings: long service life.
- Die-cast ferroalloy cylinder block: strong power, high rotating speed and fast grinding.

Warranty Terms:
- This product comes with a 3-month free warranty from the date of purchase. The chassis, as a consumable part, is not covered.

Item No.	Size	QTY
货号	规格	装箱数
P3206	5"/125mm	6

TECHNICAL SPECIFICATIONS

Eccentric Distance: 5mm
No-load Speed: 12000rpm
Chassis Size: 5" (125mm)
Chassis Thread Specification: 5/16" - 24T
Air Inlet Interface: 1/4"
Working Air Pressure: 6.3kg/cm²
Net Weight: 1000g
Dust Collection Method: Automatic Dust Collection

Pneumatic Polishing Machine
气动打磨机(不吸尘)

BESTIR



KEY FEATURES:
- Precision die-cast aluminum alloy housing: high strength, not easy to deform.
- Adopting imported bearings: long service life.
- Die-cast ferroalloy cylinder block: strong power, high rotating speed and fast grinding.

Warranty Terms:
- This product comes with a 3-month free warranty from the date of purchase. The chassis, as a consumable part, is not covered.

Item No.	Size	QTY
货号	规格	装箱数
P3205	5"/125mm	12

TECHNICAL SPECIFICATIONS

Eccentric Distance: 5mm
No-load Speed: 12000rpm
Chassis Size: 5" (125mm)
Chassis Thread Specification: 5/16" - 24T
Air Inlet Interface: 1/4"
Working Air Pressure: 6.3kg/cm²
Net Weight: 930g
Dust Collection Method: No dust collection

Pneumatic Polishing Machine
气动打磨机(中央吸尘)

BESTIR



(Comes with one air hose)

KEY FEATURES:
- Precision die-cast aluminum alloy housing: high strength, not easy to deform.
- Adopting imported bearings: long service life.
- Die-cast ferroalloy cylinder block: strong power, high rotating speed and fast grinding.

Warranty Terms:
- This product comes with a 3-month free warranty from the date of purchase. The chassis, as a consumable part, is not covered.

Item No.	Size	QTY
货号	规格	装箱数
P3207	5"/125mm	12

TECHNICAL SPECIFICATIONS

Eccentric Distance: 5mm
No-load Speed: 12000rpm
Chassis Size: 5" (125mm)
Chassis Thread Specification: 5/16" - 24T
Air Inlet Interface: 1/4"
Working Air Pressure: 6.3kg/cm²
Net Weight: 1000g
Dust Collection Method: Central dust collection

Electric Hammer Drilling Bit
电锤钻头（圆柄）

BESTIR



- The drill shank is made of high-quality tool steel, and the drill tip of the drill bit adopts a YG8 tungsten steel cutter head, which has high hardness and excellent wear resistance.
- Drill bits are widely used in the construction and installation industry, mainly for drilling on hard surfaces (such as concrete and stone).
- It is used for hole drilling and has high hole-drilling efficiency.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49000	6x110mm	10/400
49001	6.5x110mm	10/400
49002	8x110mm	10/400
49003	10x110mm	10/400
49010	6x160mm	10/400
49011	6.5x160mm	10/400
49012	8x160mm	10/400
49013	10x160mm	10/400
49014	12x160mm	10/400
49015	14x160mm	10/400
49016	16x160mm	10/400
49020	8x200mm	10/160
49021	10x200mm	10/160
49022	12x200mm	10/160
49023	14x200mm	10/160
49024	16x200mm	10/160
49025	18x200mm	10/120
49026	20x200mm	10/120
49027	22x200mm	10/120
49028	25x200mm	10/120
49030	10x350mm	10/150
49031	12x350mm	10/150
49032	14x350mm	10/150
49033	16x350mm	10/150
49034	18x350mm	10/60
49035	20x350mm	10/60
49036	22x350mm	10/60
49037	25x350mm	10/60
49038	28x350mm	3/36

Electric Hammer Drilling Bit
电锤钻头（方柄）

BESTIR



- The drill shank is made of high-quality tool steel, and the drill tip of the drill bit adopts a YG8 tungsten steel cutter head, which has high hardness and excellent wear resistance.
- Drill bits are widely used in the construction and installation industry, mainly for drilling on hard surfaces (such as concrete and stone).
- It is used for hole drilling and has high hole-drilling efficiency.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49050	6x110mm	10/400
49051	6.5x110mm	10/400
49052	8x110mm	10/400
49053	10x110mm	10/400
49060	6x150mm	10/400
49061	6.5x150mm	10/400
49062	8x150mm	10/400
49063	10x150mm	10/400
49064	12x150mm	10/400
49065	14x150mm	10/400
49066	16x150mm	10/400
49070	8x200mm	10/160
49071	10x200mm	10/160
49072	12x200mm	10/160
49073	14x200mm	10/160
49074	16x200mm	10/160
49075	18x200mm	10/120
49076	20x200mm	10/120
49077	22x200mm	10/120
49078	25x200mm	10/120
49080	10x350mm	10/150
49081	12x350mm	10/150
49082	14x350mm	10/150
49083	16x350mm	10/150
49084	18x350mm	10/60
49085	20x350mm	10/60
49086	22x350mm	10/60
49087	25x350mm	10/60
49088	28x350mm	3/36

HSS Taper Shank Twist Drill
锥柄麻花钻

Material：6542
国标：(GB/T1438.1)

BESTIR



- The taper shank twist drill is made of HSS (High-Speed Steel). It features sharp cutting edges, excellent wear resistance, and strong versatility.
- It is suitable for drilling on a variety of materials, including ordinary steels, cast iron, and other ferrous and non-ferrous alloys. It is used on portable or fixed machine tools, specifically on spindles equipped with Morse taper sleeves.
- It is recommended to use appropriate cutting lubricants and coolants during most drilling operations.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	L1 槽长（L1）	L 总长（L）	Taper Shank Size 锥柄号
48130	13.0 mm	101	182	1
48135	13.5 mm	108	189	1
48138	13.8 mm	108	189	2
48140	14.0 mm	108	189	2
48142	14.2 mm	114	212	2
48145	14.5 mm	114	212	2
48148	14.8 mm	114	212	2
48150	15.0 mm	114	212	2
48152	15.2 mm	120	218	2
48155	15.5 mm	120	218	2
48158	15.8 mm	120	218	2
48160	16.0 mm	120	218	2
48165	16.5 mm	125	223	2
48168	16.8 mm	125	223	2
48170	17.0 mm	125	223	2
48175	17.5 mm	130	228	2
48180	18.0 mm	130	228	2
48185	18.5 mm	135	233	2
48188	18.8 mm	135	233	2
48190	19.0 mm	135	233	2
48195	19.5 mm	140	238	2
48198	19.8 mm	140	238	2
48200	20.0 mm	140	238	2
48205	20.5 mm	145	243	2
48208	20.8 mm	145	243	2
48210	21.0 mm	145	243	2
48215	21.5 mm	150	248	2
48220	22.0 mm	150	248	2
48225	22.5 mm	150	248	2
48230	23.0 mm	155	253	2
48235	23.5 mm	155	253	3
48240	24.0 mm	160	281	3
48245	24.5 mm	160	281	3
48250	25.0 mm	160	281	3
48255	25.5 mm	165	286	3
48260	26.0 mm	165	286	3
48265	26.5 mm	165	286	3
48270	27.0 mm	170	291	3
48275	27.5 mm	170	291	3
48280	28.0 mm	170	291	3
48285	28.5 mm	175	296	3
48300	30.0 mm	175	296	3

HSS Straight Shank Twist Drill
直柄麻花钻

BESTIR



- It is made of high-quality alloy high-speed steel, featuring fast cutting speed, long service life, and strong chip removal capability.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	L1 槽长（L1）	L 总长（L）
46010	1.0mm	12	34
46011	1.1mm	12	34
46012	1.2mm	14	36
46013	1.3mm	14	36
46014	1.4mm	16	38
46015	1.5 mm	18	40
46016	1.6 mm	20	43
46017	1.7 mm	20	43
46018	1.8 mm	22	46
46019	1.9 mm	22	46
46020	2.0 mm	24	49
46021	2.1 mm	24	49
46022	2.2 mm	27	53
46023	2.3 mm	27	53
46024	2.4 mm	30	57
46025	2.5 mm	30	57
46026	2.6 mm	30	57
46027	2.7 mm	33	61
46028	2.8 mm	33	61
46029	2.9 mm	33	61
46030	3.0 mm	33	61
46031	3.1 mm	36	65
46032	3.2 mm	36	65
46033	3.3 mm	36	65
46034	3.4 mm	39	70
46035	3.5 mm	39	70
46036	3.6 mm	39	70
46037	3.7 mm	39	70
46038	3.8 mm	43	75
46039	3.9 mm	43	75
46040	4.0 mm	43	75
46041	4.1 mm	43	75
46042	4.2 mm	43	75
46043	4.3 mm	47	80
46044	4.4 mm	47	80
46045	4.5 mm	47	80
46046	4.6 mm	47	80
46047	4.7 mm	47	80
46048	4.8mm	52	86
46049	4.9 mm	52	86
46050	5.0 mm	52	86
46051	5.1 mm	52	86
46052	5.2 mm	52	86
46053	5.3 mm	52	86
46054	5.4 mm	57	93
46055	5.5 mm	57	93
46056	5.6 mm	57	93
46057	5.7 mm	57	93
46058	5.8 mm	57	93
46059	5.9 mm	57	93
46060	6.0 mm	57	93
46061	6.1 mm	63	101
46062	6.2 mm	63	101
46063	6.3 mm	63	101
46064	6.4 mm	63	101
46065	6.5mm	63	101
46066	6.6 mm	63	101
46067	6.7 mm	63	101
46068	6.8 mm	69	109
46069	6.9 mm	69	109
46070	7.0 mm	69	109
46071	7.1 mm	69	109
46072	7.2 mm	69	109
46073	7.3 mm	69	109
46074	7.4 mm	69	109
46075	7.5 mm	69	109
46076	7.6 mm	75	117
46077	7.7 mm	75	117
46078	7.8 mm	75	117
46079	7.9 mm	75	117
46080	8.0 mm	75	117
46081	8.1 mm	75	117
46082	8.2 mm	75	117
46083	8.3 mm	75	117
46084	8.4 mm	75	117
46085	8.5 mm	75	117
46086	8.6 mm	81	125
46087	8.7 mm	81	125
46088	8.8 mm	81	125
46089	8.9 mm	81	125
46090	9.0 mm	81	125
46091	9.1 mm	81	125
46092	9.2 mm	81	125
46093	9.3 mm	81	125
46094	9.4 mm	81	125
46095	9.5 mm	81	125
46096	9.6 mm	81	125
46097	9.7 mm	87	133
46098	9.8 mm	87	133
46099	9.9 mm	87	133
46100	10.0 mm	87	133
46101	10.1 mm	87	133
46102	10.2 mm	87	133
46103	10.3 mm	87	133
46104	10.4 mm	87	133
46105	10.5 mm	87	133
46106	10.6 mm	87	133
46107	10.7 mm	94	142
46108	10.8 mm	94	142
46109	10.9 mm	94	142
46110	11.0 mm	94	142
46111	11.1 mm	94	142
46112	11.2 mm	94	142
46113	11.3 mm	94	142
46114	11.4 mm	94	142
46115	11.5 mm	94	142
46116	11.6 mm	94	142
46117	11.7 mm	94	142
46118	11.8 mm	94	142
46119	11.9 mm	101	151
46120	12.0 mm	101	151
46121	12.1 mm	101	151
46122	12.2 mm	101	151
46123	12.3 mm	101	151
46124	12.4 mm	101	151
46125	12.5 mm	101	151
46126	12.6 mm	101	151
46127	12.7 mm	101	151
46128	12.8 mm	101	151
46129	12.9 mm	101	151
46130	13.0 mm	101	151



HSS Straight Shank Twist Drill
直柄麻花钻

BESTIR



- Manufactured from high-grade alloy high-speed steel (HSS),featuring high cutting speed, extended tool life, and superior chip evacuation performance.

⚠ This product is a consumable item and is not covered by the warranty.


Item No. 货号	Size 规格	L1 槽长 (L1)	L 总长 (L)
A46010	1.0mm	12	34
A46011	1.1mm	12	34
A46012	1.2mm	14	36
A46013	1.3mm	14	36
A46014	1.4mm	16	38
A46015	1.5 mm	18	40
A46016	1.6 mm	20	43
A46017	1.7 mm	20	43
A46018	1.8 mm	22	46
A46019	1.9 mm	22	46
A46020	2.0 mm	24	49
A46021	2.1 mm	24	49
A46022	2.2 mm	27	53
A46023	2.3 mm	27	53
A46024	2.4 mm	30	57
A46025	2.5 mm	30	57
A46026	2.6 mm	30	57
A46027	2.7 mm	33	61
A46028	2.8 mm	33	61
A46029	2.9 mm	33	61
A46030	3.0 mm	33	61
A46031	3.1 mm	36	65
A46032	3.2 mm	36	65
A46033	3.3 mm	36	65
A46034	3.4 mm	39	70
A46035	3.5 mm	39	70
A46036	3.6 mm	39	70
A46037	3.7 mm	39	70
A46038	3.8 mm	43	75
A46039	3.9 mm	43	75
A46040	4.0 mm	43	75
A46041	4.1 mm	43	75
A46042	4.2 mm	43	75
A46043	4.3 mm	47	80
A46044	4.4 mm	47	80
A46045	4.5 mm	47	80
A46046	4.6 mm	47	80
A46047	4.7 mm	47	80
A46048	4.8mm	52	86
A46049	4.9 mm	52	86
A46050	5.0 mm	52	86
A46051	5.1 mm	52	86
A46052	5.2 mm	52	86
A46053	5.3 mm	52	86
A46054	5.4 mm	57	93
A46055	5.5 mm	57	93
A46056	5.6 mm	57	93
A46057	5.7 mm	57	93
A46058	5.8 mm	57	93
A46059	5.9 mm	57	93
A46060	6.0 mm	57	93
A46061	6.1 mm	63	101
A46062	6.2 mm	63	101
A46063	6.3 mm	63	101
A46064	6.4 mm	63	101
A46065	6.5mm	63	101
A46066	6.6 mm	63	101
A46067	6.7 mm	63	101
A46068	6.8 mm	69	109
A46069	6.9 mm	69	109
A46070	7.0 mm	69	109
A46071	7.1 mm	69	109
A46072	7.2 mm	69	109
A46073	7.3 mm	69	109
A46074	7.4 mm	69	109
A46075	7.5 mm	69	109
A46076	7.6 mm	75	117
A46077	7.7 mm	75	117
A46078	7.8 mm	75	117
A46079	7.9 mm	75	117
A46080	8.0 mm	75	117
A46081	8.1 mm	75	117
A46082	8.2 mm	75	117
A46083	8.3 mm	75	117
A46084	8.4 mm	75	117
A46085	8.5 mm	75	117
A46086	8.6 mm	81	125
A46087	8.7 mm	81	125
A46088	8.8 mm	81	125
A46089	8.9 mm	81	125
A46090	9.0 mm	81	125
A46091	9.1 mm	81	125
A46092	9.2 mm	81	125
A46093	9.3 mm	81	125
A46094	9.4 mm	81	125
A46095	9.5 mm	81	125
A46096	9.6 mm	81	125
A46097	9.7 mm	87	133
A46098	9.8 mm	87	133
A46099	9.9 mm	87	133
A46100	10.0 mm	87	133
A46101	10.1 mm	87	133
A46102	10.2 mm	87	133
A46103	10.3 mm	87	133
A46104	10.4 mm	87	133
A46105	10.5 mm	87	133
A46106	10.6 mm	87	133
A46107	10.7 mm	94	142
A46108	10.8 mm	94	142
A46109	10.9 mm	94	142
A46110	11.0 mm	94	142
A46111	11.1 mm	94	142
A46112	11.2 mm	94	142
A46113	11.3 mm	94	142
A46114	11.4 mm	94	142
A46115	11.5 mm	94	142
A46116	11.6 mm	94	142
A46117	11.7 mm	94	142
A46118	11.8 mm	94	142
A46119	11.9 mm	101	151
A46120	12.0 mm	101	151
A46121	12.1 mm	101	151
A46122	12.2 mm	101	151
A46123	12.3 mm	101	151
A46124	12.4 mm	101	151
A46125	12.5 mm	101	151
A46126	12.6 mm	101	151
A46127	12.7 mm	101	151
A46128	12.8 mm	101	151
A46129	12.9 mm	101	151
A46130	13.0 mm	101	151



HSS Straight Shank Twist Drill (Cobalt 5%)
高钴直柄麻花钻

BESTIR

Material : M35 (Cobalt 5%)



- Manufactured from M35 material, it can machine stainless steel, die steel, and other difficult-to-machine steel workpieces.
- M35 is a high-speed steel containing 5% cobalt, featuring good machinability. Through appropriate heat treatment, it can achieve high hardness, high red hardness, and high wear resistance. Its toughness and flexural strength are significantly superior to those of ordinary high-speed steels, making it the first choice for stainless steel machining.
- The cobalt-containing twist drill adopts a 135-degree tip design, which gives full play to the self-centering function and enables faster and more accurate completion of operations.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	L1 槽长 (L1)	L 总长 (L)
47010	1.0mm	12	34
47011	1.1mm	12	34
47012	1.2mm	14	36
47013	1.3mm	14	36
47014	1.4mm	16	38
47015	1.5 mm	18	40
47016	1.6 mm	20	43
47017	1.7 mm	20	43
47018	1.8 mm	22	46
47019	1.9 mm	22	46
47020	2.0 mm	24	49
47021	2.1 mm	24	49
47022	2.2 mm	27	53
47023	2.3 mm	27	53
47024	2.4 mm	30	57
47025	2.5 mm	30	57
47026	2.6 mm	30	57
47027	2.7 mm	33	61
47028	2.8 mm	33	61
47029	2.9 mm	33	61
47030	3.0 mm	33	61
47031	3.1 mm	36	65
47032	3.2 mm	36	65
47033	3.3 mm	36	65
47034	3.4 mm	39	70
47035	3.5 mm	39	70
47036	3.6 mm	39	70
47037	3.7 mm	39	70
47038	3.8 mm	43	75
47039	3.9 mm	43	75
47040	4.0 mm	43	75
47041	4.1 mm	43	75
47042	4.2 mm	43	75
47043	4.3 mm	47	80
47044	4.4 mm	47	80
47045	4.5 mm	47	80
47046	4.6mm	47	80
47047	4.7 mm	47	80
47048	4.8 mm	52	86
47049	4.9 mm	52	86
47050	5.0 mm	52	86
47051	5.1 mm	52	86
47052	5.2 mm	52	86
47053	5.3 mm	52	86
47054	5.4 mm	57	93
47055	5.5 mm	57	93
47056	5.6 mm	57	93
47057	5.7 mm	57	93
47058	5.8 mm	57	93
47059	5.9 mm	57	93
47060	6.0 mm	57	93
47061	6.1 mm	63	101
47062	6.2 mm	63	101
47063	6.3 mm	63	101
47064	6.4 mm	63	101
47065	6.5mm	63	101
47066	6.6 mm	63	101
47067	6.7 mm	63	101
47068	6.8 mm	69	109
47069	6.9 mm	69	109
47070	7.0 mm	69	109
47071	7.1 mm	69	109
47072	7.2 mm	69	109
47073	7.3 mm	69	109
47074	7.4 mm	69	109
47075	7.5 mm	69	109
47076	7.6 mm	75	117
47077	7.7 mm	75	117
47078	7.8 mm	75	117
47079	7.9 mm	75	117
47080	8.0 mm	75	117
47081	8.1 mm	75	117
47082	8.2mm	75	117
47083	8.3mm	75	117
47084	8.4 mm	75	117
47085	8.5 mm	75	117
47086	8.6 mm	81	125
47087	8.7 mm	81	125
47088	8.8 mm	81	125
47089	8.9 mm	81	125
47090	9.0 mm	81	125
47091	9.1 mm	81	125
47092	9.2 mm	81	125
47093	9.3 mm	81	125
47094	9.4 mm	81	125
47095	9.5 mm	81	125
47096	9.6 mm	81	125
47097	9.7 mm	87	133
47098	9.8 mm	87	133
47099	9.9 mm	87	133
47100	10.0 mm	87	133
47101	10.1 mm	87	133
47102	10.2 mm	87	133
47103	10.3 mm	87	133
47104	10.4 mm	87	133
47105	10.5 mm	87	133
47106	10.6 mm	87	133
47107	10.7 mm	94	142
47108	10.8 mm	94	142
47109	10.9 mm	94	142
47110	11.0 mm	94	142
47111	11.1 mm	94	142
47112	11.2 mm	94	142
47113	11.3 mm	94	142
47114	11.4 mm	94	142
47115	11.5 mm	94	142
47116	11.6 mm	94	142
47117	11.7 mm	94	142
47118	11.8 mm	94	142
47119	11.9 mm	101	151
47120	12.0 mm	101	151
47121	12.1 mm	101	151
47122	12.2 mm	101	151
47123	12.3 mm	101	151
47124	12.4 mm	101	151
47125	12.5 mm	101	151
47126	12.6 mm	101	151
47127	12.7 mm	101	151
47128	12.8 mm	101	151
47129	12.9 mm	101	151
47130	13.0 mm	101	151

13PCS Twist Drill Set
13件直柄麻花钻组套

BESTIR

Material: 6542
National Standard: (GB/T 6135.3)

Product Specification & Configuration:

1.5 mm	(1/16")	4.5 mm	(-)
2.0 mm	(5/64")	4.8 mm	(3/16")
2.5 mm	(-)	5.0 mm	(-)
3.0 mm	(-)	5.5mm	(7/32")
3.2 mm	(1/8")	6.0mm	(15/64")
3.5 mm	(-)	6.5 mm	(-)
4.0 mm	(5/32")		



This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93441	13PCS	50

13PCS Twist Drill Set
13件高钴直柄麻花钻组套

BESTIR

Material : M35 (Cobalt 5%)
National Standard: (GB/T 6135.3)

Product Specification & Configuration:

1.5 mm	(1/16")	4.5 mm	(-)
2.0 mm	(5/64")	4.8 mm	(3/16")
2.5 mm	(-)	5.0 mm	(-)
3.0 mm	(-)	5.5mm	(7/32")
3.2 mm	(1/8")	6.0mm	(15/64")
3.5 mm	(-)	6.5 mm	(-)
4.0 mm	(5/32")		



This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93451	13PCS	50

19PCS Twist Drill Set
19件直柄麻花钻组套

BESTIR

Material: 6542
National Standard: (GB/T 6135.3)

Product Specification & Configuration:

1.0 mm	(3/64")	6.0mm	(15/64")
1.5 mm	(1/16")	6.5mm	(-)
2 mm	(5/64")	7.0mm	(-)
2.5 mm	(-)	7.5 mm	(19/64")
3.0 mm	(-)	8.0mm	(5/16")
3.5 mm	(-)	8.5 mm	(21/64")
4.0 mm.	(5/32")	9.0 mm	(23/64")
4.5mm	(-)	9.5mm	(3/8")
5.0 mm	(-)	10mm	(25/64")
5.5 mm	(7/32")		



This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93442	19PCS	20

19PCS Twist Drill Set
19件高钴直柄麻花钻组套

BESTIR

Material : M35 (Cobalt 5%)
National Standard: (GB/T 6135.3)

Product Specification & Configuration:

1.0 mm	(3/64")	6.0mm	(15/64")
1.5 mm	(1/16")	6.5mm	(-)
2 mm	(5/64")	7.0mm	(-)
2.5 mm	(-)	7.5 mm	(19/64")
3.0 mm	(-)	8.0mm	(5/16")
3.5 mm	(-)	8.5 mm	(21/64")
4.0 mm.	(5/32")	9.0 mm	(23/64")
4.5mm	(-)	9.5mm	(3/8")
5.0 mm	(-)	10mm	(25/64")
5.5 mm	(7/32")		



This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93452	19PCS	20

25PCS Twist Drill Set
25件直柄麻花钻组套

BESTIR

Material: 6542
National Standard: (GB/T 6135.3)

Product Specification & Configuration:

1.0 mm	(3/64")	7.5 mm	(19/64")
1.5 mm	(1/16")	8.0mm	(5/16")
2.0 mm	(5/64")	8.5 mm	(21/64")
2.5 mm	(-)	9.0 mm	(23/64")
3.0 mm	(-)	9.5mm	(3/8")
3.5 mm	(-)	10.0mm	(25/64")
4.0 mm	(5/32")	10.5mm	(13/32")
4.5mm	(-)	11.0mm	(7/16")
5.0mm	(-)	11.5mm	(29/64")
5.5 mm	(7/32")	12.0mm	(15/32")
6.0mm	(15/64")	12.5 mm	(31/64")
6.5mm	(-)	13.0mm	(1/2")
7.0mm	(-)		



This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93443	25PCS	10

25PCS Twist Drill Set
25件高钴直柄麻花钻组套

BESTIR

Material : M35 (Cobalt 5%)
National Standard: (GB/T 6135.3)

Product Specification & Configuration:

1.0 mm	(3/64")	7.5 mm	(19/64")
1.5 mm	(1/16")	8.0mm	(5/16")
2.0 mm	(5/64")	8.5 mm	(21/64")
2.5 mm	(-)	9.0 mm	(23/64")
3.0 mm	(-)	9.5mm	(3/8")
3.5 mm	(-)	10.0mm	(25/64")
4.0 mm	(5/32")	10.5mm	(13/32")
4.5mm	(-)	11.0mm	(7/16")
5.0mm	(-)	11.5mm	(29/64")
5.5 mm	(7/32")	12.0mm	(15/32")
6.0mm	(15/64")	12.5 mm	(31/64")
6.5mm	(-)	13.0mm	(1/2")
7.0mm	(-)		



This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93453	25PCS	10

Features of Straight Shank Twist Drill Set

- Made from premium high-speed steel (HSS grade 6542) with high cutting speed, extended tool life, and superior chip evacuation capabilities. This set includes commonly used sizes, making it theideal choice for maintenance and repair applications.
- Notice: The drill bit set is metric-based. Each size corresponds to anapproximate equivalent in imperial units (as per international standards), but exact equivalence cannot be guaranteed.

Features of High-Cobalt Straight Shank Twist Drill Set

- Manufactured from M35-grade material, capable of machining stainless steel, mold steel, and other difficult-to-cut steel components.
- M35 is a 5% cobalt-containing high-speed steel (HSS) with excellent machinability. Proper heat treatment achieves high hardness (HRC 66-70), elevated red hardness (maintains HRC 63-65 at 625°C for 4 hours), and superior wear resistance. Its toughness and bending strength significantly surpass standard HSS, making it the preferred choice for stainless steel machining.
- Cobalt-containing twist drills feature a 135° point angle design, fully leveraging self-centering functionality for faster and more precise operations.

Drill Bit Specific / Drill Bit Dedicated Crystal Display Stand



Reduced Shank Twist Drill
小柄麻花钻

Material : M35

BESTIR



- Made of M35 material, it features high hardness and sharp cutting performance, and can process stainless steel.
- Equipped with a triangular shank design to prevent slipping. It undergoes CNC precision grinding, ensuring high concentricity and accurate positioning.
- The thin shank design allows the chucks of electric drills and bench drills to hold drills with a diameter of over 13mm. It is suitable for drilling large-diameter round holes and offers a slightly greater drilling depth than ordinary hole openers.

This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	Shank Diameter 柄直径	QTY 装箱数
48501	12mm	10mm	1/10
48502	12.5mm	10mm	1/10
48503	13mm	10mm	1/10
48504	13.5mm	10mm	1/10
48505	14mm	10mm	1/10
48506	14.5mm	10mm	1/10
48507	15mm	10mm	1/10
48508	16mm	10mm	1/10
48509	16.5mm	10mm	1/10
48510	17mm	10mm	1/10
48511	18mm	10mm	1/10
48512	19mm	10mm	1/10
48513	20mm	10mm	1/6
48514	21mm	12.7mm	1/6
48515	22mm	12.7mm	1/6
48516	23mm	12.7mm	1/4
48517	24mm	12.7mm	1/4
48518	25mm	12.7mm	1/4

Eccentric Ceramic Drill
偏心陶瓷钻

BESTIR



- The cutter head is made of high-quality cemented carbide, with a thickened cutting edge, and has a longer service life than ordinary ceramic drill bits.
- The eccentric cutting edge design adopts the principle of centrifugal unbalanced deflection, which enables large cutting volume and fast drilling speed.
- The surface is treated with electrophoretic anti-rust technology, making it not easy to rust.

Instructions for Use:
(1) It can drill soft materials such as full ceramic tiles, brick walls, cement walls, plastic, wood, and glass, with the rotation speed controlled below 1000rpm. When drilling harder materials, please reduce the rotation speed and continuously add water for cooling, and the rotation speed should not exceed 500rpm.(2) Do not drill materials with high hardness such as marble, granite, tempered glass, iron, and stainless steel. Our company shall not be liable for any damage caused thereby.

This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
48411	∅ 6mm	10/100/1000
48412	∅ 8mm	10/100/800
48413	∅ 10mm	5/50/600
48414	∅ 12mm	5/50/400

Ceramic Drill
陶瓷三角钻头

BESTIR



- This drill bit combines the features of ceramic drill bits and hammer drill bits. A U-shaped groove design is applied to the ordinary ceramic part, enabling smoother chip removal during drilling! The cutter head is made of alloy steel, which has high hardness and causes no damage when working on tile walls. With a triangular shank design, it is suitable for impact drills and cordless electric hand drills, offering convenient use!

Note:
It is not recommended to use this drill bit for drilling marble or granite!

This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
48405	∅ 6mm	10/100
48406	∅ 8mm	10/100
48407	∅ 10mm	10/100
48408	∅ 12mm	5/50



WARM REMINDER:

1. When drilling iron with the Basic Version:
(1) For 1-2mm iron plates, an electric hand drill can be used, with a power of 1000W or more, or a lithium-ion drill of 18V or more.
(2) For 2-5mm iron plates, it is recommended to use a small bench drill, with a rotation speed of 500RPM or less.



When drilling stainless steel with the Super Hard Version:
(1) For materials with a thickness of 1mm, an electric hand drill can be used, with a power of 1000W or more, or a lithium-ion drill of 18V or more.
(2) For materials with a thickness of 2mm, it is recommended to use a small bench drill, with a rotation speed of 300RPM or less.
(3) For materials with a thickness of 3-5mm, it is recommended to use a high-power bench drill or drilling machine, with a rotation speed of 300RPM or less.

Stepped Drill
阶梯钻

4241HSS Titanium Plating

BESTIR



- High-quality high-speed steel material, fully ground for high precision and fast drilling;
- Double-helix flute design for quick chip removal and efficient heat dissipation;
- One tool with multiple specifications, convenient and practical, suitable for drilling, enlarging holes, chamfering, and deburring in iron, copper, aluminum, and plastic.

This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49841	4-12mm （五节）	25
49843	4-20mm	10
49844	4-22mm	10
49846	4-32mm	10

Stepped Drill
高钴阶梯钻（不锈钢专用）

M35HSS Cobalt Plating

SUPER HARD VERSION

BESTIR



- HMade of M35 material, featuring high hardness, sharpness and durability;
- Double-helix flute design enables quick chip removal and efficient heat dissipation;
- Fully precision-ground, with one tool covering multiple specifications, offering convenience and practicality;
- Specifically designed for drilling, hole enlargement, chamfering and deburring of stainless steel and carbon steel.

This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49851	4-12mm （五节）	25
49853	4-20mm	10
49854	4-22mm	10
49856	4-32mm	10

Double End Twist Drill
双头麻花钻

BESTIR

Material: 6542

National Standard: (GB/T 6135.3)



- It is made of high-quality alloy high-speed steel (Grade 6542), featuring fast cutting speed, long service life, and strong chip removal capacity;
- It is used for hard drilling of various metals, etc.;
- It has high positioning accuracy, and both ends can be used, resulting in higher efficiency.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
40030	3.0mm	10/100
40032	3.2mm	10/100
40035	3.5mm	10/100
40040	4.0mm	10/100
40042	4.2mm	10/100
40045	4.5mm	10/100
40050	5.0mm	10/100
40052	5.2mm	10/100

Pipe Repair Extractor
一体式断管修复取出器

BESTIR



- Made of high-quality alloy steel with overall heat treatment;
- Dual-purpose design: one end for extraction, and the other for repair;
- Comes with a power-assisted rod for more convenient use.

4-inch pipe = 1/2 inch (Thread: M25-M35)

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49744	For 4 inch Pipes	10/60

Pipe Extractor
水管断管取出器

BESTIR



- It is made of high-quality high-carbon steel with overall heat treatment;
- It is dedicated to removing broken ends of steel water pipes and can also be used to remove broken screws;
- It is specifically designed for removing broken ends of water pipes.

How to Use the Extractor?

- Select an extractor of appropriate specification based on the diameter of the broken water pipe and insert it (4-inch pipe = 1/2 inch, 6-inch pipe = 3/4 inch).
- Use a pipe wrench or adjustable wrench to clamp the square head, then rotate it stably counterclockwise to remove. While securing the stuck broken thread, screw it out along the extractor.
- This product is dedicated to removing broken ends of steel water pipes and can also be used to remove broken screws.



⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
07541	M25-M35 For 4 inch Pipes	10/100
07542	M35-M50 For 6 inch Pipes	10/100

Pipe Extractor
双头断管取出器

BESTIR



- Made of high-quality alloy steel with overall heat treatment;
- A dedicated extractor for broken pipes and broken wires, featuring a 4-inch/6-inch double-head and dual-use design ;
- Suitable for extracting most broken water pipes;
- Comes with a power-assisted rod for more convenient use.


⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49743	For 4- 6 inch Pipes	10/60

(1) Select an extractor of appropriate specification according to the broken water pipe and insert it into the broken pipe.

4-inch pipe = 1/2 inch (Thread: M25-M35)
6-inch pipe = 3/4 inch (Thread: M35-M50)

(2) Use a power-assisted rod or an adjustable wrench to clamp the hexagonal head, rotate it stably counterclockwise. While removing the stuck broken wire, screw it out along the extractor.
(3) This product is dedicated to removing broken ends of steel water pipes, and can also be used to remove broken screws.



Pipe Repair Extractor
一体式断管修复取出器

BESTIR



- Made of high-quality alloy steel with overall heat treatment;
- Dual-purpose design: one end for extraction, and the other for repair;
- Comes with a power-assisted rod for more convenient use.

6-inch pipe = 3/4 inch (Thread: M35-M50)

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49745	For 6 inch Pipes	10/60

Instructions for Using the Broken Screw Extractor

When a bolt breaks due to rust or other reasons, first select a drill bit of appropriate specification based on the bolt's diameter and drill a hole in the center of the broken bolt. Then insert the corresponding screw extractor, and use a pipe wrench or adjustable wrench to turn it counterclockwise—this will allow the broken bolt to be removed. Additionally, if the hexagon head of an internal hexagon (or external hexagon) bolt fails to tighten or loosen, this method can also be used to remove the bolt.

5PCS Screw Extractor Set
5件断头螺丝取出器组套（带铰手架）

BESTIR

Cr-Mo



- Made of high-quality chrome-molybdenum steel and subjected to overall heat treatment;
- Quick and convenient to remove damaged screws.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93431	5PCS	10/100

Metric: 3-6, 6-8, 8-11, 11-14 (mm), one ratchet wrench set

Corresponding to the imperial system:
1/8 - 1/4, 1/4 - 5/16, 5/16 - 7/16, 7/16 - 9/16, socket wrench set (W1/16 - 3/8)

Screw Extractor Set
断头螺丝取出器组套

BESTIR

Cr-Mo



- Manufactured from high-quality chrome-molybdenum steel with overall heat treatment;
- Removes damaged screws quickly and conveniently.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93421	5PCS	10/120
93422	6PCS	10/100

5PCS
Metric System：3-6、6-8、8-11、11-14、14-18(mm)
Corresponding Imperial System：
1/8-1/4、1/4-5/16、5/16-7/16、7/16-9/16、9/16-3/4

6PCS
Metric System：3-6、6-8、8-11、11-14、14-18、18-25(mm)
Corresponding Imperial System：
1/8-1/4、1/4-5/16、5/16-7/16、7/16-9/16、9/16-3/4、3/4-1

Screw Extractor Set
断头螺丝取出器组套

BESTIR



- IManufactured from high-quality carbon steel with overall heat treatment;
- Removes damaged screws quickly and conveniently.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93411	5PCS	10/120
93412	6PCS	10/100

5PCS
Metric System：3-6、6-8、8-11、11-14、14-18(mm)
Corresponding Imperial System：
1/8-1/4、1/4-5/16、5/16-7/16、7/16-9/16、9/16-3/4

6PCS
Metric System：3-6、6-8、8-11、11-14、14-18、18-25(mm)
Corresponding Imperial System：
1/8-1/4、1/4-5/16、5/16-7/16、7/16-9/16、9/16-3/4、3/4-1

12PCS Screw Extractor Set
12件断头螺丝取出器组套（铬钼钢）

Cr-Mo

BESTIR



- Manufactured from high-quality chrome-molybdenum steel with overall heat treatment;
- Removes damaged screws quickly and conveniently.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93424	12PCS	6/36

Metric System：3-6、6-8、8-11、11-14、14-18、18-25(mm)
Corresponding Imperial System：
1/8-1/4、1/4-5/16、5/16-7/16、7/16-9/16、9/16-3/4、3/4-1
Drill Bit：3/32、1/8、3/16、1/4、5/16、3/8

12PCS Screw Extractor Set
12件断头螺丝取出器组套

BESTIR



- IManufactured from high-quality carbon steel with overall heat treatment;
- Removes damaged screws quickly and conveniently.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93414	12PCS	6/36

Metric System：3-6、6-8、8-11、11-14、14-18、18-25(mm)
Corresponding Imperial System：
1/8-1/4、1/4-5/16、5/16-7/16、7/16-9/16、9/16-3/4、3/4-1
Drill Bit：3/32、1/8、3/16、1/4、5/16、3/8

8PCS Screw Extractor Set
8件断管断丝取出器组套

BESTIR



Note: The above extractor is suitable for rthodontic right-handthread screws and not applicable to left-hand thread screws.

- Manufactured from high-quality carbon steel via CNC machining with overall heat treatment;
- Removes broken or stripped screws and pipes.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
93415	8PCS	5/20

Configuration：1#、2#、3#、4#、5#、6#、7#、8#

SCOPE OF APPLICATION

Specification Model	1#	2#	3#	4#	5#	6#	7#	8#
Specification Diameter	4mm	5mm	6.4mm	7.6mm	11mm	15mm	19mm	24mm
Scope of Application	4-6mm	6-8mm	8-11mm	11-14mm	14-18mm	18-25mm	25-35mm	35-50mm

USAGE INSTRUCTIONS

Step 1: Select a drill bit with a diameter approximately half that of the broken screw, and drill a sufficiently deep hole in the center of the broken cross-section.
Step 2: Insert the corresponding extractor into the hole, and use a wrench or tap wrench as a turning tool.
Step 3: Rotate the screw extractor counterclockwise until the broken screw is removed.

Extraction of Broken Water Pipe Fitting Schematic Diagram for Use









Electric Hammer Drilling Bit
电镐凿系列 (六角柄)

BESTIR



Electric Jackhammer Hexagonal Pointed Chisel



Electric Jackhammer Hexagonal Flat Chisel

- The chisel body is made of 40Cr alloy tool steel with overall heat treatment, achieving a hardness of H RC 45-50.
- It is widely used in pipeline installation, mechanical assembly,drainage facility construction, interior decoration, port facilityconstruction, and other engineering projects.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49101	17x280MM Hexagonal Pointed Chisel	10/90
49102	17x280MM Hexagonal Flat Chisel	10/90

Electric Hammer Drilling Bit
电镐凿系列 (方柄)

BESTIR



Electric Jackhammer Square-Head Pointed Chisel



Electric Jackhammer Square-Head Flat Chisel

- The chisel body is made of 40Cr alloy tool steel with overall heat treatment, achieving a hardness of H RC 45-50.
- It is widely used in pipeline installation, mechanical assembly,drainage facility construction, interior decoration, port facilityconstruction, and other engineering projects.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49121	14x250MM Square-Head Pointed Chisel	10/120
49122	14x250MM HSquare-Head Flat Chisel	10/120

Electric Hammer Drilling Bit
电镐凿系列 (圆柄)

BESTIR



Electric Jackhammer Round-Head Pointed Chisel

Electric Jackhammer Round-Head Flat Chisel

- The chisel body is made of 40Cr alloy tool steel with overall heat treatment, achieving a hardness of H RC 45-50.
- It is widely used in pipeline installation, mechanical assembly,drainage facility construction, interior decoration, port facilityconstruction, and other engineering projects.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size		QTY
货号	规格		装箱数
49111	14x250MM	Round-Head Pointed Chisel	10/120
49112	14x250MM	Round-Head Flat Chisel	10/120

Electric Hammer Drilling Bit
电镐凿系列 (65A柄)

BESTIR



Electric Jackhammer 65A Pointed Chisel

Electric Jackhammer 65A Flat Chisel

- The chisel body is made of 40Cr alloy tool steel with overall heat treatment, achieving a hardness of H RC 45-50.
- It is widely used in pipeline installation, mechanical assembly,drainage facility construction, interior decoration, port facilityconstruction, and other engineering projects.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size		QTY
货号	规格		装箱数
49131	30x410MM	65A Pointed Chisel	2/12
49132	30x410MM	65A Flat Chisel	2/12

Thread Repair Tap
螺纹修复丝锥

BESTIR



- Manufactured from high-quality tool steel via CNC machining with overall heat treatment;
- Specifically designed for repairing rusted, broken, or stripped threads in pipe fittings.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
49741	For 1/2-inch Pipes BSP	
49742	For 3/4-inch Pipes BSP	

Integrated Drilling and Tapping
钻攻一体机用丝锥

BESTIR



- THigh-quality high-speed steel material precision CNC machining, with accurate dimensions and small tolerances;
- Double heat treatment for high hardness, sharpness, and wear resistance;
- Combines drilling, tapping, chamfering, and deburring in one step—no tool change required, improving efficiency. Suitable for tapping machines or machining centers;
- Spiral flute design;
- Designed for materials with low hardness, such as stainless steel, iron, copper, and aluminum.

Compatible Power Tools: Tapping Machine, Machining Center, Lithium-Ion Drill
Tapping Thickness: Stainless Steel ≤ 3mm, Carbon Steel ≤ 4mm, Copper & Aluminum ≤ 5mm

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
49771	M3x0.5	10/100
49772	M4x0.7	10/100
49773	M5x0.8	10/100
49774	M6x1.0	10/100
49775	M8X1.25	10/100
49776	M10x1.5	10/50

6PCS Integrated Drilling and Tapping Set
6PCS钻攻一体机用丝锥

BESTIR



- THigh-quality high-speed steel material precision CNC machining, with accurate dimensions and small tolerances;
- Double heat treatment for high hardness, sharpness, and wear resistance;
- Combines drilling, tapping, chamfering, and deburring in one step—no tool change required, improving efficiency. Suitable for tapping machines or machining centers;
- Spiral flute design;
- Designed for materials with low hardness, such as stainless steel, iron, copper, and aluminum.

Compatible Power Tools: Tapping Machine, Machining Center, Lithium-Ion Drill
Tapping Thickness: Stainless Steel ≤ 3mm, Carbon Steel ≤ 4mm, Copper & Aluminum ≤ 5mm

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
93406	6PCS	10/100

Product Configuration
M3x0.5、M4x0.7、M5x0.8、M6x1.0、M8x1.25、M10x1.5

Machine Tap
机用丝锥

BESTIR



- High-speed steel taps made with full grinding for high precision and stability.
- Vacuum coating for high hardness, wear resistance, and excellent corrosion protection.
- Used for through-hole machining of low/medium carbon steel, cast iron, copper, aluminum alloys.
- Compatible with tapping machines, automatic lathe-milling machines, and CNC machining centers.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
49751	M3x0.5	10/100
49752	M4x0.7	10/100
49753	M5x0.8	10/100
49754	M6x1.0	10/100
49755	M8X1.25	10/100
49756	M10x1.5	10/50
49757	M12x1.75	10/50
49758	M14x2.0	10/50
49759	M16x2.0	10/50
49760	M18x2.5	10/50
49761	M20x2.5	10/50

12PCS Metric Tap & Die Set
12件公制丝锥扳牙组套 (铁盒)

BESTIR



- Made of alloy steel for fast tapping, precise threads, and long service life.Offers excellent stability, high efficiency, and wide applicability.Suitable for all working conditions.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
93401	12PCS	24

Product Configuration
5PCS » Metric Tap
M6X1.0 , M7X1.0 , M8X1.25 , M10X1.5 , M12X1.75
5PCS » Metric Round Die
M6X1.0 , M7X1.0 , M8X1.25 , M10X1.5 , M12X1.75
1PC » Tap wrench 1 / 2"(M3—M12)
1PC » Die stock holder 1"(M25)

20PCS Metric Tap & Die Set
20件公制丝锥扳牙组套 (铁盒)

BESTIR



- Made of alloy steel for fast tapping, precise threads, and long service life.Offers excellent stability, high efficiency, and wide applicability.Suitable for all working conditions.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
93402	20PCS	16

Product Configuration
9PCS » Metric Tap
M3X0.5 , M4X0.7 , M5X0.8 , M6X1.0 , M7X1.0 , M8X1.25 , M9X1.25 , M10X1.5 , M12X1.75
9PCS » Metric Round Die
M3X0.5 , M4X0.7 , M5X0.8 , M6X1.0 , M7X1.0 , M8X1.25 , M9X1.25 , M10X1.5 , M12X1.75
1PC » Tap wrench 1 / 2"(M3—M12)
1PC » Die stock holder1"(Φ 25X9)

40PCS Metric Tap & Die Set
40件公制丝锥扳牙组套 (铁盒)

BESTIR



- Made of alloy steel for fast tapping, precise threads, and long service life.Offers excellent stability, high efficiency, and wide applicability.Suitable for all working conditions.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
93404	40PCS	10

Product Configuration
17PCS » Metric Tap
M3X0.5 , M3X0.6 , M4X0.7 , M4X0.75 , M5X0 . 8 , M5X0.9 , M6X0.75 , M6X1.0 , M7X0.75 , M7X1.0 , M8X1.25 , M8X1.0 , M10X1.25 , M10X1.5 , M12X1.5 , M12X1.75 , 1 /8-27 (NPT Pipe thread)
17PCS » Metric Round Die
M3X0.5 , M3X0.6 , M4X0.7 , M4X0.75 , M5X0 . 8 , M5X0.9 , M6X0.75 , M6X1 . 0 , M7X0.75 , M7X1.0 , M8X1.25 , M8X1.0 , M10X1.25 , M10X1.5 , M12X1.5 , M12X1.75 , 1 /8-27 (NPT Pipe thread)
1PC » Tap wrench : M3—M12
2PCS » T-handle tap wrench : M3—M6
1PC » Die stock holder : 1"(Φ25X9)
1PC » thread pitch gauge
1PC » Screwdriver

Glass Driller
玻璃开孔器

BESTIR



- Made with new nano-diamond abrasive for extreme sharpness and wear resistance.
- Features German electroforming technology for stronger bonding between abrasive and base.
- Electroplated surface with chip grooves to reduce heat buildup and extend lifespan.

- Mainly used for drilling holes in glass, also suitable for glazed tiles, floor tiles, ceramic tiles, and ceramic utensils.Not for tempered glass drilling. Not recommended for high-hardness materials like full-body porcelain tiles or marble.Cannot be used for metal processing.
Electroplated surface with chip grooves to reduce heat buildup and extend lifespan.

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
49506	6mm	10/300
49508	8mm	10/230
49510	10mm	10/200
49512	12mm	5/75
49514	14mm	5/70
49516	16mm	5/60
49520	20mm	5/50
49522	22mm	5/45
49525	25mm	5/40
49530	30mm	2/20
49532	32mm	2/20
49535	35mm	2/20
49540	40mm	2/16
49545	45mm	2/12
49550	50mm	2/12
49555	55mm	2/18
49565	65mm	2
49575	75mm	2
49501	100mm	2

Diamond Hole Saw
大理石开孔器

BESTIR



- This product is made of specially formulated diamond material through vacuum welding. It not only possesses the sharpness of glass hole saws but also the durability of sintered hole saws. Additionally, it can be used both dry and wet, integrating the advantages of the two types. It drills more holes, faster, and is more durable, making it an ideal tool for drilling holes in marble, ceramic tiles, glass, and other materials.
- Applicable Materials
Marble, pebble, granite, microcrystalline stone, full-body ceramic tile, vitrified tile, ceramic, ordinary glass
- Forbidden Materials:Metal, tempered glass, wood, plastic
Usage Instructions:
Keep adding water throughout the drilling process to extend the service life of the hole saw.
Operating Tool:Electric hand drill
Rotational Speed:2600-3300 rpm

⚠ This product is a consumable item and is not covered by the warranty.

Item No.	Size	QTY
货号	规格	装箱数
49801	6mm	3/102/2448
49802	8mm	2/60/1440
49803	10mm	2/50/900
49804	12mm	2/50/900
49805	14mm	2/60/720
49806	16mm	2/60/720
49807	18mm	2/50/600
49808	20mm	15/360
49809	22mm	15/360
49810	25mm	12/288
49811	28mm	16/256
49812	30mm	16/256
49813	32mm	15/240
49814	35mm	15/240
49815	38mm	12/192
49816	40mm	12/192
49817	42mm	12/192
49818	45mm	10/160
49819	50mm	10/160
49820	55mm	12/192
49821	60mm	8/128
49822	65mm	8/128





Alloy Hole Saw
合金开孔器

BESTIR



- Cutting edge made of ultra-hard alloy, with a special triple-blade design (inner, middle, outer) to reduce cutting load, extend blade life, and improve efficiency.
- Reinforced alloy steel body with extended length and thickness, plus high-frequency welded alloy insert technology to prevent chipping or blade loss.
- Suitable for cutting aluminum, copper, iron, stainless steel, and wood.
- **Optimal Drilling Depth:0~5mm**
  It is recommended to add coolant during use to extend the service life of the hole saw.


⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49303	14mm	12/192
49316	16mm	12/192
49301	17mm	12/192
49317	18mm	12/192
49318	19mm	12/192
49319	19.5mm	12/192
49320	20mm	12/192
49302	21mm	12/192
49321	22mm	12/192
49322	22.5mm	12/192
49323	23mm	12/192
49324	25mm	12/192
49325	25.5mm	12/144
49328	28mm	12/144
49330	30mm	12/144
49332	32mm	12/144

Item No. 货号	Size 规格	QTY 装箱数
49335	35mm	12/72
49340	40mm	12/72
49342	42mm	12/72
49345	45mm	8/48
49350	50mm	8/48
49353	53mm	8/48
49355	55mm	6/36
49360	60mm	6/36
49365	65mm	60
49370	70mm	60
49375	75mm	57
49380	80mm	33
49385	85mm	33
49390	90mm	28
49395	95mm	28
49399	100mm	30

OPTIMAL ROTATIONAL SPEED

Note: Please select an appropriate rotational speed based on the type and specification of the material being processed, as this can extend the product's service life.



High-speed Stell Hole Saw
高速钢开孔器

BESTIR



- Adopting industry-first integrated processing technology, it offers superior impact resistance and toughness, with advantages including longer lifespan than split high-speed steel hole saws, more stable quality, and faster cutting speed.
- The cutting head is forged in one piece, ensuring high-precision center hole positioning. ensuring high-precision center hole positioning.
- Teeth are precision-ground via CNC indexing, ensuring uniform tooth size and even force distribution for smoother cutting.
- Suitable for cutting aluminum, copper, iron, stainless steel, and wood.

Recommended cutting depth: 0-3mm. Using coolant is advised to extend the hole saw's lifespan.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49216	16mm	12/192
49201	17mm	12/192
49217	18mm	12/192
49218	19mm	12/192
49219	19.5mm	12/192
49220	20mm	12/192
49203	20.5mm	12/192
49202	21mm	12/192
49204	21.5mm	12/192
49221	22mm	12/192
49222	22.5mm	12/192
49225	25mm	12/144
49206	25.5mm	12/144
49228	28mm	12/144
49230	30mm	12/144
49232	32mm	12/144
49235	35mm	12/72
49240	40mm	12/72
49242	42mm	12/72
49245	45mm	8/48
49250	50mm	8/48
49255	55mm	6/36
49260	60mm	6/36

Bi-metal Hole Saw
双金属开孔器

BESTIR



- Manufactured from premium high-speed steel, featuring forward/backward rake teeth for rapid material penetration.
- Anti-slip triangular handle ensures slip-free operation.
- Powder-coated surface provides rust/corrosion resistance and enhanced durability.
- Drilling materials: Gypsum board, silicate board, wood, plastic pipes, sheet metal, aluminum alloy, PVC, and other non-metallic materials.
- Thickness limits: ≤20mm for gypsum/wood, ≤2mm for metal sheets.
- Compatible with: Cordless drills, hand drills, and bench drills.

Precautions for Use:
1. Always wear protective gear during operation.
2. When drilling metal, use water throughout the process to significantly extend tool lifespan.
3. If using an impact drill, disable the impact function before use.
4. Do not drill into materials such as concrete, glass, brick walls, stainless steel, or medium-carbon steel due to their high hardness.

⚠ This product is a consumable item and is not covered by the warranty.

Item No. 货号	Size 规格	QTY 装箱数
49901	15mm	20/300
49902	16mm	20/300
49904	18mm	20/300
49906	20mm	20/300
49908	22mm	20/300
49911	25mm	20/300
49913	28mm	20/240
49914	30mm	20/240
49915	32mm	20/240
49916	35mm	10/160
49918	40mm	10/160
49920	45mm	10/120
49922	50mm	10/120
49923	53mm	10/120

Item No. 货号	Size 规格	QTY 装箱数
49924	55mm	10/120
49925	60mm	72
49927	65mm	72
49928	70mm	72
49929	75mm	72
49930	80mm	72
49931	85mm	54
49932	90mm	54
49933	95mm	54
49934	100mm	54
49935	105mm	36
49936	110mm	36
49937	115mm	36
49938	120mm	36
49939	125mm	24
49940	130mm	24
49941	135mm	24
49942	140mm	24
49943	145mm	24
49944	150mm	24
49945	155mm	18
49946	160mm	18
49947	165mm	18
49948	170mm	18
49949	175mm	18
49950	180mm	18
49951	185mm	16
49952	190mm	16
49953	195mm	16
49954	200mm	16

Wood Hole Saw
木工开孔器

BESTIR



120L Extended Type

The extended version is used for drilling deep holes in wood products, and for creating through-holes when installing drawer locks, ball locks, latches, and in thicker wood materials.

- Featuring high-quality high-hardness alloy blades, it ensures sharp cutting edges for smooth burr-free holes.
- The handle utilizes mirror-polishing technology, achieving higher precision in diameter.
- The special curved head design reduces cutting resistance and enhances chip evacuation for more efficient drilling.
- Suitable for drilling hardwoods, engineered boards, wood-plastic composites, plywood, and other materials.

Item No. 货号	Size 规格	QTY 装箱数
49402	18mm(120L加长型)	15/180
49404	20mm(120L加长型)	15/180
49416	16mm	20/360
49418	18mm	20/360
49419	19mm	20/360
49420	20mm	20/360
49422	22mm	20/360
49423	23mm	20/360
49425	25mm	20/360
49428	28mm	20/240
49430	30mm	20/240
49432	32mm	20/240
49435	35mm	20/240
49440	40mm	15/180
49445	45mm	15/180
49450	50mm	15/180
49453	53mm	15/180
49455	55mm	15/180

Diamond Saw Blade
金刚石瓷砖切割片

BESTIR

Sharp Type
(Fine Teeth, Ultra-Thin)



- Made by hot pressing process, featuring high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- Suitable for cutting semi-ceramic tiles, vitrified tiles and glazed tiles.


Item No.	Size	QTY
货号	规格	装箱数
04605	105x10x1.2x20mm	10/200

Diamond Saw Blade
金刚石瓷砖切割片(专业级)

BESTIR

Pro Grade

Sharp and Wear-Resistant
(Fine Teeth, Ultra-Thin)



- Hot-pressed process: high sintered density, good stability, long service life;
- Selected high-quality diamond raw materials;
- Pro Grade ultra-thin full ceramic tile cutting disc: excellent sharpness and high wear resistance;
- Suitable for cutting semi ceramic tiles, vitrified tiles, glazed tiles.

Item No.	Size	QTY
货号	规格	装箱数
04606	105x10x1.2x20mm	10/200

Diamond Saw Blade
金刚石岩板切割片

BESTIR

Reinforced Integrated Body
(Fine Teeth, Ultra-Thin)



- Manufactured via hot pressing process, featuring high sintered density, excellent stability and long service life.
- Selected high-quality diamond raw materials.
- Reinforced integrated base body, ensuring higher base body strength and better cutting performance.
- Suitable for cutting rock slabs, large ceramic slabs, imported ceramics and full-ceramic tiles.

Item No.	Size	QTY
货号	规格	装箱数
04615	105x10x1.2x20mm	10/200

Diamond Saw Blade
金刚石岩板切割片(专业级)

BESTIR

Pro Grade

Reinforced Integrated Body
(Fine Teeth, Ultra-Thin)



- Made by hot pressing process, with high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- Reinforced integrated base body, featuring excellent sharpness and high wear resistance.
- Suitable for cutting rock slabs, large ceramic slabs, imported ceramics and full-ceramic tiles.

Item No.	Size	QTY
货号	规格	装箱数
04616	105x10x1.2x20mm	10/200

Diamond Saw Blade
金刚石墙槽切割片

BESTIR

Sharp Type



- Made by hot pressing process, with high sintered density, good stability and long service life. Selected high-quality diamond raw materials.
- With tooth-protecting design for more efficient cutting.
- Suitable for grooving in cement brick walls.

Item No.	Size	QTY
货号	规格	装箱数
04911	114x15x2x20mm	10/200

Diamond Saw Blade
金刚石墙槽切割片（通用型）

BESTIR

General-Purpose
(Grooving & Stone)



- Made by hot pressing process, with high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- This general-purpose formula has a wide application range, suitable for cutting both wall grooves and stone materials.

Item No.	Size	QTY
货号	规格	装箱数
04912	114x15x2x20mm	10/200

Diamond Saw Blade
金刚石墙槽切割片(专业级)

BESTIR

Pro Grade

Sharp and Wear-Resistant
(Grooving on Floors & Cement Brick Walls)



- Made by hot pressing process, with high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- Professional-grade wall grooving disc, combining sharpness and wear resistance.
- Suitable for grooving on floors and cement brick walls.

Item No.	Size	QTY
货号	规格	装箱数
04913	114x15x2x20mm	10/200
04914	125x15x2x22.23mm	10/100
04915	135x15x2x22.23mm	1/100
04916	156x15x2.2x22.23mm	1/100
04917	180x15x2.4x25.4mm	1/50

Diamond Saw Blade
金刚石墙槽切割片(专业级)

BESTIR

Pro Grade

Sharp and Wear-Resistant
(Grooving on Floors & Cement Brick Walls)



- Made by hot pressing process, with high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- Professional-grade wall grooving disc, combining sharpness and wear resistance.
- Suitable for grooving on floors and cement brick walls.

Item No.	Size	QTY
货号	规格	装箱数
04918	190x15x2.6x25.4mm	1/50



Diamond Saw Blade
金刚石石材切割片

BESTIR

Continuous Tooth Wave Pattern



- Made by hot pressing process, featuring high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- Wave-patterned continuous-tooth stone cutting disc: excellent chip removal, and continuous-tooth design ensures more stable cutting. Suitable for marble cutting.

Item No.	Size	QTY
货号	规格	装箱数
04625	114x12x1.8x20mm	10/200

Diamond Grinding Disc
金刚石磨盘(专业级)

BESTIR

Pro Grade



Sharp and Wear-Resistant
(Stone & Cement Grinding)

- Made by hot pressing process, with high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- Professional-grade grinding disc: large agglomerate type, thickened base body, widened and thickened cutter head, sharp and durable.
- Suitable for grinding and processing surfaces of stone, cement, etc.

Item No.	Size	QTY
货号	规格	装箱数
04633	100mm	10/200

Diamond Grinding Disc
金刚石磨盘(锋利型)

BESTIR



Sharp Type
(Stone & Cement Grinding)

- Made by hot pressing process, with high sintered density, good stability and long service life.
- Selected high-quality diamond raw materials.
- Wave-patterned agglomerate type: fast chip removal, sharp grinding disc.
- Suitable for grinding and processing surfaces of stone, cement, etc.

Item No.	Size	QTY
货号	规格	装箱数
04634	100mm	10/200



Cutting Wheel
纤维增强树脂切割砂轮

BESTIR



- Developed using resin binder, brown corundum (and other abrasives) as the abrasive materials, and glass fiber as the reinforcing material.
- Excellent safety performance and high impact resistance.
- Sharp without burning the workpiece, with moderate hardness.
- Suitable for cutting and grinding metals like stainless steel and ordinary steel.

Item No.	Size	QTY
货号	规格	装箱数
04651	405x3.2x32mm	25
04653	355x3.2x25.4mm	30

Cutting Wheel
纤维增强树脂切割砂轮

BESTIR



- Developed using resin binder, brown corundum (and other abrasives) as the abrasive materials, and glass fiber as the reinforcing material.
- Excellent safety performance and high impact resistance.
- Sharp without burning the workpiece, with moderate hardness.
- Suitable for cutting and grinding metals like stainless steel and ordinary steel.

Item No.	Size	QTY
货号	规格	装箱数
04654	105x1.2x16mm	50/800
04655	107x1.2x16mm	50/800
04657	100x2.5x16mm	50/300

Cutting Wheel
修磨用铍形砂轮

BESTIR



- Developed with resin binder, brown corundum (and other abrasives) as abrasive materials, and glass fiber as reinforcing material.
- Good safety performance and high impact resistance.
- Sharp without burning the workpiece, with moderate hardness.
- Suitable for cutting and grinding metals such as stainless steel and ordinary steel.

Item No.	Size	QTY
货号	规格	装箱数
04658	100x6x16mm	25/200

Flap Discs
砂页盘

BESTIR



Plastic Cover　　Mesh Cover　　Iron Cover



- Made from high-quality brown corundum and processed via high-temperature calcined sand technology.
- Features fast grinding speed, high elasticity, excellent self-sharpening property and good heat dissipation.
- Suitable for grinding and finishing ferrous metals, stainless steel, as well as deburring and polishing welds, stamping parts and model parts.
- Interchangeable with resin flap discs.

Item No.	Size	QTY
货号	规格	装箱数
04661	21x17mm/P60(75Plastic Cover)	10/300
04662	21x17mm/P80(75Plastic Cover)	10/300
04663	21x17mm/P120(75Plastic Cover)	10/300
04664	21x17mm/P240(75Plastic Cover)	10/300
04665	21x17mm/P320(75Plastic Cover)	10/300
04666	21x17mm/P60(90Mesh Cover)	10/300
04667	21x17mm/P80(90Mesh Cover)	10/300
04668	21x17mm/P120(90Mesh Cover)	10/300
04669	21x17mm/P240(90Mesh Cover)	10/300
04670	21x17mm/P320(90Mesh Cover)	10/300
04672	21x17mm/P60(75Iron Cover)	10/300
04673	21x17mm/P80(75Iron Cover)	10/300

Alloy Circular Saw Blade
合金圆锯片

BESTIR



- One-piece forming with cemented carbide high-frequency inlay, no blade dropping or chipping;
- Cutter head with special inclined angle, sharp cutting, greatly improved efficiency;
- High-carbon steel base oil-quenched, uniform hardness, sound-absorbing holes for noise reduction and heat dissipation.

Caution: This product is strictly prohibited from being installed on angle grinders.

Item No.	Size	QTY
货号	规格	装箱数
04641	Wood：110（4"）x1.7x20x30T【Alt. Teeth】	20/200
04642	Wood：110（4"）x1.7x20x40T【Alt. Teeth】	20/200
04645	Wood：180（7"）x1.8x25.4x40T【Alt. Teeth】	50
04646	Wood：180（7"）x1.8x25.4x60T【Alt. Teeth】	50
04647	Wood：230（9"）x2.3x25.4x40T【Alt. Teeth】	25
04648	Wood：230（9"）x2.3x25.4x60T【Alt. Teeth】	25
04649	Wood：230（9"）x2.3x25.4x80T【Alt. Teeth】	25
04680	Wood：254（10"）x2.5x25.4x40T【Alt. Teeth】	25
04681	Wood：254（10"）x2.5x25.4x60T【Alt. Teeth】	25
04682	Wood：254（10"）x2.5x25.4x80T【Alt. Teeth】	25
04683	Aluminum：254（10"）x2.8x25.4x100T【Ladder-Flat Teeth】	25
04684	Aluminum：254（10"）x2.8x25.4x120T【Ladder-Flat Teeth】	25
04685	Plywood：254（10"）x2.6x25.4x100T【Alt. Teeth】	25
04686	Plywood：254（10"）x2.6x25.4x120T【Alt. Teeth】	25
04687	Wood：305（12"）x2.7x30x60T【Alt. Teeth】	15
04688	Wood：305（12"）x2.7x30x80T【Alt. Teeth】	15
04689	Aluminum：305（12"）x3.0x30x120T【Ladder-Flat Teeth】	15
04690	Wood：355（14"）x3.0x30x60T【Alt. Teeth】	10
04691	Wood：355（14"）x3.0x30x80T【Alt. Teeth】	10
04692	Aluminum：355（14"）x3.2x30x120T【Ladder-Flat Teeth】	10

The Tool Book

Some Specifications and Uses of Diamond Core Drill Bits :

Φ27: 1/2 - inch tap water pipes, water heaters
Φ32: 3/4 - inch tap water pipes, water heaters
Φ40: 1 - inch tap water pipes
Φ56 - 63: 1P, 2P air - conditioning and bathroom pipes
Φ76: 2P - 5P cabinet air - conditioning pipes
Φ83: 75mm toilet floor drains in bathrooms
Φ120: Sewage and fire protection pipes
Φ168: Universal household range hood pipes
Φ180: Range hood pipes

(For Reference Only)

Diamond Thin-wall Drill Bit
金刚石薄壁水钻头

BESTIR



- Made of high-quality diamond micropowder, via sintering and high-frequency welding;
- Great Wall tooth blade design: sharp, no drill jamming, long service life;
- Suitable for hole-drilling in reinforced concrete, brick walls and other engineering scenarios.

Item No.	Size	L mm	QTY
货号	规格(直径)	总长	装箱数
49601	18mm	370mm	63
49602	20mm	370mm	60
49603	22mm	370mm	55
49604	25mm	370mm	52
49605	27mm	370mm	48
49606	30mm	370mm	42
49607	32mm	370mm	44
49608	36mm	370mm	35
49609	38mm	370mm	32
49610	40mm	370mm	30
49611	44mm	370mm	28
49612	46mm	370mm	27
49613	51mm	370mm	25
49614	56mm	370mm	20
49615	63mm	370mm	20
49616	66mm	370mm	20
49617	71mm	370mm	20
49618	76mm	370mm	16
49619	83mm	370mm	12
49620	89mm	370mm	12
49621	96mm	350mm	12
49622	102mm	350mm	12
49623	108mm	350mm	11
49624	112mm	350mm	11
49625	116mm	350mm	10
49626	120mm	350mm	10
49627	127mm	350mm	9
49628	132mm	350mm	9
49629	140mm	350mm	8
49630	152mm	350mm	6
49631	159mm	350mm	6
49632	162mm	350mm	6
49633	168mm	350mm	6
49634	180mm	350mm	5
49635	188mm	350mm	4
49636	200mm	350mm	3
49637	220mm	350mm	2
49638	230mm	350mm	2
49639	245mm	350mm	2
49640	254mm	350mm	2
49641	270mm	350mm	2
49642	300mm	350mm	1
49643	325mm	350mm	1
49644	350mm	350mm	1

COUPLES DE SERRAGE/COUPLES DE CONTROLE

拧紧/扭矩实验


The tightening torque of bolts is in Nm (Newton-meters). The torque test of wrenches is in accordance with DIN ISO1771-1 (Guaranteed Minimum Value), in Nm.

These torque values are set for metric thread torques according to German DIN and international ISO261 standards, and for head dimensions according to German DIN, European EN, international ISO 4762, 4032, 4014, as well as German DIN931-2, 6912, 7984, 7990 standards. This allows 90% of the bolt's yield strength to be utilized.
The calculation is based on a friction coefficient of 0.14 (new bolts, without any post - treatment and lubrication).
Please note: In extreme cases, such as when bolts are lubricated with molybdenum disulfide (MoS_2) compound, or when cadmium - plated connecting elements are used at both ends of the bolts, the tightening torque should be reduced by approximately 20%.

mm	Tightening values for quality levels determined according to German DIN 267 standard.					
	4.6	5.6	6.9	8.8	10.9	12.9
M2	0.123	0.162	0.314	0.373	0.520	0.628
M2.2	0.196	0.265	0.510	0.598	0.843	1.010
M2.5	0.284	0.373	0.726	0.863	1.206	1.451
M3	0.441	0.588	1.128	1.344	1.883	2.256
M3.5	0.667	0.902	1.736	2.060	2.893	3.481
M4	1.000	1.344	2.599	3.040	4.315	5.148
M5	1.916	2.684	5.099	6.031	8.483	10.200
M6	3.432	4.511	8.728	10.300	14.710	17.652
M7	5.590	7.453	14.220	17.162	24.517	28.439
M8	8.238	10.787	21.575	25.497	35.304	42.168
M10	16.67	21.575	42.168	50.014	70.608	85.317
M12	28.44	38.246	73.550	87.279	122.60	147.10
M14	45.11	60.801	116.70	138.30	194.20	235.40
M16	69.63	93.163	178.5	210.80	299.10	357.90
M18	95.12	127.50	245.20	289.3	411.90	490.30
M20	135.3	180.45	384.10	411.90	578.60	696.30
M22	182.4	245.16	470.70	559.00	784.50	941.40
M24	230.5	308.91	598.20	711.00	1000	1196



mm	1/4"	3/8"	1/2"	3/4"
4	10.4			
4.5	12.6			
5	15.1			
5.5	17.8	23.2		
6	20.6	33.2		
7	26.8	45.5		
8	33.6	59.9	94.1	
9	41.1	76.7	119.2	
10	49.1	96	147	
11	57.8	118	178	
12	67.0	141	212	
13	68.6	169	249	
14	68.6	198	288	
15		225	331	
16		225	377	
17		225	425	
18		225	477	
19		225	531	
20		225	569	
21		225	569	
22			569	569
23			569	569
24			569	569
25			569	583
26			569	624
27			569	665
28			569	707
30			559	795
32			569	888
34				984
36				1084



mm	1/4"	3/8"	1/2"	3/4"
1.5	0.82			
2	1.9	1.9		
2.5	3.8	3.8		
3	6.6	6.6		
4	16	16	16	
5	30	30	30	30
6	52	52	52	
7	80		80	
8	120	120	120	
9	165		165	
10	220		220	
12	370		370	
14	590		590	590
17	980		1000	1000
19	1360		1400	1400



mm			
4		1.90	
4.5		2.64	
5	11.5	3.55	
5.5	14.4	4.64	
6	17.6	5.92	
7	25.2	9.12	
8	34.5	13.3	
9	45.4	18.4	
10	58.1	24.8	58.1
11	72.7	32.3	72.7
12	89.1	41.2	89.14
13	107	51.6	107
14	128	63.5	128
15	150	77.0	150
16	175	92.3	175
17	201	107	201
18	230	128	230
19	261	149	261
20	294	172	294
21	330	198	330
22	368	225	368
23	408	255	408
24	451	287	451
25	496	322	496
26	544	359	544
27	594	399	594
28	647	442	647
30	760	536	760
32	884	643	884
34	1019	761	1019
36	1165	894	1165

Bolts & Nuts for Socket Wrenches


Thread Spec	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22
Socket Spec	5.5mm	7mm	8mm	10mm	13mm(14mm)	16mm(17mm)	18mm(19mm)	21mm(22mm)	24mm	27mm	30mm	34mm(32mm)
Thread Spec	M24	M27	M30	M33	M36	M39	M42	M45	M48	M52	M56	M60
Socket Spec	36mm	41mm	46mm	50mm	55mm	60mm	65mm	70mm	75mm	80mm	85mm	95mm

Note: Sizes in parentheses are from old standards and are still in use.


Size Chart: Metric Hexagon Socket Bolts vs. Hexagon Socket Wrenches


Thread Spec	M3	M4	M5	M6	M8	M10	M12
Hex Spec	2.5mm	3mm	4mm	5mm	6mm	8mm	10mm
Thread Spec	M14	M16	M18	M20	M22	M24	M27
Hex Spec	12mm	14mm	14mm	17mm	17mm	19mm	19mm


Matching Chart: Various Nuts & Cap Bolts




mm









mm	HEX	INHEX	FM-TX	M-TX
M8	(13)14	SW6	TX45	
M10	(16)17	SW8	TX50	E12
M12	(18)19	SW10	TX55	E14
M14	(21)22	SW12	TX60	E18
M16	24	SW14	TX70	E20
M18	27	SW14	TX70	E20
M20	30	SW17	TX90	E24
M22	(34)32	SW17		
M24	36	SW19		

International Common Length & Mass Conversion Table

	Imperial Units	Metric Units	Imperial to Metric	Metric to Imperial
Length	inch(in)英寸 fool(ft)英尺 yard(yd)码	millmeter(mm)毫米 centimeter(cm)厘米 metre(cm)米	1英寸(in)=25.4毫米(mm) 1英尺(ft)=30.5厘米(cm) 1码(yd)=0.914米(m)	1厘米(cm)=0.394英寸(in) 1米(m)=3.28英尺(ft) 1米(m)=1.09码(yd)
Mass	ounce(oz)盎司 poubd(lb)磅 stone英石 ton吨	gram(g)克 kilogram(kg)千克 kilogram(kg)千克 tonnage(t)吨	1盎司(oz)=28.3克(g) 1磅(lb)=454克(g) 1英石(stone)=6.35千克(kg) 1吨(ton)=1.02吨(t)	1克(g)=0.03527盎司(oz) 1千克(kg)=2.20磅(lb) 1千克(kg)=0.157英石(stone) 1吨(t)=0.984吨(ton)

Torque Unit Conversion Table

(N•m) 牛·米	(kgf•m) 千克力·米	(gf•cm) 克力·厘米	(lbf•ft) 磅力·英尺	(lbf•in) 磅力·英寸
1	0.101972	10197.2	0.737562	8.85075
9.80665	1	100000	7.23301	86.7962
0.000098	0.00001	1	0.000072	0.000868
1.35582	0.138255	13825.5	1	12
0.112985	0.011521	1152.12	0.083333	1

Note: Newton-meter (N·m) is the legal unit; the others are non-legal units.

FASTENER COMPARISON CHART

Phillips recess / Pozidriv recess	Cross Recessed Pan Head Screw (GB/T818-2000)		Cross Recessed Countersunk Head Screw (GB/T819-2000)		Cross Recessed Oval Countersunk Head Screw (GB/T820-2000)		Cross Recessed Cylinder Head Screw (GB/T822-2000)		Cross Recessed Small Pan Head Screw (GB/T822-2000)
M1.6	PH0	PZ0	PH0	PZ0	PH0	PZ0	-	-	-
M2	PH0	PZ0	PH0	PZ0	PH0	PZ0	-	-	PH1
M2.5	PH1	PZ1	PH1	PZ1	PH1	PZ1	PH1	PZ1	PH1
M3	PH1	PZ1	PH1	PZ1	PH1	PZ1	PH2	PZ2	PH2
M3.5	-	-	PH2	PZ2	PH2	PZ2	PH2	PZ2	PH2
M4	PH2	PZ2	PH2	PZ2	PH2	PZ2	PH2	PZ2	PH2
M5	PH2	PZ2	PH2	PZ2	PH2	PZ2	PH2	PZ2	PH2
M6	PH3	PZ3	PH3	PZ3	PH3	PZ3	PH3	PZ3	PH3

Phillips recess / Pozidriv recess	Cross Recessed Tapping Screw Type A (GB/T845-1985)		Cross Recessed Tapping Screw Type B (GB/T846-1985)		Cross Recessed Tapping Screw Type C (GB/T847-1985)		Cross Recessed Tapping Screws for Precision Machinery(GB/T13806.2-1992)	Wall Panel Self-Tapping Screws (GB/T14210-1993)
ST1.5	-	-	-	-	-	-	PH0	-
ST1.9	-	-	-	-	-	-	PH0	-
ST2.2	PH0	PZ0	PH0	PZ0	PH0	PZ0	PH0	-
ST2.6	-	-	-	-	-	-	PH1	-
ST2.9	PH1	PZ1	PH1	PZ1	PH1	PZ1	PH1	-
ST3.5	PH2	PZ2	PH2	PZ2	PH2	PZ2	PH2	PH2
ST3.9	-	-	-	-	-	-	-	PH2
ST4.2	PH2	PZ2	PH2	PZ2	PH2	PZ2	PH2	PH3
ST4.8	PH2	PZ2	PH2	PZ2	PH2	PZ2	-	-
ST5.5	PH3	PZ3	PH3	PZ3	PH3	PZ3	-	-
ST6.3	PH3	PZ3	PH3	PZ3	PH3	PZ3	-	-

Slotted Screwdriver Tip	Slotted Cylinder Head Screw (GB/T65-2000)		Cross Recessed Countersunk Head Screw (GB/T819-2000)		Cross Recessed Oval Countersunk Head Screw (GB/T820-2000)		Cross Recessed Cylinder Head Screw (GB/T822-2000)		Cross Recessed Small Pan Head Screw (GB/T823-1988)	
	Notch Thickness	Matching Specifications	Notch Thickness	Matching Specifications	Notch Thickness	Matching Specifications	Notch Thickness	Matching Specifications	Notch Thickness	Matching Specifications
M2	0.5	3mm/3.2mm	0.5	3mm/3.2mm	0.5	3mm/3.2mm	0.5	3mm/3.2mm	0.5	3mm/3.2mm
M2.5	0.6	3mm/3.2mm	0.6	3mm/3.2mm	0.6	3mm/3.2mm	0.6	3mm/3.2mm	0.6	3mm/3.2mm
M3	0.8	5mm	0.8	5mm	0.8	5mm	0.8	5mm	0.8	5mm
M4	1.2	6mm/8mm	1.2	6mm/8mm	1.2	6mm/8mm	1.2	6mm/8mm	1	6mm/8mm
M5	1.2	6mm/8mm	1.2	6mm/8mm	1.2	6mm/8mm	1.2	6mm/8mm	1.2	6mm/8mm
M6	1.6	8mm	1.6	8mm	1.6	8mm	1.6	8mm	1.6	8mm

Slotted Screwdriver Tip	Slotted Tapping Screw Type A (GB/T5282-1985)		Slotted Tapping Screw Type B (GB/T5283-1985)		Slotted Tapping Screw Type C (GB/T5284-1985)	
	Notch Thickness	Matching Specifications	Notch Thickness	Matching Specifications	Notch Thickness	Matching Specifications
ST2.2	0.5	3mm/3.2mm	0.5	3mm/3.2mm	0.5	3mm/3.2mm
ST2.9	0.8	5mm	0.8	5mm	0.8	5mm
ST3.5	1	6mm/8mm	1	6mm/8mm	1	6mm/8mm
ST4.2	1.2	6mm/8mm	1.2	6mm/8mm	1.2	6mm/8mm
ST4.8	1.2	6mm/8mm	1.2	6mm/8mm	1.2	6mm/8mm
ST5.5	1.6	8mm	1.6	8mm	1.6	8mm
ST6.3	1.6	8mm	1.6	8mm	1.6	8mm

Torx Recess	Hexagon Socket Torx Pan Head Screw (GB/T2672-2004)		Hexalobular Socket Countersunk Head Screw (GB/T2673-1986)		Hexalobular Socket Raised Countersunk Head Screw (GB/T2674-2004)		Hexalobular Socket Cheese (Short) Head Screws (GB/T2671.1-2004)		Hexalobular Socket Cylinder Head Screw (GB/T2671.2-2004)	
	Torx size	A Width (Ref. Val.)	Torx size	A Width (Ref. Val.)	Torx size	A Width (Ref. Val.)	Torx size	A Width (Ref. Val.)	Torx size	A Width (Ref. Val.)
M2	T6	1.75	-	-	T6	1.75	T6	1.75	T6	1.75
M2.5	T8	2.4	-	-	T8	2.4	T8	2.4	T8	2.4
M3	T10	2.8	-	-	T10	2.8	T10	2.8	T10	2.8
M3.5	T15	3.35	-	-	T15	3.35	T15	3.35	-	-
M4	T20	3.95	-	-	T20	3.95	T20	3.95	T20	3.95
M5	T25	4.5	-	-	T25	4.5	T25	4.5	T25	4.5
M6	T30	5.6	T30	5.6	T30	5.6	T30	5.6	T30	5.6
M8	T45	7.95	T45	7.95	T45	7.95	T45	7.95	T45	7.95
M10	T50	8.95	T50	8.95	T50	8.95	T50	8.95	-	-

Electric Tool Warranty Terms

I. To claim warranty, please deliver the tool to the local dealership in person, and provide the original valid warranty card and purchase invoice/receipt. Lost warranty cards will not be reissued. The warranty period starts from the purchase date.

II. AC Power Tools (under normal use):

1. No return or exchange for the whole tool (except for batch quality defects from the factory);
2. Rotor and stator (motor part) are covered by a 3-month warranty;
3. No warranty for rotor and stator burned due to friction within 3 months (do not continue using if the tool malfunctions), rotor commutator (copper head) with wear exceeding 0.2mm (with a bumpy feel when touched by hand), or stator damaged by improper overloading (blackened coils);
4. Consumable parts such as switches, power cords, and gears are not covered by warranty.

III. Lithium-ion Power Tools (under normal use):

1. No return or exchange for the whole tool (except for batch quality defects from the factory);
2. Brushed motor: 6-month warranty (no warranty if carbon brush wear exceeds 2/3);
   Brushless motor: 6-month warranty (switch and control board: 3-month warranty);
3. Lithium battery and charger: each with a 6-month warranty;
4. Consumable parts of lithium-ion electric drills (e.g., switches, drill chucks) and brushless wrenches (e.g., sockets, striking blocks) are not covered by warranty;
5. No warranty if the water-sensitive identification label inside the battery pack is discolored, torn, or missing.

IV. The following situations during the warranty period are not covered; repair fees will apply:

1. Damage caused by improper handling, use, maintenance, or storage;
2. Damage caused by voltage below 187V or above 240V;
3. Repairs done by the user or non-factory authorized service centers;
4. Lack of warranty card or purchase invoice;
5. Warranty card's machine serial number does not match the tool or is altered;
6. Damage from overloading;
7. Damage from force majeure;
8. Damage caused by using inappropriate drills or accessories.

Pneumatic Tool Warranty Terms

I. Warranty Period Services for Users:

1. For products without special instructions: Within 3 months from the date of purchase (6 months for industrial-grade products), free repair is available if the fault is due to the product's own quality issues. For faults not caused by the product itself, paid services will be provided.
2. Beyond the warranty period, lifelong paid services are offered.
3. No return or exchange for the whole product, except in case of batch quality issues.

II. The Following Situations Are Not Covered by Warranty:

1. Damage caused by improper operation that does not comply with the correct usage methods provided in the instruction manual.
2. Damage resulting from continuous uninterrupted use leading to wear, or overload use that completely exceeds the product's load-bearing limit.
3. Internal rust and jamming of the machine caused by failure to maintain or add pneumatic oil after use.
4. Rust, peeling, scratches, damage, etc. on the product's appearance after use.
5. Damage caused by unauthorized disassembly and modification without the consent of professional maintenance personnel, or use of non-Yingzhiyin authorized spare parts or non-standard pneumatic accessories.
6. Damage caused by irresistible external factors.
7. Deformation, crushing damage, etc. to the product's appearance caused by human factors.
8. Faults caused by improper use.

The final interpretation right of the above warranty terms shall belong to Foshan BESTIR Hardware Tools Manufacturing Co., Ltd.

In daily work, various tools are frequently used. Since most tools are simple to operate, operators tend to be careless, which may lead to hazards. Therefore, tools must be operated in accordance with their instructions, and the following requirements should be noted:

Safety Precautions for Hand Tools:


1. Before using tools, carefully read the instruction manual or industry specifications to ensure proper operation.
2. When using hand tools, take protective measures, and prohibit others from staying in the operation area to avoid injury to yourself and others.
3. Select suitable tools and use them standardizedly. Do not operate beyond the tool's scope or load, nor use them to replace the functions of other tools. Always pay attention to operation safety.
4. After using tools, clean their surfaces to prevent corrosion from residual substances; add lubricating oil to tools used for a long time to reduce wear and extend service life.
5. For live electrical work, special insulated tools (check insulation class) must be used, and operators must have electrical qualification. Prioritize avoiding live work. Non-insulated tools are strictly prohibited for live use; always cut off the power supply to prevent accidents.
6. Hand tools are forbidden to be used in pneumatic or electric scenarios to avoid tool damage or operator injury due to overload.
7. Check the tool condition before use. If there are defects such as looseness, damage or cracks, replace it with a new one.
8. Select tools of the corresponding specification for operation to avoid damaging the workpiece or tool due to mismatched specifications.
9. Do not add extended force arms to tools; it is forbidden to strike tools with a hammer (e.g., wrenches, screwdrivers) or strike tools against each other. Hold tools firmly during use, and prevent tools from falling and injuring people during high-altitude work.
10. When carrying portable power tools or testing tools with flexible cords, protect the cords from sharp objects, heat sources, oil and solvents to prevent damage.
11. Keep tools clean, especially the hand-held parts, to avoid accidents caused by slipping.
12. Operate tools with correct posture and method; stable force application is the safety principle, and excessive force must be avoided.
13. When using sharp tools, keep the sharp edges outward; do not point the blade or sharp end at others.
14. After use, store tools out of children's reach. Minors must use tools under the supervision of adults.

Safety Precautions for Electric Tools:

1. Before using electric tools, conduct an electrical inspection: ensure normal response after power-on, effective switch control, no leakage on the shell (tested with an electric pen), and accurate signal indication.
2. Concentrate when using the tools; strictly prohibit operation when fatigued and avoid prolonged continuous work. Do not use electric tools under no-load or overload conditions to prevent accidents.
3. During the use of electric tools, prevent wires from being entangled by rotating parts and avoid mechanical injury caused by the tools. After use, cut off the power supply and store the tools properly.
4. When using hand-held electric tools at height, assign a dedicated person to supervise below to ensure safety.
5. Do not use electric tools in flammable and explosive workplaces to avoid fires caused by sparks from the tool motor.
6. Conduct regular training to explain the correct usage of tools and safety precautions to operators. Carefully read the instruction manual and use the tools in strict accordance with regulations to reduce accidental injuries to personnel.

Safety Precautions for Pneumatic Tools:

1. Before using pneumatic tools, be sure to read the instruction manual. Only after fully understanding the content can you use the pneumatic tools in the workplace, and strictly follow the instructions. Do not exceed the maximum operating pressure when using the tools; frequent use of pneumatic tools under pressure exceeding the operating pressure will greatly reduce the service life of the tools.
2. Before replacing tools or accessories, disconnect the pneumatic tool from the air source first.
3. When operating, wear goggles, earplugs and masks as much as possible to protect your own safety.
4. Do not wear loose clothing, scarves, ties or jewelry during operation to prevent being caught by moving or rotating parts and causing danger.
5. After the pneumatic tool is connected to the high-pressure air source, do not press the trigger when it is not in use.
6. Always check the condition of spare parts; loose spare parts may cause serious dangers.
7. When replacing worn spare parts, use special spare parts.
8. Do not point the tool at yourself or others.
9. Before use, check the air hose for weakness or damage. If such conditions are found, replace it immediately to maintain safety.
10. Tighten all nuts and screws, and confirm that all equipment is in a safe state. Proper lubrication is the responsibility of the tool user – moisture is easy to condense in compressed air, which may cause rust. Without proper lubrication, the service life of pneumatic tools will be greatly shortened.



AFTER-SALES SERVICE AND WARRANTY TERMS

Product Standards:

1. All products manufactured and sold by BESTIR meet or exceed GB (National Standard of China), ANSI (American National Standard) and DIN (German National Standard).
2. BESTIR has obtained ISO 9001 international certification. In 2010, it reached a comprehensive strategic cooperation agreement with Shanghai Station of National Light Industry Tool & Hardware Quality Supervision and Inspection, entrusting it to test all products and provide technical and quality standard support. The company has an industry-leading testing laboratory, and conducts strict random inspection or full inspection during production and before warehousing.
3. BESTIR products are carefully made of high-grade materials such as high-quality chrome-vanadium steel, S2 steel and chrome-molybdenum steel to ensure product stability and reliability.

Warranty Scope:

1. Before purchasing BESTIR products, please carefully read the product instruction manual and relevant precautions. If a product is damaged in terms of its function due to its own quality issues during normal use within one year, you can go to an authorized BESTIR dealer for free repair, and even replacement with the same model product if necessary.
2. For damage not caused by the product's own quality issues, you can also obtain paid repair services at authorized dealers. The specific charging standards shall be implemented in accordance with those formulated by BESTIR Tools.

Non-Warranty Scope:

1. Products that are not of the BESTIR brand or cannot be identified as BESTIR brand products;
2. Cases where tools have rust, electroplating peeling, surface scratches, damaged plastic handles, or other issues that do not affect their functional use after being used;
3. Product failure caused by improper use, such as man-made damage, using hand tools in pneumatic/electric scenarios, using screwdrivers as crowbars (or other abusive behaviors), or exceeding the tool's intended scope of use;
4. Wear and tear that exceeds the product's service life;
5. Damage to product packaging materials (such as sponges, foam, plastic casings, paper cards, etc.) during use;
6. Products marked as "non-warranty products" in this product catalog or those with a specified warranty period stated otherwise.

How to Repair or Replace:

1. For a single damaged product (not a complete set), you can go to any nearby designated sales point of BESTIR for free repair, and even replacement with the same model product if necessary; you can also send it to the company for direct repair or exchange.
   (Note: The product for repair must be fully equipped with accessories)
2. Free repair or replacement shall follow the principle of "repair first, then replacement".
3. For products not eligible for free repair, authorized dealers can provide paid repair services with accessory replacement.
4. BESTIR Company shall not be liable for the following: incidental and special losses caused by the user's use of the product; losses caused by violation or disregard of laws, contracts or warranty terms. The above losses include loss of profits and sales targets, missed business opportunities, business termination, personal injury/death and other losses.

Expert Reminder:

To ensure your safety and interests, please select a suitable tool and use it correctly. We are willing to answer any questions you may have during the product use. For assistance, please call the national service hotline: **400-830-9292**

Warm Reminder:

BESTIR product line and packaging are continuously upgraded and updated, so product images may slightly differ from the actual products. Changes to prices and products will not be notified separately. For any inquiries, please contact BESTIR customer service department, and we will be happy to assist you!